



GEORGE
TEL: +27 (0) 44 873 4923 FAX: +27 (0) 44 874 5953
EMAIL: info@sesc.net WEBSITE: www.sesc.net
ADDRESS: 102 Merriman Street, George 6530
PO BOX: 9087, George, 6530

CAPE TOWN
TEL: +27 (0) 21 554 5195 FAX: +27 (0) 86 575 2869
EMAIL: betsy@sesc.net WEBSITE: www.sesc.net
ADDRESS: Tableview, Cape Town, 7441
PO BOX: 443, Milnerton, 7435

1 September 2021

Dear Land Owner and/or Occupant,

NOTICE OF MAINTENANCE MANAGEMENT PLAN (MMP). INVITATION TO REGISTER AS AN INTERESTED & AFFECTED PARTY (I&AP) AND COMMENT ON THE MMP.

The Western Cape Government: Department of Transport and Public Works proposes to conduct Maintenance Activities on TR03103, MR00295, MR00294, DR01356, OP06046 and associated Infrastructure. The Proposed Maintenance Activities are located within the road reserve of TR03103, MR00295, MR00294, DR01356 and OP06046, near Montagu in the Langeberg Local Municipality, Cape Winelands District Municipality, Western Cape.

NEMA & EIA LISTED ACTIVITIES

The activities of this specific project are seen to be excluded from any listed activity under NEMA as they are for maintenance purposes. A Maintenance Management Plan has therefore been developed.

YOUR OPPORTUNITY TO PARTICIPATE IN THE MMP PROCESS

As a resident/land owner in the near vicinity of the proposed maintenance works, you are hereby notified of the proposed maintenance, the required Public Participation Process will inform you of the Report that will be undertaken. You are invited to register on the database of I&APs for this project. Registered I&APs will be kept informed of the progress and final outcome of the Report.

You are further notified that the Report for the above-mentioned project will be available for review and comment for a period of 30 days from 01 September 2021 to 01 October 2021. You are hereby invited to submit any comments (positive or negative) you may have on the proposed project and associated applications. Any interested party is entitled to submit comments, and all submitted comments will be taken into consideration during the process.

You are also requested to notify all occupants on your property about the above-mentioned proposed maintenance activities, the MMP that will be compiled, and the availability thereof for review and comment.

MORE INFORMATION

Further information about the proposed project and the process can be obtained from SES (contact details below), which can be downloaded directly from the SES website (www.sesc.net) under the "public documents" section. As well as through contacting the consultant below.

Please contact SES should you have any difficulty in accessing the report, or if you have any questions relating to this proposed project.

HOW TO COMMENT OR REGISTER AS AN INTERESTED PARTY

To register as an I&AP and/or to submit comments, please send your full name, contact details, preferred method of contact, an indication of any direct business, financial, personal or other interest

-
- Environmental Impact Assessments • Basic Assessments • Environmental Management Planning
 - Environmental Control & Monitoring • Water Use License Applications • Aquatic Assessments



which you may have in the application, and any comments you would like taken into consideration, in writing to Lloyd Barnes by email (preferred), post or fax, using the contact details provided below.

Please note that written comments must be received by Sharples Environmental Services on or before 01 October 2021 in order to be taken into consideration. Please also note that correspondence throughout the remainder of the process will be distributed to Registered I&APs only, and you are therefore encouraged to register on the project database if you have an interest in this project.

I&AP registration and commenting period: 01 September 2021 to 01 October 2021.

Don't hesitate to contact me should you have any queries or require any further information.

Kind Regards,

Lloyd Barnes

Sharples Environmental Services cc.

Tel: 021 554 5195 | Fax: 086 575 2869 | email: Lloyd@sescs.net | Post: P.O. Box 443, Milnerton, 7435

