#### GEORGE



TEL: +27 (0) 44 873 4923 FAX: +27 (0) 44 874 5953 EMAIL: info@sescc.net WEBSITE: www.sescc.net ADDRESS: Unit 17 Cathedral Square, Cathedral Street, George, 6530 PO BOX: 9087, George, 6530

#### CAPE TOWN

TEL: +27 (0) 21 554 5195 FAX: +27 (0) 86 575 2869 EMAIL: betsy@sescc.net WEBSITE: www.sescc.net ADDRESS: Tableview, Cape Town, 7441 PO BOX: 443, Milnerton, 7435

# REVISED DRAFT BASIC ASSESSMENT REPORT

## FOR THE

## PROPOSED EXPANSION OF MILKWOOD MANOR HOUSE AND PARKING ON ERF 10190, REMAINDER OF ERF 2066 AND REMAINDER OF ERF 706, PLETTENBERG BAY, WESTERN CAPE

In terms of the National Environmental Management Act, 1998 (Act No. 107 of 1998) and the Environmental Impact Assessment Regulations, 2014 (as amended 7 April 2017)

**PREPARED FOR:** Robert More The More Family Collection

DATE: 13 March 2024

**SES REF NO:** MLKW/EXP/PB/06/24 **DEA&DP REF.NO.:** 16/3/3/1/D1/14/0042/24



Environmental Impact Assessments 
 Basic Assessments 
 Environmental Management Planning

Environmental Control & Monitoring • Water Use License Applications • Aquatic Assessments



Department of Environmental Affairs and Development Planning

# **BASIC ASSESSMENT REPORT**

THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998 (ACT NO. 107 OF 1998) AND THE ENVIRONMENTAL IMPACT ASSESSMENT REGULATIONS.

**APRIL 2024** 



### **BASIC ASSESSMENT REPORT**

## THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998 (ACT NO. 107 OF 1998) AND THE ENVIRONMENTAL IMPACT ASSESSMENT REGULATIONS.

#### **APRIL 2024**

(For official use only)					
Pre-application Reference Number (if applicable):					
EIA Application Reference Number:					
NEAS Reference Number:					
Exemption Reference Number (if applicable):					
Date BAR received by Department:					
Date BAR received by Directorate:					
Date BAR received by Case Officer:					

#### **GENERAL PROJECT DESCRIPTION**

(This must Include an overview of the project including the Farm name/Portion/Erf number)



## IMPORTANT INFORMATION TO BE READ PRIOR TO COMPLETING THIS BASIC ASSESSMENT REPORT

- 1. **The purpose** of this template is to provide a format for the Basic Assessment report as set out in Appendix 1 of the National Environmental Management Act, 1998 (Act No. 107 of 1998) ("NEMA"), Environmental Impact Assessment ("EIA") Regulations, 2014 (as amended) in order to ultimately obtain Environmental Authorisation.
- 2. The Environmental Impact Assessment ("EIA") Regulations is defined in terms of Chapter 5 of the National Environmental Management Act, 19998 (Act No. 107 of 1998) ("NEMA") hereinafter referred to as the "NEMA EIA Regulations".
- 3. Submission of documentation, reports and other correspondence:

The Department has adopted a digital format for corresponding with proponents/applicants or the general public. If there is a conflict between this approach and any provision in the legislation, then the provisions in the legislation prevail. If there is any uncertainty about the requirements or arrangements, the relevant Competent Authority must be consulted.

The Directorate: Development Management has created generic e-mail addresses for the respective Regions, to centralise their administration. Please make use of the relevant general administration e-mail address below when submitting documents:

#### DEADPEIAAdmin@westerncape.gov.za

Directorate: Development Management (Region 1): City of Cape Town; West Coast District Municipal area; Cape Winelands District Municipal area and Overberg District Municipal area.

#### DEADPEIAAdmin.George@westerncape.gov.za

Directorate: Development Management (Region 3): Garden Route District Municipal area and Central Karoo District Municipal area

General queries must be submitted via the general administration e-mail for EIA related queries. Where a case-officer of DEA&DP has been assigned, correspondence may be directed to such official and copied to the relevant general administration e-mail for record purposes.

All correspondence, comments, requests and decisions in terms of applications, will be issued to either the applicant/requester in a digital format via email, with digital signatures, and copied to the Environmental Assessment Practitioner ("EAP") (where applicable).

- 4. The required information must be typed within the spaces provided in this Basic Assessment Report ("BAR"). The sizes of the spaces provided are not necessarily indicative of the amount of information to be provided.
- 5. All applicable sections of this BAR must be completed.
- 6. Unless protected by law, all information contained in, and attached to this BAR, will become public information on receipt by the Competent Authority. If information is not submitted with this BAR due to such information being protected by law, the applicant and/or Environmental Assessment Practitioner ("EAP") must declare such non-disclosure and provide the reasons for believing that the information is protected.
- 7. This BAR is current as of **April 2024**. It is the responsibility of the Applicant/ EAP to ascertain whether subsequent versions of the BAR have been released by the Department. Visit this Department's website at <u>http://www.westerncape.gov.za</u> to check for the latest version of this BAR.
- 8. This BAR is the standard format, which must be used in all instances when preparing a BAR for Basic Assessment applications for an environmental authorisation in terms of the NEMA EIA Regulations when the Western Cape Government Department of Environmental Affairs and Development Planning ("DEA&DP") is the Competent Authority.

- 9. Unless otherwise indicated by the Department, one hard copy and one electronic copy of this BAR must be submitted to the Department at the postal address given below or by delivery thereof to the Registry Office of the Department. Reasonable access to copies of this Report must be provided to the relevant Organs of State for consultation purposes, which may, if so indicated by the Department, include providing a printed copy to a specific Organ of State.
- 10. This BAR must be duly dated and originally signed by the Applicant, EAP (if applicable) and Specialist(s) and must be submitted to the Department at the details provided below.
- 11. The Department's latest Circulars pertaining to the "One Environmental Management System" and the EIA Regulations, any subsequent Circulars, and guidelines must be taken into account when completing this BAR.
- 12. Should a water use licence application be required in terms of the National Water Act, 1998 (Act No. 36 of 1998) ("NWA"), the "One Environmental System" is applicable, specifically in terms of the synchronisation of the consideration of the application in terms of the NEMA and the NWA. Refer to this Department's Circular EADP 0028/2014: One Environmental Management System.
- 13. Where Section 38 of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) ("NHRA") is triggered, a copy of Heritage Western Cape's final comment must be attached to the BAR.
- 14. The Screening Tool developed by the National Department of Environmental Affairs must be used to generate a screening report. Please use the Screening Tool link <u>https://screening.environment.gov.za/screeningtool</u> to generate the Screening Tool Report. The screening tool report must be attached to this BAR.
- 15. Where this Department is also identified as the Licencing Authority to decide on applications under the National Environmental Management: Air Quality Act (Act No. 29 of 2004) ('NEM:AQA"), the submission of the Report must also be made as follows, for-Waste Management Licence Applications, this report must also (i.e., another hard copy and electronic copy) be submitted for the attention of the Department's Waste Management Directorate (Tel: 021-483-2728/2705 and Fax: 021-483-4425) at the same postal address as the Cape Town Office.

Atmospheric Emissions Licence Applications, this report must also be (i.e., another hard copy and electronic copy) submitted for the attention of the Licensing Authority or this Department's Air Quality Management Directorate (Tel: 021 483 2888 and Fax: 021 483 4368) at the same postal address as the Cape Town Office.

DEPARTMEN	ITAL DETAILS
CAPE TOWN OFFICE: DIRECTORATE: DEVELOPMENT MANAGEMENT (REGION 1) (City of Cape Town, West Coast District, Cape Winelands District & Overberg District)	GEORGE REGIONAL OFFICE: DIRECTORATE: DEVELOPMENT MANAGEMENT (REGION 3) (Central Karoo District & Garden Route District)
The completed Form must be sent via electronic mail to:	The completed Form must be sent via electronic mail to:
DEADPEIAAdmin@westerncape.gov.za	<u>DEADPEIAAdmin.George@westerncape.gov.za</u>
Queries should be directed to the Directorate:	Queries should be directed to the Directorate: Development
Development Management (Region 1) at:	Management (Region 3) at:
E-mail: <u>DEADPEIAAdmin@westerncape.gov.za</u>	E-mail: <u>DEADPEIAAdmin.George@westerncape.gov.za</u>
Tel: (021) 483-5829	Tel: (044) 814-2006
Western Cape Government	Western Cape Government
Department of Environmental Affairs and Development	Department of Environmental Affairs and Development
Planning	Planning
Attention: Directorate: Development Management (Region	Attention: Directorate: Development Management (Region
1)	3)
Private Bag X 9086	Private Bag X 6509
Cape Town,	George,
8000	6530

MAPS

Provide a location	map (see below) as Appendix A1 to this BAR that shows the location of the proposed development tructures and infrastructure on the property.
Locality Map:	The scale of the locality map must be at least 1:50,000
Locally Map.	For linear activities or development proposals of more than 25 kilometres, a smaller scale e.g., 1:250 000 can be used. The scale must be indicated on the map.
	<ul> <li>an accurate indication of the project site position as well as the positions of the alternative sites, if any:</li> </ul>
	<ul> <li>road names or numbers of all the major roads as well as the roads that provide access to the site(s)</li> </ul>
	a north arrow;
	<ul> <li>a legend; and</li> <li>a linear scale.</li> </ul>
	For ocean based or aquatic activity, the coordinates must be provided within which the activity is to be undertaken and a map at an appropriate scale clearly indicating the area within which the activity is to be undertaken.
	Where comment from the Western Cape Government: Transport and Public Works is required, a map illustrating the properties (owned by the Western Cape Government: Transport and Public Works) that will be affected by the proposed development must be included in the Report.
Provide a detailed alternative proper	」 d site development plan / site map (see below) as Appendix B1 to this BAR; and if applicable, all rties and locations.
Site Plan:	Detailed site development plan(s) must be prepared for each alternative site or alternative activity. The site plans must contain or conform to the following:
	The detailed site plan must preferably be at a scale of 1:500 or at an appropriate scale.
	<ul> <li>The scale must be clearly indicated on the plan, preferably together with a linear scale.</li> <li>The property boundaries and numbers of all the properties within 50m of the site must be indicated on the site plan.</li> </ul>
	<ul> <li>On land where the property has not been defined, the co-ordinates of the area in which the proposed activity or development is proposed must be provided.</li> </ul>
	• The current land use (not zoning) as well as the land use zoning of each of the adjoining properties must be clearly indicated on the site plan.
	• The position of each component of the proposed activity or development as well as any other structures on the site must be indicated on the site plan.
	<ul> <li>Services, including electricity supply cables (indicate aboveground or underground), water supply pipelines, boreholes, sewage pipelines, storm water infrastructure and access roads that will form part of the proposed development <b>must</b> be clearly indicated on the site plan.</li> </ul>
	• Servitudes and an indication of the purpose of each servitude must be indicated on the site plan.
	• Sensitive environmental elements within 100m of the site must be included on the site plan, including (but not limited to):
	<ul> <li>Watercourses / Rivers / Wetlands</li> </ul>
	<ul> <li>Hood lines (i.e., 1:100 year, 1:50 year and 1:10 year where applicable);</li> </ul>

	<ul> <li>Coastal Risk Zones as delineated for the Western Cape by the Department of Environmental Affairs and Development Planning ("DEA&amp;DP"):</li> <li>Ridges;</li> <li>Cultural and historical features/landscapes;</li> <li>Areas with indigenous vegetation (even if degraded or infested with alien species).</li> <li>Whenever the slope of the site exceeds 1:10, a contour map of the site must be submitted.</li> <li>North arrow</li> </ul>
	A map/site plan must also be provided at an appropriate scale, which superimposes the proposed development and its associated structures and infrastructure on the environmental sensitivities of the preferred and alternative sites indicating any areas that should be avoided, including buffer areas.
Site photographs	Colour photographs of the site that shows the overall condition of the site and its surroundings (taken on the site and taken from outside the site) with a description of each photograph. The vantage points from which the photographs were taken must be indicated on the site plan, or locality plan as applicable. If available, please also provide a recent aerial photograph. Photographs must be attached to this BAR as <b>Appendix C</b> . The aerial photograph(s) should be supplemented with additional photographs of relevant features on the site. Date of photographs must be included. Please note that the above requirements must be duplicated for all alternative sites.
Biodiversity Overlay Map:	A map of the relevant biodiversity information and conditions must be provided as an overlay map on the property/site plan. The Map must be attached to this BAR as <b>Appendix D</b> .
Linear activities or development and multiple properties	GPS co-ordinates must be provided in degrees, minutes and seconds using the Hartebeeshoek 94 WGS84 co-ordinate system. Where numerous properties/sites are involved (linear activities) you must attach a list of the Farm Name(s)/Portion(s)/Erf number(s) to this BAR as an Appendix. For linear activities that are longer than 500m, please provide a map with the co-ordinates taken every 100m along the route to this BAR as <b>Appendix A3</b> .

### ACRONYMS

DAFF:	Department of Forestry and Fisheries
DEA:	Department of Environmental Affairs
DEA& DP:	Department of Environmental Affairs and Development Planning
DHS:	Department of Human Settlement
DoA:	Department of Agriculture
DoH:	Department of Health
DWS:	Department of Water and Sanitation
EMPr:	Environmental Management Programme
HWC:	Heritage Western Cape
NFEPA:	National Freshwater Ecosystem Protection Assessment
NSBA:	National Spatial Biodiversity Assessment
TOR:	Terms of Reference
WCBSP:	Western Cape Biodiversity Spatial Plan
WCG:	Western Cape Government

#### **ATTACHMENTS**

**Note:** The Appendices must be attached to the BAR as per the list below. Please use a  $\checkmark$  (tick) or a x (cross) to indicate whether the Appendix is attached to the BAR.

The following checklist of attachments must be completed.

APPENDIX			<pre>✓ (Tick) or x (cross)</pre>
	Maps		
	Appendix A1:	Locality Map	✓
Appendix A:	Appendix A2:	Coastal Risk Zones as delineated in terms of ICMA for the Western Cape by the Department of Environmental Affairs and Development Planning	~
	Appendix A3:	Map with the GPS co-ordinates for linear activities	N/A
	Appendix B1:	Preferred Site development plan	$\checkmark$
	Appendix B2:	Alternative Site development plan	✓
Appendix B:	Appendix B3	A map of appropriate scale, which superimposes the proposed development and its associated structures and infrastructure on the environmental sensitivities of the preferred site, indicating any areas that should be avoided, including buffer areas;	~
Appendix C:	Photographs	✓	
Appendix D:	Biodiversity overla	$\checkmark$	
	Permit(s) / license Department/Organ	ts from State	
	Appendix E1:	Final comment/ROD from HWC	✓
	Appendix E2:	Copy of comment from Cape Nature	*
	Appendix E3:	Final Comment from the DWS	N/A
Appendix F:	Appendix E4:	Comment from the DEA: Oceans and Coast	
	Appendix E5:	Comment from the DAFF	✓
	Appendix E6:	Comment from WCG: Transport and Public Works	
	Appendix E7:	Comment from WCG: DoA	
	Appendix E8:	Comment from WCG: DHS	
	Appendix E9:	Comment from WCG: DoH	

	Appendix E10:	Comment from DEA&DP: Pollution Management	×
	Appendix E11:	Comment from DEA&DP: Waste Management	×
	Appendix E12:	Comment from DEA&DP: Biodiversity	
	Appendix E13:	Comment from DEA&DP: Air Quality	N/A
	Appendix E14:	Comment from DEA&DP: Coastal Management	¥
	Appendix E15:	Comment from the local authority	×
	Appendix E16:	Confirmation of all services (water, electricity, sewage, solid waste management)	To be included in the FBAR
	Appendix E17:	Comment from the District Municipality	
	Appendix E18:	Copy of an exemption notice	N/A
	Appendix E19	Pre-approval for the reclamation of land	N/A
	Appendix E20:	Proof of agreement/TOR of the specialist studies conducted.	*
	Appendix E21:	Proof of land use rights	N/A
	Appendix E22:	Proof of public participation agreement for linear activities	N/A
	Appendix E23:	Existing Approvals	✓
	Appendix F1:	Comments and responses Report	✓
Appendix F	Appendix F2:	Register of I&APs	✓
	Appendix F3:	Proof of Public Participation Process	✓
	Appendix F4:	Comments received	✓
	Appendix G1:	Estuarine Impact Assessment Report: Confluent Environmental James Dabrowski	$\checkmark$
	Appendix G2:	Terrestrial, animal and plant Impact Assessment: Jamie Pote	$\checkmark$
	Appendix G3:	Palaeontology Impact Assessment Report, Perception Planning CC Marion Bamford	✓
Appendix G:	Appendix G4:	Heritage Assessment, Perception Planning CC Stefan de Kock	~
	Appendix G5:	Coastal Engineering Assessment, PRDW Africa (Pty) Ltd AR Wijnberg	✓
	Appendix G6:	Departure and SDP Approval Applications by Planning Space Town and Regional Planners	✓

	Appendix G7:	Bulk Electricity Services Analysis	~
	Appendix G8:	✓	
	Appendix G9:	Engineering services report – JVR Consulting Structural Engineers	✓
	Appendix G10:	Civil Aviation Compliance Statement	√
Annondia Hi	Appendix H1:	EMPr	$\checkmark$
Appendix H:	Appendix H2:	~	
Appendix I:	Screening tool rep	$\checkmark$	
Appendix J:	The impact and ris	N/A	
Appendix K:	Need and desirab terms of this Depar 2013)/DEA Integra	N/A	
Appendix L:	Stormwater Manag	$\checkmark$	

### SECTION A: ADMINISTRATIVE DETAILS

	CAPE TOWN OFFICE	E: REGION 1	GEORGE OFFICE: BEGION 3							
Highlight the Departmental Region in which the intended application will fall	(City of Cape Town, West Coast District	(Cape Winelands District & Overberg District)		(Central Karoo District & Garden Route District)						
Duplicate this section where there is more than one Proponent Name of	More Family Collection									
Applicant/Proponent: Name of contact person for Applicant/Proponent (if	Robert More									
Company/ Trading name/State Department/Organ of State:	The More Family	Collection	١							
Company Registration Number:										
Postal address:	15 3rd Avenue, I	Parktown N	lorth,	Johannesburg						
Telephone:	+27 (0) 11 880 99	992								
E-mail:	robert@more.cc	).ZQ		Fax: ( )						
Company of EAP:	Sharples Environ	mental Ser	vices							
EAD normal	Michael Bennet	t (Registere	ed EAF	)						
EAF hame.	Lu-anne Beets (Candidate EAP)									
Postal address:	PO Box 9087, Ge	eorge								
Telephone	011 072 1002			Postal code:						
Telephone.	044 073 4723 michael@sesco	not								
E-mail:	luanne@sescc.n	iet	Fax: ( )							
	BSc Environmental & Geographic Science									
Qualifications:	Michdel.		and	nd Ocean and Atmospheric Science						
	Lu-anne:		BSc	z Zoology & Botany						
		1/0	BSC	Honours Environmental Management						
EAP registration no:	Lu-anne: 2021/3	962								
Duplicate this section where there is more than one landowner Name of landowner:	Groenendijk Trus	st								
Name of contact person for	Groenendijk Trus	st								
Postal address:	Milkwood Mano	r on Sea, S	alma	ck Road, Plettenberg Bay						
				Postal code: 6600						
Telephone:	( )			Cell: 083 367 2095						
E-mail:	Dita da trada in all	L		Fax: ( )						
Name of landowner: Name of contact person for	BITOU MUNICIPAI	ту								
landowner (if other):	Municipal Manc	iger								
Postal address:	Salmack Road, Plettenberg Bay									
Telenhone:	044 501 3172									
F-mail:	mmemani@plet	t aov za								
Name of Person in control of	Ritou Municipali	+v		·						
Name of contact person for	Municipal Manc	<u>nder</u>								
person in control of the land:	Private Raa v100	)) Plattank	Dera R	av						
Postal address:			Joig D	Postal code: 6600						
Telephone:	044 501 3172			Cell:						
				1						

E-mail:	mmemani@plett.gov.za	Fax: ( )
Name of Person in control of the land:	Groenendijk Trust	
Name of contact person for person in control of the land:	Groenendijk Trust	
Postal address:	Salmack Road, Plettenberg Bay	
Telephone:	044 501 3172	Cell: 083 367 2095
E-mail:		Fax: ( )

Duplicate this section where there is more than one Municipal Jurisdiction Municipality in whose area of jurisdiction the proposed activity will fall:	Bitou Municipality					
Contact person:	Municipal Manager					
Postal address:	Private Bag x1002, Plettenberg B	ay				
		Postal code: 6600				
Telephone	044 501 3172	Cell:				
E-mail:	mmemani@plett.gov.za	Fax: ( )				

# SECTION B: CONFIRMATION OF SPECIFIC PROJECT DETAILS AS INLCUDED IN THE APPLICATION FORM

1.	Is the proposed deve	lopment (	please tio	ck):	New	<i>,</i>						Expansion			×		
2.	Is the proposed site(s	) a brownf	ield of gr	eenfie	eld site	∋? Ы	ease ez	xplai	n.								
The e infras	existing Milkwood tructure.	Manor	Guest	Ηοι	use c	and	Parki	ing	site	is o	a k	prowr	nfield	site	with	exis	ting
3.	For Linear activities of	r developr	nents														
3.1.	5.1. Provide the Farm(s)/Farm Portion(s)/Erf number(s) for all routes:																
3.2.	Development footpri	nt of the p	roposed	deve	lopme	ent fo	or all al	terno	atives						m²		
3.3.	<ul><li>Provide a description of the proposed development (e.g. for roads the length, width and width of the road reserve</li><li>3.3. in the case of pipelines indicate the length and diameter) for all alternatives.</li></ul>																
3.4.	Indicate how access	s to the pr	oposed r	outes	will be	e obi	lained	for a	III alte	ernati	ves.						
3.5.	SG Digit codes of the Farms/Farm Portions/Erf numbers for all alternatives																
3.6.	Starting point co-ordi	nates for c	all alterna	itives													
	Latitude (S)		0				44						4.4				
	Longitude (E)		0				4						66				
	Middle point co-ordi	nates for a	II alterna	tives													
	Latitude (S)		0				4						6.6				
	Longitude (E)		0				11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1										
	End point co-ordinate	es for all a	Iternative	S													
	Latitude (S)		0				6					44					
	Longitude (E)		0				4						6.6				
Note:	For Linear activities or a must be attached to the	developm	ents long	Jer tho A3	an 500	m, a	ı map i	indic	ating	the	co-(	ordina	tes for	ever	y 100m	alon	g the
4.	Other developments	5 DAIL 05 7	pperior														
4.1.	Property size(s) of all (	proposed	site(s):				Erf 10 RE/20	190 66							284 98	340.6 37.44	5 m² 1 m²

		RE/706	66 904.77 m²
12	2 Developed footprint of the existing facility and associated infrastructure (if applicable):		Approx.
4.2.			7391.90 m <sup>2</sup>
4.3.	Development footprint of the proposed development	and associated infrastructure size(s) for	Approx. 8
	all alternatives:		337,65 m <sup>2</sup>
4.4.	Provide a detailed description of the proposed deve details of e.a. buildings, structures, infrastructure, storac	lopment and its associated intrastructure ae facilities, sewage/effluent treatment and	(This must include holding facilities).
The N	Nore Family Collection proposes to expand t	he Milkwood Manor guest house	and the public
and p	private parking.		
Proje	ct Overview	alia a	
•	Expand Milkwood Manor Guest House Build	ling	
	<ul> <li>Expand ground floor to 939m<sup>2</sup></li> </ul>		
	<ul> <li>Expand first floor to 972m<sup>2</sup></li> </ul>		
•	Construct 27 new public parking bays		
•	Construct 6 new private parking bays for N	1ilkwood Manor Guest House gues	ts
•	Construct bus-drop off area		
•	Construct stone boundary wall		
•	Install parking lighting		
•	Re-surface the entire parking area		
•	New landscaping (existing protected trees in carpark will remain)		
•	New signage		
•	New pool		
•	Implement stormwater management plan		
•	Remove the existing deck on the rock revetment		
Guest house expansion			
The proposed new ground floor will consist of new rooms, a reception, a bar and restaurant, a			d restaurant, a
transport area, service yard, stone boundary wall, swimming pool, deck, courtyard and garden and			nd garden and
perge	pergola. The proposed new first floor will consist of new rooms, storage areas and a spa. It also		
prop	proposed to reduce the size of the restaurant from approx. 100 seats to approx. 60 seats which will		
mostl	y cater to the needs ot resident guests but w	III not exclude the public.	



Figure 1: Proposed Preferred SDP (Alternative A)

#### **Parking Expansion**

To accommodate the expansion of the guest house, the existing parking lot must also be expanded. 1.25 parking bays is required for every room in the hotel. The expansion of the hotel will have a total of 22 rooms (one room will be a manager room) therefore 27 parking bays are required. The restaurant section measures 192m<sup>2</sup> and will require 2 additional bays. The total parking requirement calculates to 31 bays. The present proposal only provides for 6 on-site bays, which leaves a shortfall of 25 bays. As part of this extension, the new owners seek to reduce on-site parking requirements as stipulated in the Bitou Zoning Scheme, by utilising the adjacent public parking area and upgrading it to include 27 additional public parking bays.

Please refer to Figure 2, the white indicates the existing parking that will remain the same. The red indicates the new public parking. The blue indicates new private hotel parking.



Figure 2: Proposed parking layout

## (Source: MILKWOOD MANOR REVETMENT: COASTAL ENGINEERING ASSESSMENT, prepared by Consulting Port and Coastal Engineers, dated 1 August 2024)

#### Rock revetment & existing deck

The existing rock revetment was installed as an emergency repair after the November 2007 flooding of the Bitou and Keurboom estuaries. The location of the mouth may be considered as being in a dynamic equilibrium as a function of fluvial flooding, prevailing sea level and ocean storm events. The implication is that the conditions which led to the need to construct the revetment during 2007/2008 should be expected to recur in future.



Figure 3: November 2007 during flood



Figure 4: After construction of revetment (circa 2008)

The state of the revetment inspected during the site visit in July 2024 is good. The Table Mountain Sandstone (TMS) rock shows little sign of weathering with only minor settlement over its length. Most of the structure is currently below the accreted beach sand level. The long-term stability of the revetment is dependent on the toe of the structure not being undermined, the units on the slope remaining in position and the crest not being damaged.

The construction of the revetment could not build the toe of the structure on bedrock and relies on additional rock in front of the main slope to form a falling apron in the event of future erosion. The stability of the structure is therefore a function of the amount of rock placed. Records (bills of quantities delivered) obtained from the owner indicate that a total of 5300 tonnes of rock was placed in the revetment over a period of approximately 7 months. If it is assumed that this was distributed over the 160 m of the revetment this equates to around 18 m<sup>3</sup> of rock per metre. This would appear to be adequate for the maintenance of the integrity most of the structure.

No units appear to have been displaced on the slope of the revetment. The apparent minor settlement of parts of the structure is not of concern but indicates that additional rock should be added to the structure in future to ensure that the crest level is maintained.

After the rock revetment was constructed around the property, most of the useable open space around the hotel, including the swimming pool was lost. Therefore, a seating area in the form of a timber deck to the west of the existing building was constructed on the rock revetment. The deck, however, encroaches over the boundary line of the property into Erf 706 which belongs to the municipality. Part of the proposal is to remove the existing deck that is encroaching into public land. It is proposed that the removal of the deck will be done with manual labour to avoid using heavy machinery in the estuary or on the beach. Labourers will access the deck from an existing wooden path south of the building and work on the revetment itself to limit the working footprint in the Estuarine Functional Zone.

## (Source: Departure and SDP Approval Applications ERF 10190 PLETTENBERG BAYMILKWOOD MANOR, prepared by Planning Space Town and Regional Planners, dated 8 August 2024)

#### Building line relaxation

After the rock revetment was constructed around the property, most of the useable open space around the hotel. The owners constructed a seating area in the form of a timber deck to the west of the existing building, up to the rock revetment. An environmental authorisation was issued by the Department of Environmental Affairs and Development Planning in 2010; however, the deck encroaches over the boundary line of the property into Erf 706 which belongs to the municipality. As such, the renovations will include the removal of this encroachment into public land.

An application was made by Planning Space Town and Regional Planners to relax the southern boundary building line of 4 meters to 0m. The intention is to create an open service area to contain service infrastructure such as water tanks, refuse storage, a generator room, and a delivery area which is presently located in the municipal parking area. This will improve the functionality of the hotel but will also neaten up the parking area and will also free up space for a more functional parking layout. Due to the position of the existing building and surrounding revetment, there is no other place to put these facilities.

The applicant has however indicated that the service yard will be managed within the current footprint and within the building lines.

It is also proposed to construct a 2.1 m stone boundary wall (red line) within the south and a small section of the south-west of the property.



Figure 5: Proposed stone boundary wall

#### Additional upgrades

- Lighting
  - The proposal includes the installation of adequate lighting throughout the parking area to enhance safety and security, especially during evening and nighttime hours, and also be considerate of electricity usage and light pollution. Currently, there are no streetlights.
- Re-Surfacing

- Presently, the parking area is partially surfaced with paving stones, gravel, and tar that has not been properly maintained. It is planned to resurface the entire parking area, which will include green infrastructure elements such as permeable paving and bioswales to manage stormwater runoff. As per the conditions of the Council resolution, the resurfacing will be in accordance with the specifications and requirements of the Engineering Department's: Roads Section, and all costs will be for the account applicant.
- Landscaping
  - Landscaping will enhance the aesthetic appeal of the parking area and include the use of Indigenous and drought-resistant plants to minimise water usage and maintenance. Several Milkwood trees are present and have been surveyed to inform the design. All trees will be saved as far as practically possible, any protected trees which need to be removed or transplanted will first undergo a National Forestry Act Licence application.
- Signage
  - Directional and functional signage will also be added to the parking area making it easier for visitors to know where the ablutions are, the Hotel, and the Lookout Beach and to create a sense of arrival. The parking bays including a bus drop-off area will be demarcated.

# (Source: ELECTRICITY CAPACITY INVESTIGATION FOR THE MANOR HOUSE RE-DEVELOPMENT AT ERF 10190 IN PLETTENBERG BAY: CAPACITY ANALYSIS OF THE BULK ELECTRICAL SERVICES, Prepared by GSL Consulting (Pty) Ltd, dated 18 July 2024)

#### **Electrical Demand**

The network around the proposed site is currently mainly supplied by SS-1 Main, which is the substation supplying electricity to Plettenberg Bay town area. SS-1 Main currently has enough capacity to carry the additional 48 kVA maximum demand brought by the proposed expansion of Milkwood Manor Guest House on Erf 10190. The MV feeders supplying the surrounding area have sufficient capacity to carry the additional demand at the proposed development.

It is also the intention to install a small-scale embedded generation (SSEG) at the development as a backup measure to ensure continuous electrical supply. The SSEG system will be registered with the municipality.

# (Source: PROPOSED ADDITIONS AND ALTERATIONS TO MILKWOOD MANOR ON SEA, ERF 10190, PLETTENBERG BAY: CAPACITY ANALYSIS OF THE BULK WATER & SEWER SERVICES, Prepared by GSL Consulting (Pty) Ltd, dated 10 March 2025)

#### Water demand

The existing water system has sufficient capacity to accommodate the domestic water demand of the proposed development to comply with the pressure criteria as set out in the master plan.

The capacity of the existing system to supply fire flow to Erf 10190 is 2,8 L/s @ 10 m water pressure when fire flow is supplied through the existing 50 mm Ø pipe in Salmack Road. Fire flow can be supplied to Erf 10190 from the Town reservoir water distribution zone through a connection to the existing 100 mm AC pipe at the corner of Erf 3904, as shown on Figure 6. The capacity of the Town reservoir system to supply fire flow to the existing 100 mm AC pipe at the corner of Erf 3904, as shown on Figure 6. The capacity of the Town reservoir system to supply fire flow to the existing 100 mm AC pipe at the corner of Erf 3904 is 16,4 L/s @ 10 m head. A new 110 mm Ø supply pipe will be required from the proposed connection point to the Town reservoir water distribution zone (at the corner of Erf 3904) to Erf 10190. It is recommended that this upgrade is done within existing road reserves.

The pipeline will be approx. 171 m in length. According to the GLS report the pipeline will be within road reserves.



Figure 6: Proposed new pipeline to supply foreflow



Figure 7: Proposed new 110 mm pipeline

The development falls within the existing Plettenberg Bay pumping station (PS) no. 2 drainage area. Sewage from the development is currently discharged directly into Plettenberg Bay PS no. 2 in Salmack Road. There is sufficient capacity in the existing sewer system to accommodate the proposed development.

# (Source: JVR Consulting Structural Engineers, PROPOSED ADDITIONS AND ALTERATIONS TO THE MILKWOOD MANOR ON SEA: PLETTENBERG BAY: ENGINEERING SERVICES REPORT : REVISED, 3 March 2025)

The existing network capacity in the vicinity of the site is subject to the confirmation by Bitou Municipality. GLS Consulting (GLS) were appointed by Bitou Municipality to compose a Water Master Plan for the Municipal area and to determine the effect of any form of developments in the Municipal area on the Water Master Plan. This and other reports will be submitted to GLS to

determine whether the existing water network system has enough capacity to accommodate the proposed housing development.

The only increase in the Annual Average Daily Demand (AADD) is for the additional rooms, but this can be reduced due to that fact that all outdoor use water will be from on-site sources i.e. rainwater harvesting and re-use of grey water.

According to the GLS Water Master Plan the existing reservoirs have enough storage capacity and capacity for fire flow conditions to accommodate this development. According to the Water Master Plan for the Municipal area, enough capacity exists at the Water Treatment Plants.

As per the Water System Master plan dated June 2016 provided by GLS Consulting for Bitou Municipality, the existing system has enough capacity to accommodate the proposed additions of services to the current property without bulk supply upgrades. The property is currently serviced by a 32mm connection to the water main. It is proposed that this be upgraded to a 50mm connection to cater for the additional internal flow requirements.

Previous investigation of the bulk sewerage infrastructure, by GLS Consulting, found that the WWTW has a capacity of 9 Ml/day and has enough capacity to accommodate the effluent from the proposed alterations to the development but is subject to the confirmation by Bitou Municipality.

It is proposed that the development on Erf 10190 will remain to drain to the existing Main Pump Station (Pump Station 2) situated within the existing parking area as per the status quo. Therefor no additional services will be required to accommodate the proposed alterations and additions to the existing property.

Refuse removal will be dealt with once a week as applicable to all the current residential areas in the Bitou Municipal area and the status quo will remain.

There are no changes required to the existing Civil Engineering Services within the boundaries of Erf 10190 except for additional plumbing to service the additions to the building.

#### Stormwater

The storm water system forms an integral part of the road and urban planning layout. The system rests on three legs, the minor system, the major system and an emergency system. The minor storms are catered for in the pipe system while the major storms are routed through a linked system of roads and public open spaces using attenuation techniques. The emergency system recognizes failure of the minor and major system by storms greater than provided for in major system or in the event of malfunction of the minor system by providing continuous overland flow routes to minimize flooding of residential areas.

The data to be used for the design of the system is as follows:

- Minor system: 2-year return period conveyed in an underground pipe system. Preferably the overland flow shall not exceed 200m.
- Major system: 50-year return period. The difference between the 2 year and 50 year to be conveyed in the road prism with depth not exceeding 150mm within the road reserve width.
- The minimum gradients for pipelines are designed to give a minimum velocity of 0.7m per second with the pipe flowing full.
- The maximum velocity used is 3.5m per second.
- Major storm water overflows are to be provided to convey the excess storm water from the streets into designated public open spaces.
- Storm water flow velocities in roadways will be kept as low as possible and related to the surface finish to prevent scour and erosion.
- Roads are to be graded to ensure free and continuous flow to the main storm water system and to prevent local ponds at intersections.
- Storm water pipes are generally 50D, 75D or 100D as required by the loading and installation conditions.

- Pipes are generally laid on Class C bed.
- The minimum cover on pipes is 0.80m.
- The minimum pipe diameter is 450mm for longitudinal runs and catch pit connections.

#### (Source: Proposed Stormwater Management Plan, prepared by Dave Visser Consulting Engineer 19 August 2024)

Currently the site has 4 existing stormwater drainage points. The first point is a side inlet municipal catchpit with an outlet 150mm pipe. The second point is an earth open channel outlet. The third point is an existing open stone-pitched channel with a 300mm outlet pipe, and the fourth point is an existing soakaway into the rock revetment.



Figure 8: Stormwater management plan

Point 1,2 and 3 will be upgraded to include a typical silt and interception trap section. Point 4 will be upgraded to include typical grass blocks. The expanded car park area will be paved using grass brick paving to facilitate infiltration of water and reduce surface runoff from the expanded section of the car park.



#### SECTION C: LEGISLATION/POLICIES AND/OR GUIDELINES/PROTOCOLS

#### 1. Exemption applied for in terms of the NEMA and the NEMA EIA Regulations

Has exemption been applied for in terms of the NEMA and the NEMA EIA Regulations. If yes, include	VES	NO	
a copy of the exemption notice in Appendix E18.	TES	NO	

#### 2. Is the following legislation applicable to the proposed activity or development.

The National Environmental Management: Integrated Coastal Management Act, 2008 (Act No. 24 of 2008) ("ICMA"). If yes, attach a copy of the comment from the relevant competent authority as Appendix E4 and the pre-approval for the reclamation of land as Appendix E19.	YES	NO
The National Heritage Resources Act, 1999 (Act No. 25 of 1999) ("NHRA"). If yes, attach a copy of the comment from Heritage Western Cape as Appendix E1.	YES	NO
The National Water Act, 1998 (Act No. 36 of 1998) ("NWA"). If yes, attach a copy of the comment from the DWS as Appendix E3.	YES	NO
The National Environmental Management: Air Quality Act, 2004 (Act No. 39 of 2004) ("NEM:AQA"). If yes, attach a copy of the comment from the relevant authorities as Appendix E13.	YES	NO
The National Environmental Management Waste Act (Act No. 59 of 2008) ("NEM:WA")	YES	NO
The National Environmental Management Biodiversity Act, 2004 (Act No. 10 of 2004 ("NEMBA").	YES	NO
The National Environmental Management: Protected Areas Act, 2003 (Act No. 57 of 2003) ("NEMPAA").	YES	NO
The Conservation of Agricultural Resources Act, 1983 (Act No. 43 of 1983). If yes, attach comment from the relevant competent authority as Appendix E5.	YES	NO

#### 3. Other legislation

List any other legislation that is applicable to the proposed activity or development.

- Amended Environmental Impact Assessment Regulations, GN No. R. 324 327 (7 April 2017)
- The Constitution of the Republic of South Africa, 1996 (Act 108 of 1996)
- Spatial Planning and Land Use Management Act, No. 16 of 2013 (SPLUMA)
- Infrastructure Development Act, 2014 (Act No. 23 of 2014)
- The National Environmental Management Laws Amendment Act, 2022
- Natural Scientific Professions Act, 2003 (Act 27 of 2003)
- Regulation 41 of the EIA Regulations, 2014 (as amended)
- Section 24O (2) and (3) of NEMA and Regulations 7(2) and 43(2) of the EIA Regulations, 2014
- National Water Act, 1998 (Act No. 36 of 1998)
- National Heritage Resources Act, 1999 (Act No. 25 of 1999)

#### 4. Policies

Explain which policies were considered and how the proposed activity or development complies and responds to these policies.

#### Western Cape Provincial SDF (2014)

The PSDF puts in place a coherent framework for the Province's urban and rural areas that:

- Gives spatial expression to National and provincial development agendas.
- Serves as basis for coordinated and integrated planning alignment on National and Provincial Departmental Programmes.
- Supports municipalities to fulfil their mandates in line with national and provincial Agendas.
- Communicates government's spatial development agenda.

The proposed development is in line with the SDF's spatial goals that aim to take the Western Cape on a path towards:

- Greater productivity, competitiveness and opportunities within the spatial economy.
- Strengthening resilience and sustainable development.

#### Eden Spatial Development Framework (2017)

The Eden District Spatial Development Framework aims to establish a strong strategic direction and vision, towards increasing levels of detail in the spatial recommendations that are directive rather than prescriptive and providing guidance to local municipalities in the District regarding future spatial planning, strategic decision making and regional integration. The vision and strategic direction identify four key drivers of spatial change within the District. These four strategies lie at the heart of this SDF and the problem statement, spatial concept, spatial proposals and implementation are organised around these directives.

#### 5. Guidelines

List the auidelines which have been considered relevant to	o the proposed activity or development and explain how they
have influenced the development proposal.	
Guideline on Need and Desirability (2013/2017)	Guideline considered during the assessment of the Need and Desirability of the proposed development project.
Guideline on Environmental Management Plans (2005)	Guideline considered in the compilation of the EMP attached to this Basic Assessment Report.
Guideline for the Review of Specialist Input into the EIA Process (2005)	Guideline considered during the review and integration of specialist input into this Basic Assessment Report
Integrated Environmental Management Information Series 5: Impact Significance (2002)	Guideline considering during the identification and evaluation of potential impacts associated with the proposed development, and the reporting thereof in this Basic Assessment Report
Integrated Environmental Management Information Series 7: Cumulative Effects Assessment (2004)	Guideline considering during the assessment of the cumulative effect of the identified impacts.
Guideline on Public Participation (2013)	Guideline considered in the undertaking of the public participation for the proposed development. All relevant provisions contained in the guideline were adhered to in the basic assessment process as appropriate, except where an exemption/ deviation has been granted by the Competent Authority.
Guideline on Alternatives (2013)	Guideline considered when identifying and evaluating possible alternatives for the proposed development. Alternatives that were considered in the impact assessment process are reported on in this Basic Assessment Report (see section E)
Circular 0004/2021	The Consideration of Coastal Risk in Land Use Decisions as well as the way forward with respect to the establishment and implementation of Coastal Management Lines in terms of the National Environmental Management: Integrated Coastal Management Act, 2008 (Act No. 24 Of 2008) ("NEM: ICMA")".

Other guidelines:

- Keurbooms Estuary Estuarine Management Plan (2023)
- Western Cape Provincial Coastal Management Programme 2022 2027
- Provincial Coastal Access Strategy and Plan, 2017
- Guideline for Environmental Management Plans (June 2005).
- Guideline for determining the scope of specialist involvement in EIA processes, June 2005
- Guideline for involving biodiversity specialists in the EIA process, June 2005.
- Guideline for involving hydrogeology specialists in the EIA process, June 2005.
- Guideline for environmental management plans, June 2005.

- Guideline for involving visual and aesthetic specialists in the EIA process, June 2005.
- Guideline for involving heritage specialists in the EIA process, June 2005
- Guideline for involving social assessment specialists in the EIA process, February 2007.
- Guideline for involving economists in the EIA process, June 2005
- Western Cape Provincial Spatial Development Framework, November 2014 (as amended)
- DEA (2017), Guideline on Need and Desirability, Department of Environmental Affairs (DEA), Pretoria, South Africa (ISBN: 978-0-9802694-4-4)
- National Environmental Management: Integrated Coastal Management Act, 2008 (Act No. 24 Of 2008) ("NEM: ICMA")".
- Western Cape EMFIS: Best Practice Guidelines (2019)
- Bitou Municipality Disaster Risk Assessment 2019

### 6. Protocols

Explain how the proposed activity or development complies with the requirements of the protocols referred to in the NOI and/or application form

The following specialist studies were undertaken for this p	proposal:
-------------------------------------------------------------	-----------

Archaeological and Cultural Heritage Impact Assessment	General Protocol
Palaeontology Impact Assessment	General Protocol
Terrestrial Biodiversity Impact Assessment	Terrestrial Biodiversity Assessment Protocol
Aquatic Biodiversity Impact Assessment	Aquatic Biodiversity Assessment Protocol
Plant Species Assessment	Plant Species Assessment Protocol
Animal Species Assessment	Animal Species Assessment Protocol
Civil Aviation Assessment	General Protocol

The corresponding protocols were used by the specialists to compile and structure their reports.

### SECTION D: APPLICABLE LISTED ACTIVITIES

List the applicable activities in terms of the NEMA EIA Regulations

Activity No(s):	Provide the relevant <b>Basic Assessment Activity(ies)</b> as set out in <b>Listing Notice 1</b>	Describe the portion of the proposed development to which the applicable listed activity relates.
15	The development of structures in the coastal public property where the development footprint is bigger than 50 square metres,	The preferred location of the ablution block and some of the proposed new parking lots is within the coastal public property and will exceed 50 m <sup>2</sup> .
	<ul> <li>excluding –</li> <li>(i) the development of structures within existing ports or harbours that will not increase the development footprint of the port or harbour;</li> <li>(ii) the development of a port or harbour, in which case activity 26 in Listing Notice 2 of 2014 applies;</li> <li>(iii) the development of temporary structures within the beach zone where such structures will be removed within 6 weeks of the commencement of development and where coral or indigenous vegetation will not be cleared; or</li> </ul>	Therefore, this activity will be triggered.

	(iv) activities listed in activity 14 in Listing	
	activity applies.	
17	Development—	The construction of the beach shower
	(i) in the sea;	deck in Alternative B falls within the
	(ii) in an estuary;	Litoral Active Zone.
	(iii) within the littoral active zone;	
	(iv) in front of a development setback; or	The section of the pipeline going
	(v) if no development setback exists,	through vegetation might not be
	within a distance of 100 metres inland of	considered an urban area.
	the high-water mark of the sea or an	
	estuary, whichever is the greater;	Therefore, this activity may be triggered.
	in respect of—	
	(a) fixed or floating jetties and slipways;	
	(b) tidal pools;	
	(c) embankments;	
	(d) rock revetments or stabilising	
	structures including stabilising walls; or	
	development feetprint of 50 square	
	metres or more	
	but excludina—	
	(aa) the development of infrastructure	
	and structures within existing ports or	
	harbours that will not increase the	
	development footprint of the port or	
	harbour;	
	(bb) where such development is related	
	to the development of a port or harbour,	
	in which case activity 26 in Listing Notice	
	2 of 2014 applies;	
	(cc) the development of temporary	
	intrastructure or structures where such	
	of the common company of dovelopment	
	and where coral or indigenous	
	vegetation will not be cleared: or	
	(dd) where such development occurs	
	within an urban area.	
18	The planting of vegetation or placing of	The exact size of the beach shower
	any material on dunes or exposed sand	deck is to be obtained; however, it is
	surfaces of more than 10 square metres,	likely to exceed 10 m².
	within the littoral active zone, for the	
	purpose of preventing the tree	It alternative B is authorised, this activity
	movement of sand, erosion or accretion,	will be friggered.
	excluding where —	
	(i) the planting of vegetation or	
	placement of material relates to	
	restoration and maintenance of	
	indigenous coastal veaetation	
	undertaken in accordance with a	
	maintenance management plan; or	
	(ii) such planting of vegetation or placing	
	of material will occur behind a	
	development setback	

19A	The infilling or depositing of any material of more than 5 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit,	According to CapeFarmpMapper the site is located within an estuary and estuarine functional zone.
	pebbles or rock of more than 5 cubic metres from—	Therefore, this activity will be triggered by the proposal.
	<ul> <li>(i) the seashore;</li> <li>(ii) the littoral active zone, <b>an estuary</b> or a distance of 100 metres inland of the highwater mark of the sea or an estuary, whichever distance is the greater; or</li> <li>(iii) the sea;</li> </ul>	
	but excluding where such infilling, depositing, dredging, excavation, removal or moving—	
	(f)will occur behind a development setback;	
	<ul> <li>(g) is for maintenance purposes undertaken in accordance with a maintenance management plan;</li> <li>(h) falls within the ambit of activity 21 in this Notice, in which case that activity applies;</li> </ul>	
	(i) occurs within existing ports or harbours that will not increase the development footprint of the port or harbour; or where such development is related to the development of a port or harbour, in which case activity 26 in Listing Notice 2 of 2014 applies.	
52	The expansion of structures in the coastal public property where the development footprint will be increased by more than 50 square metres, excluding such	Erf 10190 is not considered coastal public property; however, Remainder of 2066 is coastal public property.
	expansions within existing ports or harbours where there will be no increase in the development footprint of the port or harbour and excluding activities listed in activity 23 in Listing Notice 3 of 2014, in which case that activity applies	Therefor this activity will be triggered.
Activity No(s):	Provide the relevant Basic Assessment Activity(ies) as set out in Listing Notice 3	Describe the portion of the proposed development to which the applicable listed activity relates.
12	<ul> <li>The clearance of an area of 300 square metres or more of indigenous vegetation except where such clearance of indigenous vegetation is required for maintenance purposes undertaken in accordance with a maintenance management plan.</li> <li>(i) Western Cape:</li> <li>(i) Within any critically endangered or endangered ecosystem listed in terms of section52 of the NEMBA or prior to the publication of such a list, within an area</li> </ul>	According to CapeFarmpMapper the site is located within an estuary and estuarine functional zone. Therefore, this activity will be triggered.

	endangered in the National Spatial	
	Biodiversity Assessment 2004;	
	II. WITNIN CRITICAL DIODIVERSITY Areas	
	identified in bioregional plans;	
	III. WITHIN THE INTOTAL ACTIVE ZONE OF 100	
	metres iniana from nigh water mark of the	
	sea or an estuarine functional zone,	
	whichever distance is the greater,	
	excluding where such removal will occur	
	bening the development setback line on	
	erven in urban areas;	
	IV. On land, where, at the time of the	
	coming into effect of this Notice or	
	thereafter such land was zoned open	
	space, conservation or had an	
	equivalent zoning; or	
	v. On land designated for protection or	
	conservation purposes in an	
	Environmental Management Framework	
	adopted in the prescribed manner, or a	
	Spatial Development Framework	
17	adopted by the MEC or Minister.	
17	Ine expansion of a resort, loage, notel,	
	fourism or nospitality facilities where the	
	and the expanded facility ear	
	and the expanded facility can	
	or more	
	or more.	The Milkwood house will expand by
	i Western Cane	approx $630 \text{ m}^2$ and will accommodate
	i Inside a protected area identified in	an additional approx 20 people
	terms of NEMPAA.	
	ii. Outside urban areas:	According to CaneFarmManner the
	(aa) Critical biodiversity areas as	site is located within Keurbooms River
	identified in systematic biodiversity plans	Nature Reserve - Seagull Colony and
	adopted by the competent authority or	Aquatic and Estuary CBA
	in bioregional plans: or	
	(bb) Within 5km from national parks	Therefore this activity is triggered by
	world heritage sites greas identified in	the proposal
	terms of NEMPAA or from the core area	
	of a biosphere reserve: -	
	excluding the conversion of existing	
	buildings where the development	
	footprint will not be increased.	
Note:		1
The listed activities	specified above must reconcile with activities applie	ed for in the application form. The onus is on the

• The listed activities specified above must reconcile with activities applied for in the application form. The onus is on the Applicant to ensure that all applicable listed activities are included in the application. If a specific listed activity is not included in an Environmental Authorisation, a new application for Environmental Authorisation will have to be submitted.

• Where additional listed activities have been identified, that have not been included in the application form, and amended application form must be submitted to the competent authority.

List the applicable waste management listed activities in terms of the NEM:WA

Activity No(s):	Provide the relevant <b>Basic Assessment Activity(ies)</b> as set out in <b>Category A</b>	Describe the portion of the proposed development to which the applicable listed activity relates.

List the applicable listed activities in terms of the NEM:AQA

#### SECTION E: PLANNING CONTEXT AND NEED AND DESIRABILITY

1. Provide a description of the preferred alternative.
The preferred alternative:
Expand Milkwood Manor Guest House:
<ul> <li>Expand ground floor to 939m<sup>2</sup></li> </ul>
<ul> <li>Expand first floor to 972m<sup>2</sup></li> </ul>
<ul> <li>Upgrade the restaurant, bar, lounge area and spa in the guest house</li> </ul>
Expand the hotel parking by adding 6 new parking bays
Expand the public parking by adding 27 new parking bays
Construct bus-drop off area
Construct stone boundary wall
Kemove the existing deck on the rock reveithent
<ul> <li>Add new idnascaping and signage</li> <li>Construct a new perceile and dock</li> </ul>
<ul> <li>Construct a new pool</li> </ul>
<ul> <li>Install new parking lighting</li> </ul>
Resurface the parking area
<ul> <li>Implement new stormwater management measures</li> </ul>
A 0.586 Development Plan
autor A The A A A A A A A A A A A A A A A A A A A
Figure 11: Site layout
2. Explain how the proposed development is in line with the existing land use rights of the property as
have indicated in the NOI and application form? Include the proof of the existing land use rights gran
in Appendix E21.
<ul> <li>Erf 10190 was rezoned from Minor Business to General Residential III and after the proposi-</li> </ul>

- expansion the Guest house the land use will remain the same.
- RE/2066 is zoned as Transport Zone II
- RE/706 is zoned as Open Space Zone I.

Land use consent was required for the construction of additional parking on Erf 706. On May 30<sup>th</sup>, 2024, The Department of Agriculture Land Reform and Rural Development: Office of Surveyor-General: Western Cape responded with a letter (Ref: S/1517/31) stating that the open space can be used for public parking.

Land use consent was also obtained from the Bitou Municipality to construct additional parking bays on RE/2066.

Mr Robert More is in the process of buying the Milkwood Manor House from Nonelia Groendendijk, however consent has been obtained from her for the proposed expansion.

3. Explain how potential conflict with respect to existing approvals for the proposed site (as indicated in the NOI/and or application form) and the proposed development have been resolved.

No potential conflicts.

4. Explain how the proposed development will be in line with the following?

4.1 The Provincial Spatial Development Framework.

According to the Western Cape Spatial Development Framework Executive Summary of March 2014, their goals are:

- To be more inclusivity, productivity, competitiveness and opportunities in urban and rural space-economies.
- To better protection of spatial assets (e.g. cultural and scenic landscapes) and strengthened resilience of natural and built environments
- To improved effectiveness in the governance of urban and rural areas.

The proposal is to expand and upgrade the existing guest house and parking which will lead to more opportunities for local labourers to get jobs and the Bitou municipality for financial growth from the increase in tourism. The construction of the beach shower and ablution block for public use will lead to more inclusivity and improve the experience of tourists and locals going to the beach. The specialist studies conducted, concluded that all impacts can be mitigated to have a low negative impact on the environment. Therefore, the natural environment will not be lost during the construction and operation of this project. The proposal is therefor in line with the Western Cape SDF goals.

4.2 The Integrated Development Plan of the local municipality.

#### According to the Integrated Development Plan of the Bitou Municipality (2022-2027):

**Re-starting the tourism and events sector:** The tourism sector compromises a set of industries that facilitate traveling for leisure and business by providing necessary and desired infrastructure, products and services. The sector will both affect and be affected by the socio-economic and environmental performance; and impact on several industries including hospitality, attractions and recreation, entertainment, transport and retail. This interconnectedness, offer opportunities for collaboration and coordinated strategies with other sectors to provide innovative new products and serve new markets. The centrality of tourism to the Garden Route presents opportunities and risks to the region. In particular, the COVID19 crisis has emphasised the need for diversification and adaptability in sector development.

**Economic Development and Job Creation:** Job creation is not a function of the municipality; however, the municipality is having a constitutional obligation to create a conducive environment for economic growth and job creation. The municipal strategy is to create a safe environment for investors and develop investor friendly policies. The aim is to revive and grow tourism in Bitou because tourism is the bed-rock of the local economy. The adjective is to create more inclusive economy for all communities to benefit. The plan is to support township tourism businesses and other SMME ventures.

The proposal is therefor in line with the Bitou Municipality IDP.

4.3. The Spatial Development Framework of the local municipality. According to the Bitou Local Municipality Spatial Development Framework of 2022:

	UDjective 4		Ob	jective 6	
Movement Network	Sustainable Human Settlements	Economic Development and Job Creation			
Road     Notwork	Housing Typologies	Business	Industrial	Agriculture	Tourism
<ul> <li>Public Transport</li> <li>Airport</li> </ul>	Community     Facilities     Standards     Programme     Thusong Centre	CBD     Community     Nodes	Areas     Functions	<ul> <li>Functional Areas</li> <li>Commodities</li> <li>Precision Farming</li> </ul>	<ul> <li>Functional Areas</li> <li>Eco Tourism</li> <li>Agri Tourism</li> <li>Adventure Tourism</li> </ul>
Informal / Emerging Ups				merging Upscalir	ng
		• Te	ertiary Educatio	n and Skills Devel	opment
ne proposal	is therefor in line with th	he objectives 3	3,4 and 6 of th	e local SDF.	
.4. The Envir	onmental Management	ramework app nd.	licable to the a	rea.	
. Explain h	ow comments from the re	elevant authoriti	es and/or spec	alist(s) with respec	ct to biodiversity ho
EA&DP: Bio	diversity and Coastal		,, and in norr		
IECK WIII EXTE	herefore the guest hound to the property bo	Management use building ha undary.	expressed co is been set ba	ncern about th ck approx. 3m, ł	e relaxation of t nowever a wood



*Figure 13: Draft BAR new preferred (Alternative A) first floor layout after comments received during the pre-app public participation.* 

#### During the Draft BAR public participation process:

The Department expressed concerns about the expansion of the guest house building and has requested to omit rooms 1 and 9 from the proposal. Accordingly, the applicant revised the layout to exclude rooms 1 and 9 from the preferred and alternative layout.







Figure 16: Eastern Cape Biodiversity Conservation Plan (ECBCP, 2019) – Terrestrial.

Ecological Support Areas (ESAs) are supporting zones required to prevent the degradation of Critical Biodiversity Areas and Protected Areas. An ESA may be an ecological process area that connects and therefore sustains Critical Biodiversity Areas or a terrestrial feature. None are present within the site or immediate vicinity.

#### (Source: Renovation of Milkwood Manor House and Expansion of the Public Car Park at Lookout Beach, Plettenberg Bay, Estuarine Impact Assessment. Prepared by J.M. Dabrowski (PhD), Confluent Environmental Pty (Ltd), 2 August 2024)

According to the Western Cape Spatial Biodiversity Plan, portions of the Milkwood Manor property and the area to be covered by the expanded car park fall within an aquatic Critical Biodiversity Area 1 (CBA1). It is also important to note that the part of the Milkwood Manor property does fall within and is immediately adjacent to a Protected Area (Keurbooms River Nature Reserve). Management objectives associated with CBAs are provided in Table 2 and expansion of the car park is not aligned to these objectives. Inclusion of a part of the existing Milkwood Manor House as a CBA is not an accurate representation of habitat on site and is most likely a result of coarse-scale mapping conducted during development of the WCBSP.

Category	Description	Management Objective
CBA 1 (Estuaries	Areas in a natural condition that are required to meet biodiversity targets, for species, ecosystems or ecological processes and infrastructure.	Maintain in a natural or near-natural state, with no further loss of natural habitat. Degraded areas should be rehabilitated. Only low-impact, biodiversity-sensitive land uses are appropriate.



Figure 17: Map indicating the area of development in relation to the Western Cape Spatial Biodiversity Plan (WCBSP).

Explain how the proposed development is in line with the intention/purpose of the relevant zones as 7. defined in the ICMA.

(Source: Renovation of Milkwood Manor House and Expansion of the Public Car Park at Lookout Beach, Plettenberg Bay, Estuarine Impact Assessment. Prepared by J.M. Dabrowski (PhD), Confluent Environmental Pty (Ltd), 2 August 2024)

Estuaries are recognised as particularly sensitive and dynamic ecosystems and the National Environmental Management: Integrated Coastal Management Act (No. 24 of 2008, as amended by Act 36 of 2014) (ICMA), via the prescriptions of the South African National Estuarine Management Protocol (the Protocol), require Estuary Management Plans (EMPs) to be prepared for estuaries in order to create informed platforms for efficient and coordinated estuarine management.

Management objectives that are relevant to the proposed development include the following:

- Development and land use in the catchment and estuarine area should not lower water quality or interfere with normal hydrodynamic or sedimentary processes and cycles;
- Planning should allow for the maintenance of a riparian zone along the length of the estuary where sensitive habitats (e.g. wetlands, supratidal saltmarsh and indigenous vegetation) occur. The application of the Coastal Protection Zone, floodlines and inclusion of Critical Biodiversity Areas in all planning schemes should allow for this.

Zones relevant to this proposal as defined by the Integrated Coastal Management Act (No. 24 of 2008, as amended by Act 36 of 2014) are:

- 16. Coastal protection Zone
  - a) The coastal protection zone consists of land falling within an area declared in terms of the Environment Conservation Act, 1989 (Act No. 73 of 1989), as a sensitive coastal area within which activities identified in terms of section 21(1) of that Act may not be undertaken without an authorisation.

b) any part of the littoral active zone that is not coastal public property;

c) any coastal protection area, or part of such area, which is not coastal public property;

- d) any land unit situated wholly or partially within one kilometre of the high-water mark which, when this Act came into force—
  - (i) was zoned for agricultural or undetermined use; or
  - (ii) was not zoned and was not part of a lawfully established township urban area or other human settlement;

8. Explain whether the screening report has changed from the one submitted together with the application form. The screening report must be attached as Appendix I.

The screening tool has not changed.

9. Explain how the proposed development will optimise vacant land available within an urban area. The proposed site is located on an existing disturbed footprint.

10. Explain how the proposed development will optimise the use of existing resources and infrastructure.

The proposal is to upgrade and expand the existing Milkwood Manor guest house and parking to accommodate the population growth of the Bitou Municipality. All the upgrades will tie into the existing municipal services.

11. Explain whether the necessary services are available and whether the local authority has confirmed sufficient, spare, unallocated service capacity. (Confirmation of all services must be included in Appendix E16).

The network around the erven is currently mainly supplied by SS-1 Main, which is the substation supplying electricity to Plettenberg Bay town area. SS-1 Main currently has enough capacity to carry the additional 48 kVA maximum demand brought by the proposed re-development on Erf 10190. The MV feeders supplying the surrounding area have sufficient capacity to carry the additional demand at the proposed development.

The existing water system has sufficient capacity to accommodate the domestic water demand of the proposed development to comply with the pressure criteria as set out in the master plan.

The existing system, however, has insufficient capacity to supply fire flow to Erf 10190 of more than 15 L/s. In order to supply fire flow of roughly 15 L/s at 10 m head to Erf 10190, it is recommended that a new 110 mm diameter link services pipeline from the Town reservoir water distribution zone (at the corner of Erf 3904) to Erf 10190 is installed. It is proposed that fire protection is provided on site if a fire flow requirement of more than 15 L/s is required for the development on Erf 10190.

There is sufficient capacity in the existing sewer system to accommodate the proposed development.

The confirmation of all services will be attached as Appendix E16 in the Final BAR. According to the GLS report, the Bitou Municipality has capacity to accommodate the upgrades.

12. In addition to the above, explain the need and desirability of the proposed activity or development in terms of this Department's guideline on Need and Desirability (March 2013) or the DEA's Integrated Environmental Management Guideline on Need and Desirability. This may be attached to this BAR as Appendix K.

(Source: Departure and SDP Approval Applications, Prepared by Planning Space Town and regional Planners, dated 8 August 2024)

The MORE Family Collection owns and operates luxury lodges, boutique hotels, and private residences in Southern Africa's best leisure destinations and combines these destinations to offer high-end Southern African experiences to discerning international guests. They have recently expanded their footprint to include Plettenberg Bay as one of the most sought-after beach destinations in Southern Africa. The MORE Family Collection recently was recognised in the prestigious international Travel+Leisure World's Best 2024 Top as the No. 1 and No. 7 Safari Lodge in Africa.

The guest house extension is needed to accommodate the volume required for the type and level of hospitality service that will be provided. Most industry experts recommend that a luxury 5\* boutique hotel should have at least 20 to 30 rooms to ensure financial viability, especially when accounting for the need for a luxury-experienced who requires a full-time leadership structure which would include a General Manager, Deputy General Manager, Executive Housekeeper, Food and Beverage Manager and Executive Chef and other fixed staffing costs. This range provides a cushion for operational stability, and profitability, and allows for economies of scale without diluting the
personalised service that defines a boutique hotel.

In peak seasons, parking near or at the beach is always an issue as there is never enough, as such, the new owners seek to add 5 new hotel parking bays and 27 new public parking bays. Expanding the parking lot is of interest of the whole community and it facilitates public access to coastal public property. The parking area will remain the property of the municipality and as such the maintenance requirements shall be the responsibility of the municipality. The Applicant has however also indicated that Milkwood Manor will likely do the cleaning and maintaining but this will be done out of interest for the guests experience and not obligation.

The addition, Alternative B offers more public amities that is of interest of the whole community and will enhance the experience, the comfort and convenience of visitors to Lookout Beach. These amenities include public ablution and beach shower facilities that addresses a crucial need in the area. This upgrade elevates the overall attractiveness of the destination and encourages longer stays, benefiting both tourists and local businesses. The Applicant has also indicated that Milkwood Manor will likely do the cleaning and maintaining but this will be done out of interest for the guests experience and not obligation. This will include the cleaning of the new ablution block and beach shower. This will therefore also benefit the public that make use of the public amenities.

The MORE Family Collection creates bespoke luxury travel experiences for its clients. These guests are not self-drive tourists, and their travel packages normally include several destinations and transport. As part of the hospitality service, the company has a private shuttle service that picks up guests at airports and also provides transport to local attractions. Staff is also transported by company vehicles. It is submitted that the 5 on-site bays provided, are sufficient for the operational requirements of the hotel. This transport arrangement also aligns with the town's vision for sustainable mobility and reduces traffic congestion in the town.

#### SECTION F: PUBLIC PARTICIPATION

The Public Participation Process ("PPP") must fulfil the requirements as outlined in the NEMA EIA Regulations and must be attached as Appendix F. Please note that If the NEM: WA and/or the NEM: AQA is applicable to the proposed development, an advertisement must be placed in at least two newspapers.

1. Exclusively for linear activities: Indicate what PPP was agreed to by the competent authority. Include proof of this agreement in Appendix E22.

N/A

2. Confirm that the PPP as indicated in the application form has been complied with. All the PPP must be included in Appendix F.

#### Please refer to Appendix F.

- 3. Confirm which of the State Departments and Organs of State indicated in the Notice of Intent/application form were consulted with.
  - Nina Viljoen Garden Route District Municipality
  - Brandon Layman WCG: Department of Agriculture
  - Ms. Rabokale Mphahlele Breede-Olifants Catchment Management Agency
  - Megan Simons Cape Nature
  - Lizelle Stroh South African Civil Aviation Authority
  - Stephanie-Ann Barnardt Heritage Western Cape
  - Xander Smuts WC Department of Transport and Public Works
  - Vanessa Stoffels Department of Infrastructure (only added in Draft BAR public participation)
  - Dave Swart Ward 2 Councillor: Bitou
  - Gavin Benjamin Western Cape Government
  - Bitou Municipality Acting Municipal Manager
  - Melanie Koen Department of Agriculture, Forestry and Fisheries (DAFF)

- Plettenberg Bay Community Environmental Forum
- Ms. leptieshaam Bekko and Mercia Liddle DEA&DP: Biodiversity and Coastal Management
- Ms. Anjé Minne Bitou Municipality: Environmental Management Officer
- Anton Bredell Minister of Local Government, Environmental Affairs and Development Planning
- Oceans and Coast National Department of Forestry, Fisheries and the Environment
- Keurbooms Estuary Forum Keith Spencer CapeNature Marine and Coasts Operations Specialist (only added in the revised Draft BAR public participation)
- 4. If any of the State Departments and Organs of State were not consulted, indicate which and why.

#### Only relevant authorities are included.

5. if any of the State Departments and Organs of State did not respond, indicate which.

#### Pre-application BAR public participation:

- Nina Viljoen Garden Route District Municipality
- Brandon Layman WCG: Department of Agriculture
- Dave Swart Ward 2 Councillor: Bitou
- Gavin Benjamin Western Cape Government
- Dr Ralph Links Acting Municipal Manager
- Anton Bredell Minister of Local Government, Environmental Affairs and Development Planning
- Oceans and Coast National Department of Forestry, Fisheries and the Environment

Draft BAR public participation:

- Nina Viljoen Garden Route District Municipality
- Brandon Layman WCG: Department of Agriculture
- Dave Swart Ward 2 Councillor: Bitou
- Gavin Benjamin Western Cape Government
- Dr Ralph Links Acting Municipal Manager
- Anton Bredell Minister of Local Government, Environmental Affairs and Development Planning
- Oceans and Coast National Department of Forestry, Fisheries and the Environment
- Ms. Rabokale Mphahlele Breede-Olifants Catchment Management Agency
- Megan Simons Cape Nature
- Lizelle Stroh South African Civil Aviation Authority
- Xander Smuts WC Department of Transport and Public Works
- Bitou Municipality Acting Municipal Manager
- Melanie Koen Department of Agriculture, Forestry and Fisheries (DAFF)
- 6. Provide a summary of the issues raised by I&APs and an indication of the manner in which the issues were incorporated into the development proposal.

Please refer to the Comments and Response Report, Appendix F1.

#### Note:

A register of all the I&AP's notified, including the Organs of State, <u>and</u> all the registered I&APs must be included in Appendix F. The register must be maintained and made available to any person requesting access to the register in writing.

The EAP must notify I&AP's that all information submitted by I&AP's becomes public information.

Your attention is drawn to Regulation 40 (3) of the NEMA EIA Regulations which states that "Potential or registered interested and affected parties, including the competent authority, may be provided with an opportunity to comment on reports and plans contemplated in subregulation (1) prior to submission of an application but **must** be provided with an opportunity to comment on such reports once an application has been submitted to the competent authority." All the comments received from I&APs on the pre -application BAR (if applicable and the draft BAR must be recorded, responded to and included in the Comments and Responses Report and must be included in Appendix F.

All information obtained during the PPP (the minutes of any meetings held by the EAP with I&APs and other role players wherein the views of the participants are recorded) and must be included in Appendix F.

Please note that proof of the PPP conducted must be included in Appendix F. In terms of the required "proof" the following is required:

- a site map showing where the site notice was displayed, dated photographs showing the notice displayed on site and a copy of the text displayed on the notice;
- in terms of the written notices given, a copy of the written notice sent, as well as:
  - if registered mail was sent, a list of the registered mail sent (showing the registered mail number, the name of the person the mail was sent to, the address of the person and the date the registered mail was sent);
  - if normal mail was sent, a list of the mail sent (showing the name of the person the mail was sent to, the address of the person, the date the mail was sent, and the signature of the post office worker or the post office stamp indicating that the letter was sent);
  - o if a facsimile was sent, a copy of the facsimile Report;
  - o if an electronic mail was sent, a copy of the electronic mail sent; and
  - if a "mail drop" was done, a signed register of "mail drops" received (showing the name of the person the notice was handed to, the address of the person, the date, and the signature of the person); and
- a copy of the newspaper advertisement ("newspaper clipping") that was placed, indicating the name of the newspaper and date of publication (of such quality that the wording in the advertisement is legible).

#### SECTION G: DESCRIPTION OF THE RECEIVING ENVIRONMENT

All specialist studies must be attached as Appendix G.

#### 1. Groundwater

1.1.	Was a specialist study conducted?	YES	NO
1.2.	Provide the name and or company who conducted the specialist study.		
1.3.	Indicate above which aquifer your proposed development will be located and your proposed development.	l explain how this	has influenced
1.4.	Indicate the depth of groundwater and explain how the depth of groundwate influenced your proposed development.	r and type of aq	uifer (if present) has
	• • • • • •		

#### 2. Surface water

2.1.	Was a specialist study conducted?	YES	NO
2.2.	Provide the name and/or company who conducted the specialist study.		
James Dabrowski – Confluent Environmental Pty (Ltd)			
2.3. Explain how the presence of watercourse(s) and/or wetlands on the property(ies) has influenced your proposed development.			
(Source: Renovation of Milkwood Manor House and Expansion of the Public Car Park at Lookout			

Beach, Plettenberg Bay, Estuarine Impact Assessment. Prepared by J.M. Dabrowski (PhD), Confluent Environmental Pty (Ltd), 2 August 2024)

#### Study area characteristics:

The Milkwood Manor House is situated at the south-western-most extent of the Keurbooms Estuary, at the transition between estuarine and coastal dune habitat. The north-western corner of the property remains undeveloped and extends into the estuary. The perimeter of the developed portion of the property is protected from tidal action and flooding by a rock revetment which extends around the entire the perimeter of the property. The public parking is located to the south of the property and provides access to the popular Lookout Beach to the west. The entire property and adjacent public parking are located with the Keurbooms Estuarine Functional Zone (EFZ).



Figure 18: Map indicating the property boundary relative to the Keurbooms Estuarine Functional Zone.

The Keurbooms Estuary is classified as a Predominantly Open estuary which is characterised by the following (Van Niekerk et al., 2019c):

- They are open to the sea for more than 90 % of the time.
- They are linear systems in which mixing processes are dominated by both fluvial inputs and tidal action creating vertical and horizontal salinity gradients.
- They usually support wetlands, salt marshes, macrophyte beds and marine and estuarine fauna.
- They vary in size from as little as 10 ha to as much as 7 500 ha.

#### National Freshwater Ecosystem Priority Areas

The property falls within sub-quaternary catchment (SQC) 9188, which, according to the National Freshwater Ecosystem Priority Atlas (NFEPA, Nel et al., 2011), has been classified as a Freshwater Ecosystem Priority Area (FEPA). River FEPAs achieve biodiversity targets for river ecosystems and threatened/near-threatened fish species and were identified in rivers that are currently in a good condition (A or B ecological category). Their FEPA status indicates that they should remain in a good condition to contribute to national biodiversity goals and support sustainable use of water resources (Nel et al., 2011).

For river FEPAs, the whole SQC is identified as a FEPA, although the FEPA status applies to the actual river reach within such a sub-quaternary catchment. The shading of the whole sub-quaternary catchment indicates that the surrounding land and catchment area needs to be managed in a way that maintains the good ecological condition of the river reach, which in this case, is the lower reaches of the Bietou and Keurbooms rivers. It is therefore important that development does not result in any deterioration of the river or its catchment area. Similarly, the Keurbooms Estuary and adjacent wetland areas have been identified as an estuary FEPA, which is also indicative of the good ecological condition of the estuary. The larger drainage network and surrounding land use should therefore be managed to ensure the estuarine system remains in a good ecological condition.



#### 3. Coastal Environment

3.1.	Was a specialist study conducted?	YES	NO	
3.2.	Provide the name and/or company who conducted the specialist study.			
James	s Dabrowski			
3.3.	Explain how the relevant considerations of Section 63 of the ICMA were taken influenced your proposed development.	n into account a	nd explain how this	
a)	Representations made by the applicant and by interested and affected parties:			
	The BAR will be out for at least 2 rounds of public participation which will give the releve			
	authorities and interested and affected parties the opportunity	to comment o	on the proposal.	
	The applicant also proposed an open day at the site for interest	ested and affe	ected parties to	
	attend to have any questions that they may have addressed.			
b)	b) The extent to which the applicant has in the past complied with similar authorisations:			
	The applicant is the More Family collection. They own and operate numerous luxury lodges,			
	boutique hotels, and private residences in Southern Africa's	best leisure d	estinations and	
	combines these destinations to offer high-end Southern Africa	an experience	es to discerning	
	international guests. To our knowledge, this is their first applicat	ion relating to	the Integrated	
	Coastal Management Act.			
c)	Whether coastal public property, the coastal protection zone of	or coastal acc	ess land will be	
	affected, and if so, the extent to which the proposed developme	ent or activity is	s consistent with	
	the purpose for establishing and protecting those areas:			
	Construction of beach showers occurs on an undeveloped	section of the	e coastal dune	
	section of the EFZ, at the access point to the Lookout Beach. T	he public bea	ach showers will	
	be a welcomed upgrade for everyone going to the beach. Wh	ile this area fa	Ills within the EFZ	
	of the estuary, habitat is coastal, consisting of beach sand, w	ell above the	tidal mark. The	
	area is not vegetated, and no aquatic estuarine biota (dep	pendant on t	idal exchange)	

inhabit the area. The area experiences high volumes of pedestrian traffic and is unlikely to be an important nesting, roosting or feeding area for coastal bird species. However, after comments obtained from CapeNature and DEA&DP: Biodiversity and Coastal Management, the applicant has decided to exclude the beach shower deck from the preferred layout (Alternative A), however remains in Alternative B.

d) The estuarine management plans, coastal management programmes, coastal management lines and coastal management objectives applicable in the area:

Estuaries are recognised as particularly sensitive and dynamic ecosystems and the National Environmental Management: Integrated Coastal Management Act (No. 24 of 2008, as amended by Act 36 of 2014) (ICMA), via the prescriptions of the South African National Estuarine Management Protocol (the Protocol), require Estuary Management Plans (EMPs) to be prepared for estuaries to create informed platforms for efficient and coordinated estuarine management. To this end, the Keurbooms EMP was compiled in 2017 (DEADP, 2018) and provides a detailed situation assessment of the estuary as well as management objects aimed at achieving an agreed upon vision for the estuary.

#### e) The socio-economic impact if the activity:

The socio-economic aspects are known and not complicated, the proposal is for the upgrading and expansion of a hotel and as such the construction costs will inject capital into the companies that will provide services, in addition to wages for the builders and labourers undertaking the construction phase. Additionally, it will accommodate more guests and lead to increased tourism into the Plettenberg Bay area. Please also see Section G.8.

#### g) The likely impact of coastal environmental processes on the proposed activity:

The location of the mouth may be considered as being in a dynamic equilibrium as a function of fluvial flooding, prevailing sea level and ocean storm events. The implication is that the conditions which led to the need to construct the revetment during 2007/2008 should be expected to recur in future. However, the current rock revetment can withstand those weather events if maintained. The coastal engineer (Allan Wijnberg) has seen all previous and updated layouts and footprints and stands by his original assessment.

#### h) Whether the development or activity:

i. Is situated within coastal public property and is inconsistent with the objective of conserving and enhancing coastal public property for the benefit of current and future generations:

Erf 10190 is recognized as a developmental island and is privately owned. RE/2066 and RE/706 are considered coastal public property. The upgrade and expansion of the parking and bus drop of area will take place within coastal public property. Therefore, this aspect of the proposal is consistent with conserving and enhancing coastal public property for the benefit for current and future generations, as it will enhance the economic, social and aesthetic value of the coastal public property by providing more opportunities for additional people to view and experience the beauty of the coastal public property.

 Is situated within the coastal protection zone and is inconsistent with the purpose for which a coastal protection zone is established as set out in section 17: In terms of Section 16 of NEM: ICMA, the property falls within the Costal Protection Zone (CPZ). The proposed expansion will not increase the effect or severity of natural hazards in the coastal zone, all proposed mitigation measures by the coastal engineer have been incorporated into the design to protect the people property and

economic activity from risks arising from dynamic coastal processes, the littoral active zone will only be altered if Alternative B is approved, even so the natural functioning of the LAZ will be maintained, the integrity of the coastal environment will maintain protected and the land will be made available to organs of state or authorised persons for rescue operations or the temporarily depositing objects and materials washed up by coastal waters.

- iii. Is situated within coastal access land and is inconsistent with the purpose for which coastal access land is designated as set out in section 18: According to DEA&DP Environmental Affairs and Development Planning Map Viewer, the proposed site does fall within a costal access zone, it is however consistent with purpose set out in section 18.
- Is likely to cause irreversible or long-lasting adverse effects to any aspect of the coastal environment that cannot satisfactorily be mitigated:
   Please refer to pages 70-86, which shows the impacts of the proposed expansion and the impact rating before and after mitigation as assessed by several specialists.
- v. Is likely to be significantly damaged or prejudiced by dynamic coastal processes: The coastal engineer (Appendix G5) has assessed the structural integrity of the rock revetment currently protecting Milkwood Manor from any storm surges or coastal processes. He concluded that the rock revetment is in good condition and that the conditions which led to the need to build the structure at the end of 2007 can be expected to recur in future. Whilst the existing structure is considered adequate for conditions experienced to date, the effects of global climate change are expected to lead to increased flooding and overtopping. Various mitigatory measures have been recommended regarding the development of the site to reduce this risk and all of it have been included in the site development plans.
- vi. Would substantially prejudice the achievement of any coastal management objective:

No coastal management objective will be prejudiced against.

- vii. Would be contrary to the interests of the whole community: The expansion of the car park is of interest to the whole community as parking near a beach is always an issue and this expansion will allow for 27 additional public parking bays. The expansion of the guest house will also increase tourism in the area. Please refer to Section 8 which describes the socio-economic value and contribution of the proposal.
- Whether the very nature of the proposed activity or development requires it to be located within coastal public property, the coastal protection zone or coastal access land: The proposal is to expand an existing parking lot and an existing guest house which is already

within coastal public property, the coastal protection zone and coastal access land, therefore the proposed activity must be located within these areas.

j) Whether the proposed activity or development will provide important services to the public when using coastal public property, the coastal protection zone, coastal access land or a coastal protected area:

The expansion will provide services the public as parking near a beach is always an issue and this expansion will allow for 27 additional public parking bays. The applicant has stated that it is important to him to showcase the beauty of the coastal zone and be conserve coastal zones.

## 3.4. Explain how estuary management plans (if applicable) has influenced the proposed development. (Source: Renovation of Milkwood Manor House and Expansion of the Public Car Park at Lookout Beach, Plettenberg Bay, Estuarine Impact Assessment. Prepared by J.M. Dabrowski (PhD), Confluent Environmental Pty (Ltd), 2 August 2024) Keurbooms-Bitou Estuary Management Plan: Estuaries are recognised as particularly sensitive and dynamic ecosystems and the National Environmental Management: Integrated Coastal Management Act (No. 24 of 2008, as amended by Act 36 of 2014) (ICMA), via the prescriptions of the South African National Estuarine Management Protocol (the Protocol), require Estuary Management Plans (EMPs) to

	be prepared for estuaries in order to create informed platforms for efficient and coordinated estuarine management. To this end, the Keurbooms EMP was compiled in 2017 (DEADP, 2018) and provides a detailed situation assessment of the estuary as well as management objects aimed at achieving an agreed upon vision for the estuary which is as follows:
	"From catchment to coast, the Keurbooms and Bitou systems will be harmoniously managed through active participation to maintain their biodiversity in order to attract visitors, promote education, create awareness, and preserve the cultural, natural and recreational heritage for (the benefit of) all (South Africans)."
	Management objectives that are relevant to the proposed development include the following:
	<ul> <li>Development and land use in the catchment and estuarine area should not lower water quality or interfere with normal hydrodynamic or sedimentary processes and cycles;</li> </ul>
	• Planning should allow for the maintenance of a riparian zone along the length of the estuary where sensitive habitats (e.g. wetlands, supratidal saltmarsh and indigenous vegetation) occur. The application of the Coastal Protection Zone, floodlines and inclusion of Critical Biodiversity Areas in all planning schemes should allow for this.
3.5.	Explain how the modelled coastal risk zones, the coastal protection zone, littoral active zone and estuarine functional zones, have influenced the proposed development.
	(Source: Renovation of Milkwood Manor House and Expansion of the Public Car Park at Lookout Beach, Plettenberg Bay, Estuarine Impact Assessment. Prepared by J.M. Dabrowski (PhD), Confluent Environmental Pty (Ltd), 2 August 2024)
	The Keurbooms and Bitou estuaries (collectively referred to as the Keurbooms) are located close to Plettenberg Bay and both feed into what is known as the Keurbooms Lagoon, which is separated from the sea by a prominent berm, prior to it flowing out to sea. The confluence of the Bitou and Keurbooms estuaries is approximately 3.5 km from the mouth. The Bitou River is 23 km long, with its source at Buffelsnek, and is tidal for 7.2 km from the confluence to the causeway at Wittedrift. The Keurbooms River is approximately 85 km long, with its source at Spitskop in the Outeniqua Mountains, and is tidal for approximately 8.5 km from the confluence (CAPE Estuaries Programme, 2010).
	The affected portion of the Keurbooms Estuary falls in quaternary catchment K60G (Figure 19) which covers the entire catchment of the Piesangs River and the lower most reaches of the Bietou and Keurbooms estuaries. The estuary falls within level 22.02 of the Southern Coastal Belt ecoregion, which is characterised by moderately undulating plains of moderate relief with altitude ranging from 0 to 500 m above mean sea level. Mean annual precipitation for the catchment area is relatively high (between 300 and 700 mm per annum), and occurs year-round, with peaks in late winter and early spring (August to October).
	<ul> <li>The Keurbooms Estuary is classified as a Predominantly Open estuary which is characterised by the following (Van Niekerk et al., 2019c): <ul> <li>They are open to the sea for more than 90 % of the time.</li> <li>They are linear systems in which mixing processes are dominated by both fluvial inputs and tidal action creating vertical and horizontal salinity gradients.</li> <li>They usually support wetlands, salt marshes, macrophyte beds and marine and estuarine fauna.</li> <li>They vary in size from as little as 10 ha to as much as 7 500 ha.</li> </ul> </li> </ul>



Figure 20: Map indicating the property boundary relative to the Keurbooms Estuarine Functional Zone.

According to 2018 National Biodiversity Assessment (NBA) (Van Niekerk et al., 2019a), the PES of the Keurbooms Estuary is A/B (Near Natural), indicating that it is relatively good ecological condition and has not been significantly modified from its natural state. Most of the abiotic indices used to derive the overall PES are in fact in a natural condition (A). Modifications to fish assemblages and bird populations are the most important drivers of change from the natural state. The ecological importance is therefore regarded as being high and Turpie (2004) ranked the Keurbooms estuary as the 18th most important system in South Africa in terms of conservation importance. According to Van Niekerk et al. (2019d) the ecosystem threat status of the Keurbooms Estuary, is Vulnerable. These systems are poorly protected in South Africa.

Index	Category
Hydrology	А
Hydro-dynamics	А
Physical Habitat	В
Water Quality	А
Microalgae	В
Macrophytes	С
Invertebrates	А
Fish	С
Birds	В
Overall PES	A/B
Ecological Importance	High

Table 3: Summary of the Present Ecological Status (PES) and Ecological Importance of the Keurbooms Estuary (Van Niekerk et al., 2019b).

The classification of water resources and development of Resource Quality Objectives (RQOs) for the Breede-Gouritz Catchment Management Area was finalised in 2018. Quaternary catchment K60F, falls within the G15 Coastal Integrated Unit of Analysis (IUA). The Water Resource Class for this IUA is II, indicating moderate protection and moderate utilisation. The

Target Ecological Category (TEC) for the Keurbooms Estuary has been set as an A (Natural), which indicates that the estuary must be managed to achieve a pristine state. Specific RQOs have been produced for the estuary in alignment with the TEC. These include specific limits at which indicators of water quantity and quality, habitat and biota must be maintained. The scale of the proposed activities is unlikely to affect the hydrodynamics, water quality, habitat or biota RQOs for such a large system. Expansion of the car park will result in a small loss of vegetation and is not aligned to the RQO for macrophytes.

#### **Field Assessment**

Renovations at the manor house and expansion of the public car park will occur in very close proximity to the estuary but is limited to the existing developed area of the property that is contained within the rock revetment border. This area is presently covered by buildings, car park, landscaped rock gardens and outdoor dining and recreational areas (i.e. raised decks overlooking the estuary). The renovations will therefore not result in any additional loss of area of estuarine (or coastal) habitat.

The proposed expansion of the public car park will however extend slightly north into an undeveloped area of the EFZ. Biota that may utilise the habitat will most likely be limited to terrestrial bird species and some small mammals (e.g. rodent species). The eastern expansion of the car park will overlap with a more modified section of the EFZ that includes existing out buildings and transformed vegetation.



Figure 21: Photographs illustrating stands of A. donnax in the area into which the car park will extend (A & B); stands of P. australis closer to the estuary (C) and a grassed area and out-buildings into which the car park will extend (D).

4.1.	Were specialist studies conducted?	YES	NO
4.2.	Provide the name and/or company who conducted the specialist studies.		
Jami	e Pote (Pr. Sci. Nat.)		
4.3.	Explain which systematic conservation planning and other biodiversity informan NSBA etc. have been used and how has this influenced your proposed develop	ts such as vegeta oment.	tion maps, NFEPA,
(Sour	ce: Terrestrial Biodiversity Assessment, Milkwood Manor Final Versi	on. Dated 27 N	lovember 2024
Prepo	ared by Jamie Pote)		
(Muc VEGN Scree bota	cina & Rutherford, 2006). The South African National Biodiversity Inst MAP (2018). These shapefiles were used. In addition, the Nation ening Tool was applied to determine the Relative Plant Species The nical specialists.	itute (SANBI) h al Web-basec me Sensitivity	as updated the Environmenta as is required o
Acco Thick stretc from domi fynbo supp fynbo oper sea f prese proce	brding to the 2018 Vegetation Map of South Africa, the site is located and Estuary. Goukamma Dune Thicket occurs in the Wester ches from Victoria Bay near Wilderness to the Knysna Heads, with sear Bobberg Peninsula near Plettenberg Bay eastward to Keurbooms inated by small trees and woody shrubs with lianas abundant, in os. Thicket clumps are best developed in fire-protected dune sloort pockets of coastal forest ( <i>Celtis africana, Ekebergia caper</i> os shrubland occurs on upper dune slopes and crests where succular areas. The estuarine is predominantly open (including the Kromm or more than 90% of the time. Some are permanently open owing ence of large tidal prisms. Predominantly Open estuaries are lire esses are dominated by both fluvial inputs and tidal action creeded.	ated inside Go n Cape Provi smaller areas of strand. This ver a mosaic of lo acks, which of acks, which of asis, Searsia ch ents may be c to perennial r bear systems in eating vertical	bukamma Dune nce. In coasta along the coast getation type is ow asteraceous ccasionally also nirindensis). The ommon in more are open to the iver flows or the n which mixing and horizonta

The vegetation of the study area is described by Mr. J Pote. Please refer to Appendix G2 for the full report on the vegetation of the site.



marine and estuarine fauna.

#### Vegetation on site

The site is located within a transformed developed suburb and is specifically situated on the western edge of the Keurbooms River estuary, within what would have historically been a predominantly Dune Thicket vegetated area on the banks of the estuary. The eastern side of the site falls within the estuary itself and is prone to being eroded as the estuary is constantly migrating in an east-west direction, depending on the estuarine configuration at the time, which is known to change periodically.

The site is comprised predominantly of transformed areas which include the buildings, wooden decks, parking areas, landscaped gardens and rock revetments around the boundary with the estuary. A few remnant Milkwood trees remain on the site, with a nominal understorey of natural elements remaining. As well as a small pocket of remnant Dune Thicket at the beach access point.

The landscaped or ornamental gardens comprise a mix of ornamental species including several indigenous species such as Cotyledon spp., Aloe spp. And several large Cycads (Encephalartos), which are in principle protected in terms of the Provincial Nature Conservation Ordinance. None of the naturally occurring Dune Thicket elements are protected, other than the Milkwood tress, which have a NFA (National Forests Act) protection. Milkwood trees are very widespread (occur along the entire south and east coast of south Africa into Mozambique and Limpopo), and removal will not have any significant impact to the broader conservation of the species.

While the site falls within a broader important ecological area, the specific site is a transformed developed Erf and thus will not contribute to any meaning manner to either conservation of ecosystems or ecological connectivity.

Several exotic invasive and other weed species were noted within the site and surrounding area. Proliferation of weedy and exotic species often indicate disturbance especially during or after construction. A list of species is included in Table 4. During construction it is highly likely that species currently not on site could be introduced through the construction process. A weed management programme is recommended after construction to counter the weed proliferation that would be expected after construction.

SCIENTIFIC NAME	COMMON NAME	FAMILY	STATUS <sup>5</sup>	PRESENCE
Acacia cyclops	Rooikrantz	Fabaceae	CARA 1b	Present, odd individual/clump
Cestrum laevigatum	Inkberry	Solanaceae	CARA 1b	Present common between parking and estuary.
Pennisetum clandestinum	Kikuyu	Poaceae	CARA 1b	Present, odd individual/clump
Phragmites australis	Spanish Reed	Poaceae	CARA 1b	Present common between parking and estuary.
Ricinus communis	Castor Oil Plant		CARA 2	Present, odd individual/clump
Solanum mauritianum	Bugweed	Solanaceae	CARA 1b	Present, odd individual/clump
Solanum sisymbriifolium	Wild tomato	Solanaceae	CARA 1b	Present, odd individual/clump

#### Table 4: Alien (exotic) invasive and other weed species and status.

**Ecosystem threat status:** Informed by (1) The National List of Threatened Terrestrial Ecosystems (Government Gazette, 2011), (2) The Western Cape State of Biodiversity 2017 Report (Turner, 2017), and (3) The National Biodiversity Assessment (2018) (SANBI, 2019).

The Western Cape BSP Ecosystem Threat Status (2016) designates a Least Threatened status to the Keurbooms Estuarine Salt Marshes and Seashore Vegetation and Goukamma Dune Thicket is mapped as Endangered.

**Biodiversity planning:** The 2017 Western Cape Biodiversity Spatial Plan (CapeNature, 2017) GIS (Geographical Information System) shapefiles for the George Municipality is important for determining the conservation importance of the designated habitat. Ground-truthing is an essential component in terms of determining the habitat condition.

**Important species:** The presence or absence of threatened (i.e., species of conservation concern) and ecologically important species informs the ecological condition and sensitivity of the site. The latest conservation status of species is checked in the Red List of South African Plants (Raimondo et al. 2009) (www.redlist.sanbi.org).

**Site boundary:** these and other resource layers were used to define the site boundary and to compile several maps. This information is available on the CapeFarmMapper website (Department of Agriculture: gis.elsenberg.com).

4.4. Explain how the objectives and management guidelines of the Biodiversity Spatial Plan have been used and how has this influenced your proposed development.

The 2017 Western Cape Biodiversity Spatial Plan Handbook (Pool-Stanvliet et al., 2017) distinguishes between the various conservation planning categories. Critical Biodiversity Areas are habitats with high biodiversity and ecological value. Such areas include those that are likely to be in a natural condition (CBA1) and those that are potentially degraded or represent secondary vegetation (CBA2). Ecological Support Areas are not essential for meeting biodiversity targets but play an important role in supporting the functioning of Protected Areas or CBAs and are often vital for delivering ecosystem services. A distinction is made between ESAs that are still likely to be functional (i.e., in a natural, near natural or moderately degraded condition; (ESA 1) and Ecological Support Areas that are severely degraded, or have no natural cover remaining, and therefore require restoration (ESA2). Other Natural Area (ONA) sites are not currently identified as a priority but retain most of their natural character and perform a range of biodiversity and ecological infrastructure functions. Although not prioritised, they are still an important part of the natural ecosystem.

The Western Cape Biodiversity Spatial Plan (2017,) indicates the site falls on the edge of designated CBA1: Terrestrial and Protected Area with the remainder being No Natural Area Remaining. Since the site is a developed Erf with only remnant Milkwood trees present and being on the edge of an urban area, the CBA1: Terrestrial designation would be considered incorrect, and the entire site is situated within what should be designated No Natural Area Remaining (NNAR). Portions of the Milkwood Manor property and the area to be covered by the expanded car park fall within an aquatic Critical Biodiversity Area. Inclusion of a part of the existing Milkwood Manor House as a CBA is not an accurate representation of habitat on site and is most likely a result of coarse-scale mapping conducted during development of the WCBSP.

No CBAs or ESAs are thus likely to be affected by the proposed activity above current baseline levels.



Figure 23: Map indicating the area of development in relation to the Western Cape Spatial Biodiversity Plan (WCBSP) extracted from the Estuarine Impact Assessment report prepared by J Dabrowski

Biodiversity Spatial Plan category and how has this influenced the proposed development.	on of the			
Biodiversity Spatial Plan category and how has this influenced the proposed development.				

### (Source: Terrestrial Biodiversity Assessment, Milkwood Manor Final Version. Dated 27 November 2024, Prepared by Jamie Pote)

#### Present Ecological State

The area in and around the site is completely transformed to urban development on the western side, with a few remnant thicket species and pockets on developed and undeveloped adjacent erven. The area to the north, east and south of the site is comprised mostly of bare sand, with estuary being on the north, occasionally on the east and beach with unvegetated sand on the south and south-east. Alien invasion is presently moderate, in particular the area between the parking area and the estuary. A few remnant Milkwood trees are present within the site. No natural Provincial Nature Conservation Ordinance (PNCO protected species are present within the remnant dune thicket pockets (i.e. under the Milkwood trees). However, several of the species used for landscaping purposes would be considered to be PNCO species.

#### Red Listed, Endemic and Protected Flora and Fauna

The site falls within the general distribution range of several endemic species and other species with a highly localised distribution, some of which are Critically Endangered, Endangered, Vulnerable or Rare. Some of these species are also only from a single or a few populations. No Endangered or Critically Endangered flora species were confirmed to be present nor are known to be present in the affected area. Several Milkwood trees are present within the Erf and NFA (National Forest Act) permits will be required for their removal in order to undertake construction.



Figure 24: Distribution records of flora and fauna Species of Conservation Concern (GBIF, 26 July 2024) with known records in the vicinity of the site. NOTE some distribution records may have an offset for biosecurity purposes and/or accuracy errors but will non the less give an indication of general locality.

No Endangered or Critically fauna species were found to be present nor are known to be present in close proximity to the affected area or are likely to be directly affected by the proposed activity. The site falls within the general distribution range of a single faunal SCC, however none are confirmed to be present. Since the project footprint is relatively small, is situated directly adjacent to urban and

disturbed areas and also surrounded by extensive outlying areas of natural habitat, any disturbance or displacement associated with increased activity or habitat destruction as a direct result of the activity is unlikely to pose a significant negative impact faunal species and in particular the species of special concern.



Figure 25: Distribution records of flora and fauna Species of Conservation Concern (GBIF, 26 July 2024) with known records from the broader area. NOTE some distribution records may have an offset for biosecurity purposes but will non the less give an indication of general locality (i.e. locality records in the sea).

(Source: Renovation of Milkwood Manor House and Expansion of the Public Car Park at Lookout Beach, Plettenberg Bay, Estuarine Impact Assessment. Prepared by J.M. Dabrowski (PhD), Confluent Environmental Pty (Ltd), 2 August 2024)

#### Species of Conservation Concern:

- Knysna Seahorse (Hippocampus capensis)
  - The Knysna seahorse (Hippocampus capensis) occurs only in the Keurbooms, Knysna and Swartvlei estuaries (Lockyear et al., 2006) and is listed as an endangered species on the IUCN Red List due to its fragmented distribution, small area of occupancy, the vulnerability of its habitat and susceptibility to high mortality due to freshwater flooding.
  - Can also tolerate a wide range of environmental conditions
  - Increased boat activity and associated noise has been show to significantly decrease activity within suitable habitats
- Eelgrass (Zostera capensis)
  - While endangered, this species is abundant in the estuary.
  - They provide important ecological services in estuaries, including stabilizing sediment, preventing erosion, reducing water flow, trapping nutrients and organic materials and providing sheltered habitat for fish and invertebrates.

As a result of coastal development, habitat destruction and its continued decline and is listed as vulnerable in the Red Data List of Species

4.6. If your proposed development is located in a protected area, explain how the proposed development is in line with the protected area management plan.

The Keurbooms EMP provides a detailed situation assessment of the estuary as well as management objects aimed at achieving an agreed upon vision for the estuary.

## Keurbooms Estuarine Management Plan (DEA&DP, 2018) objectives that are relevant to the proposed development include the following:

- Development and land use in the catchment and estuarine area should not lower water quality or interfere with normal hydrodynamic or sedimentary processes and cycles;
- Planning should allow for the maintenance of a riparian zone along the length of the estuary where sensitive habitats (e.g. wetlands, supratidal saltmarsh and indigenous vegetation) occur. The application of the Coastal Protection Zone, floodlines and inclusion of Critical Biodiversity Areas in all planning schemes should allow for this.

## Keurbooms Estuarine Management Plan (DEA&DP, CapeNature, 2023) objectives that are relevant to the proposed development include the following:

- Development and associated activities within the designated management area are controlled via legislation in such a way as to sustain existing livelihoods and ensure the maintenance of ecosystem functioning and services.
- The tourism and recreational potential of the management area are utilized in a responsible manner so as to benefit all users while ensuring the maintenance of ecosystem functioning and services.

Taking the specialist reports into account, the proposal will not have an impact on the water quality if mitigation measures will prevent any sediment input into the estuary. The site is predominantly disturbed and little natural vegetation remains. The proposal will not impede any ecosystem functioning or services.

4.7. Explain how the presence of fauna on and adjacent to the proposed development has influenced your proposed development.

## (Source: Terrestrial Biodiversity Assessment, Milkwood Manor Final Version. Dated 27 November 2024, Prepared by Jamie Pote)

#### Important Bird Areas

The site is situated on the edge of the Tsitsikamma – Plettenberg Bay Important Bird Area. The Tsitsikamma-Plettenberg Bay Important Bird Area (IBA) is an ecologically significant region in South Africa. It originally covered the Tsitsikamma section of the Garden Route National Park, but its boundary has been extended westward to include important habitats around Plettenberg Bay. The Tsitsikamma section of the Garden Route National Park, but its stretches for about 80 kilometres along the coast. It begins west of the Sout River near Nature's Valley and extends eastward to the Groot River. The IBA now also includes the entire Plettenberg Bay coastline and near-shore areas. The IBA encompasses diverse habitats, including steep coastal cliffs, gorges, fynbos, and forests. Notably, it includes the Keurbooms estuary spit, an essential breeding site for Kelp Gulls and other bird species. The proposed activity, being situated on an already developed Erf, is unlikely to exceed current baseline impacts associated with the site on this IBA

#### Mammals

- Chlorotalpa duthieae (Duthies Golden Mole)
  - Known form the broader area, no evidence of any Golden Moles on site, which is primarily a landscaped garden and largely surrounded by compacted material.
- Sensitive species 8
  - Not recorded on site but found in surrounding area. May be a transient visitor in developed areas, but not likely to be affected above baseline levels due to the proposed activity within an already developed Erf.

#### Birds

- Bradypterus sylvaticus (Knysna warbler)
  - Unlikely to be affected above baseline levels by the proposed activity in an already transformed Erf & footprint.
- Circus ranivorus (African Marsh Harrier)
  - Unlikely to be affected above baseline levels by the proposed activity in an already transformed Erf & footprint.
- Hydroprogne caspia (Caspian Tern)
  - Unlikely to be affected above baseline levels by the proposed activity in an already transformed Erf & footprint.
- Neotis denhami (Denham's Bustard)
  - Unlikely to be affected above baseline levels by the proposed activity in an already transformed Erf & footprint.
- Polemaetus bellicosus (Martial eagle)
  - Unlikely to be affected above baseline levels by the proposed activity in an already transformed Erf & footprint.

#### Reptiles

• None found on site visit conducted 23 July 2024

#### Amphibians

- Afrixalus knysnae (Knysna Spiny Reed Frog)
  - Unlikely to be present nor affected by the proposed temporary activity in a transformed & developed Erf. Not recorded.

#### Invertebrates

- Aneuryphymus montanus (Yellow-winged Agile Grasshopper)
  - No records from vicinity and not recorded on site. Unlikely to be present nor affected by the proposed temporary activity in a transformed & developed Erf. Not recorded.
- Sarophorus punctatus (Dung beetle)
  - Known record from Keurboomstrand area. Unlikely to be present nor affected by the proposed temporary activity in a transformed & developed Erf. Not recorded.

(Source: Renovation of Milkwood Manor House and Expansion of the Public Car Park at Lookout Beach, Plettenberg Bay, Estuarine Impact Assessment. Prepared by J.M. Dabrowski (PhD), Confluent Environmental Pty (Ltd), 2 August 2024)

#### Knysna Seahorse (Hippocampus capensis)

- The Knysna seahorse (Hippocampus capensis) occurs only in the Keurbooms, Knysna and Swartvlei estuaries (Lockyear et al., 2006) and is listed as an endangered species on the IUCN Red List due to its fragmented distribution, small area of occupancy, the vulnerability of its habitat and susceptibility to high mortality due to freshwater flooding.
- Can also tolerate a wide range of environmental conditions
- Increased boat activity and associated noise has been show to significantly decrease activity within suitable habitats

#### 5. Geographical Aspects

Explain whether any geographical aspects will be affected and how has this influenced the proposed activity or development.

Since the site is within 100m of the high-water mark, a portion of Erf 10190 cannot be used due to previous storm events. As seen from Figure 27 the rock revetment is adequate to protect the existing guest house against future storm surges and allows for the site to be expanded.



Figure 26: November 2007 during flood



Figure 27: After construction of revetment (circa 2008)

As seen from Figure 28, the expansion to the south is protected spot of the property in terms of climate change and ocean processes, additional the expansion to the west is protected from the coast by the existing building while still maintaining a revetment buffer between it and the estuary.

In addition to this, as pointed out by the Coastal Engineer, the rocks protruding from the west bank effectively stopped the mouth migrating any further south and therefore this is the furthest point south that the mouth will migrate.



#### 6. Heritage Resources

6.1.	Was a specialist study conducted?	YES	NO
6.2.	Provide the name and/or company who conducted the specialist study.		
Stefar	n de Kock – Perception Planning		
6.3.	Explain how areas that contain sensitive heritage resources have influenced the	e proposed devel	opment.
	(Source: DRAFT VERSION of the PROPOSED DEVELOPMENT ON REMAINDERS OF ERVEN 706 & 2066, (PLETTENBERG BAY) KI MUNICIPALITY, dated August 2024, prepared by Stefan de Kock	N PORTIONS C NYSNA DISTRI )	OF ERF 10190 & CT AND BITOU
	While the exact age of the primary building forming part of the hotel could not be determined, no buildings are evident on the and it is therefore deduced that the building is not older than 60 included a survey of the interior and exterior of existing building recorded. Notwithstanding, the building is not considered of a cultural significance. No buildings of cultural significance were the study area during fieldwork undertaken on 19th July 2024.	ne Milkwood N e site on 1985 years. During t ag, no historic irchitectural a noted within	Manor boutique aerial imagery, ieldwork, which built fabric was nd/or aesthetic the proximity of
	Basic historical background research did not identify or his heritage-related aspects related to the study area specifical archival research would provide further meaningful insight into understanding of heritage-related themes of the area.	ghlight any c Ily. It is unlikel o former use c	ther significant y that detailed and/or broader
	No further archaeological work is recommended.		

#### 7. Historical and Cultural Aspects

Explain whether there are any culturally or historically significant elements as defined in Section 2 of the NHRA that will be affected and how has this influenced the proposed development.

(Source: DRAFT VERSION of the PROPOSED DEVELOPMENT ON PORTIONS OF ERF 10190 & REMAINDERS OF ERVEN 706 & 2066, (PLETTENBERG BAY) KNYSNA DISTRICT AND BITOU MUNICIPALITY, dated August 2024, prepared by Stefan de Kock)

#### **Cultural landscape**

Aerial survey 114 of 1936 (Figure 29):

- The image predates construction of the N2 National Road. The early alignment of the main road into the town centre (current Beacon Way) is noted passing directly south of the study area.
- The early town grid together with several buildings are evident south of the study area.
- The study area is noted as forming part of a rocky premonitory overlooking the adjoining estuary and beach.
- Of interest is the fact that Erven 2063 and 2065 during this period was also essentially a sandbar devoid of any vegetation, much as in present day following the 2007 flood event.
- No significant buildings are evident on the study area.
- A patchwork of cultivated fields is visible along the coastal road to the west of the study area.



Figure 29: Study area within context of 1936 aerial imagery for the area (Flight Survey 114, Flight Strip 039, Image 11582, NGSI as edited).

Aerial survey 889 of 1985 (Figure 30):

- The image shows the now more established (and developed) town grid with Beacon Way as the primary road and Salmack Road leading towards Lookout Beach.
- An irregular-shaped area, cleared of vegetation and containing no significant buildings, extends between the Keurbooms River Estuary and Lookout Beach.
- The natural sandbar separating the Keurbooms River Estuary and Indian Ocean is once more densely overgrown by vegetation, confirming the dynamic nature of this area, continuous subject to natural processes.

• No buildings are evident on the study area.

From the above it is evident that the study area forms part of a dynamic coastal landscape continuously impact and transformed through natural processes. This is furthermore highlighted by the physical impacts of natural processes associated with the 2007 flood event, which altered the coastal landscape to a state comparable to that evident through the earliest available (1936) aerial imagery. The proposal, given its location and footprint will therefore not detract from a cultural landscape of high cultural significance.



Figure 30: Study area within context of 1985 aerial imagery for the area (Flight Survey 889, Flight Strip 08, Image 3969, NGSI as edited).

#### Archaeology

Development of the site will involve minimal vegetation clearing and earthmoving activities. Former flood events are likely to already have impacted any archaeological resources. Surveys have identified scatters of ESA and MSA material in the area, however they are generally in disturbed areas. Research has shown that LSA archaeological sites (shell middens) tend to concentrate close to rocky headlands, and there are fewer sites along the sand dunes associated with long sandy beaches (such as the Keurbooms River estuary). Impacts are expected to be LOW.

#### Palaeontology

According to SAHRIS Paleo-sensitivity mapping, the study area is earmarked as being of "Very High". The property lies on the Enon Formation (Uitenhage Group) conglomerate and sandstones that are incorrectly indicated as very highly sensitive for palaeontology. The fossil record is based on one repeated record of abraded and poorly preserved silicified wood, bones and teeth that have been transported and deposited. Nonetheless, a Fossil Chance Find Protocol should be added to the EMPr. Based on this information it is recommended that no further palaeontological impact assessment is required unless fossils are found by the contractor, environmental officer or other designated responsible person once excavations or drilling activities have commenced. Since the impact will be low, as far as the palaeontology is concerned, the project should be authorized.

#### **Synthesis**

From the above assessment it is our contention that the proposal would not impact any structure(s) or landscape of cultural significance, nor is it likely to impact on archaeological or palaeontological resources of cultural significance though the implementation of Protocol for Chance (Palaeontological) Finds is recommended.

#### 8. Socio/Economic Aspects

8.1.	Describe the existing social and economic characteristics of the community in the vicinity of the proposed site.
	According to Integrated Development Plan of the Bitou Municipality (2022-2027):
	In 2021 the population of Bitou was reported at 69 321 people, making it the most populated municipal area in the Garden Route District. This total is expected to grow to 77 243 by 2025, equating to an average annual growth rate of 2.7 percent. With 21195 households in the municipal area, 71.1 per cent have access to formal housing, the lowest when compared with other municipalities in the GRD area. The district average was 82.7 per cent. Considering the high level of households living in informal dwellings (25.7 per cent), access to formal housing remains a challenge in the municipal area.
	Even though there was a relatively low proportion of households living in formal dwellings, service access levels were significantly higher. Access to piped water inside or within 200m of the dwelling is at 92.3 per cent. Access to a flush or chemical toilet is at 83.6 per cent, access to electricity (for lighting) at 94.1 per cent and the removal of refuse at least weekly by local authority at 88.1 per cent of households. These access levels were above the district averages for all services except for access to a flush or chemical toilet (83.6 per cent). The number of households receiving free basic services in the Municipality has shown a significant increase from 2019/20 to 2020/21 in all services, this may be attributed to the impact of the COVID-19 pandemic on the local economy which resulted in job losses.
	In 2019, the economy of Bitou was valued at R3.37 billion (current prices) and employed 19866 people. Historical trends between 2015 and 2019 indicate that the municipal area realised an average annual growth rate of 0.7 per cent, which can mostly be attributed to the tertiary sector that registered a positive annual growth rate of 1.2 per cent. However, growth in the economy slowed to 6.4 per cent in 2020, with only the agriculture sector registering growth because of improved drought conditions and favourable commodity prices.
	In terms of unemployment, it stands at 24.2 per cent, which is the highest unemployment rate in the GRD area, even higher than the district at 15.4 per cent and Western Cape at 18.9 per cent unemployment rates. Unemployment has been volatile from 2010-2020. After slowly rising from 22.7 per cent in 2018 to 24.5 per cent in 2019, it declined slightly to 24.2 per cent in 2020.
8.2.	Explain the socio-economic value/contribution of the proposed development.
The h oppor estima have inflatio Bank t and th	notel expansion project will create temporary construction jobs, providing employment rtunities for local workers. The construction project will span one year from mid-2025 and the ated total investment cost is R90M. In order to provide a forecast of employment, the multipliers been adjusted for inflation from 2019 to 2026, i.e. midway through the project. Average annual on for 2019 to 2023 was sourced from Macrotrends.net, and from 2024 to 2026 from Investec forecasts as of August 2024.This inflation adjustment reduces the construction multiplier to 4.98 ne government multiplier to 6.02.
To ass exper multip annuc wage	tess employment, the estimated imported content, at R18 million is excluded from the project aditure, resulting in R72 million of spend excluding imports and VAT. Applying the employment olier indicates that the construction element of the project will support the equivalent of 365 al jobs in construction, in its supply chain and investment activities, and spending of construction s and profits.
8.3.	Explain what social initiatives will be implemented by applicant to address the needs of the community and to uplift the area.
The up	ograde and extension of the hotel and parking have several positive social benefits for the local

with local people will help to create employment, transfer skills, stimulate entrepreneurial activity, increase investment in infrastructure, and boost the overall standard of living in your region

Most of the projected employment opportunities for low and semi-skilled workers will benefit local Historically Disadvantaged (HD) members of the community. This presents an opportunity for local building contractors and community members employed in the building sector. Although employment opportunities during the construction phase are often considered temporary, it is important to recognise that workers in the construction industry inherently rely on these "temporary" jobs for their livelihood. In this context, "permanent" employment in the construction sector is linked to the ability of construction companies to continuously secure a series of temporary projects over time. Therefore, each development, including the proposed one, contributes to creating "permanent" employment in the construction sector.

During the operational phase the extended hotel will require additional staff for various roles such as housekeeping, maintenance, front desk, management, and food and beverage services. This will lead to long-term employment opportunities for local residents. The 22-bedroom hotel will employ 65 staff members inclusive of management, middle management, and the general workforce. It is the intention to employ all 65 of these staff members from the local Plettenberg Bay Community. Most (70%) of the employment opportunities will benefit Historically Disadvantaged Individuals (HDIs) from the local community.

All staff would receive ongoing training from an in-house team of specialists. The in-house team specialises in Food & Beverage, Guest Relations, Spa, Guiding, and Maintenance. The training programs for new employees will result in skill development and professional growth opportunities for residents. This can have long-term benefits for the community, increasing the employability and skill level of the local workforce.

The expanded hotel can accommodate more tourists, leading to increased spending in the local economy. Visitors will spend on local attractions, restaurants, shops, and recreational activities, boosting the overall revenue for local businesses. With more tourists' local suppliers and service providers will benefit. This includes food and beverage suppliers, laundry services, transportation companies, and local artisans. The multiplier effect will see a rise in demand for these businesses, leading to economic growth.

8.4. Explain whether the proposed development will impact on people's health and well-being (e.g. in terms of noise, odours, visual character and sense of place etc) and how has this influenced the proposed development.

The renovation of the building and the parking area will have an aesthetic appeal that will enhance the look and feel of the area and should be to the benefit of the surrounding neighbours. The neighbours will be inconvenienced by the construction noise, this is however a temporary and minor impact.

The sense of place will not change. Currently, the building consists of a double-storey structure, measuring about 8.3m in height. It is proposed to expand the east side of the guest house to double-storey which will be visible to the properties to the north, but due to the elevated nature of the houses in relation to the guest house, they will still be able to overlook the property and the impact on their view will not be significant.

The extensions to the west and south will transgress building lines and do not fall within the approved development footprint of the site. These extensions will however not be visible from the south as they will be obscured by the existing clump of milkwood trees that is more or less the same height as the current building as well as the planned western extension.

#### SECTION H: ALTERNATIVES, METHODOLOGY AND ASSESSMENT OF ALTERNATIVES

#### 1. Details of the alternatives identified and considered

1.1. Property and site alternatives to avoid negative impacts, mitigate unavoidable negative impacts and maximise
Provide a description of the preferred property and site site alternative.
The preferred site is located across 3 properties: Remainder of Erf 2066, Erf 706 and Erf 10190. The existing guest house is located on Erf 10190 and the existing parking lot is located on RE/2066 and RE/706.
Provide a description of any other property and site alternatives investigated.
No site alternatives were investigated as the guest house and parking is existing infrastructures.
Provide a motivation for the preterred property and site alternative including the outcome of the site selectin matrix.
Not applicable
Provide d foil description of the process followed to reach the preferred difernative within the site.
NOT applicable Provide a detailed motivation if no property and site alternatives were considered
The proposal is to upgrade the existing quest house and existing parking
List the positive and negative impacts that the property and site alternatives will have on the environment.
Not applicable
1.2.       Activity alternatives to avoid negative impacts, mitigate unavoidable negative impacts and maximise positive impacts.
Provide a description of the preferred activity alternative.
The preferred activity is to upgrade the Milkwood Manor Guest House, parking and construct a bus drop-off area.
Provide a description of any other activity alternatives investigated.
The alternative activity is to construct a beach shower deck and public ablution block area in addition to the upgrades to the Milkwood Manor Guest House and parking.
Provide a motivation for the preferred activity alternative.
The preferred activity is to expand the Milkwood Manor Guest House within an already disturbed footprint, construct 33 new parking bays for public and private use and construct a bus drop-of area.
During the first round of public participation, conducted from 13 September 2024 to 18 October 2024, we received comments from CapeNature and DEA&DP: Biodiversity and Coastal Management expressing concern about the beach shower deck interfering with coastal processes. The applicant accordingly decided to remove the beach shower deck, public ablution and bus drop-off area from the preferred layout and moved it to the alternative layout. Additionally, the abovementioned authorities expressed concern regarding the relaxation of the building line, accordingly the applicant has set the building back by approx. 3m and a wooden deck will now extend to the building line.
During the second round of public participation, conducted from 11 December 2024 to 5 February 2025, we received comments expressing concern about rooms 1 and 9, accordingly the applicant decided to omit it. The bus-drop of area is now included in the preferred alternative.
Provide a detailed motivation it no activity alternatives exist.
Not applicable
List the positive and negative impacts that the activity difernatives will have on the environment.
<ul> <li>The proposed development will be in character with the surrounding area</li> </ul>
<ul> <li>Will provide additional short- and long-term economic opportunities in the community</li> </ul>
Negative:
• Potential construction related nuisances (i.e., noise, visual disturbance, dust, heavy vehicles on
the road). This will only be an issue during the construction phase
Encroachment on coastal public property
Alternative B: Positive:
The proposed development will be in character with the surrounding area

- Will provide additional short- and long-term economic opportunities in the community
- Public amenities

Negative:

- Potential construction related nuisances (i.e., noise, visual disturbance, dust, heavy vehicles on the road). This will only be an issue during the construction phase.
- Encroachment on coastal public property

1.3.	Design or layout alternatives to avoid negative impacts, mitigate unavoidable negative impacts and maximise
	positive impacts
Provide o	a description of the preferred design or layout alternative.

The preferred layout consists of:

- Expand Milkwood Manor Guest House:
  - Expand ground floor to 939m<sup>2</sup>
  - Expand first floor to 972m<sup>2</sup>
- Upgrade the restaurant, bar, lounge area and spa in the guest house
- Expand the hotel parking by adding 6 new parking bays
- Expand the public parking by adding 27 new parking bays
- Construct bus-drop off area
- Construct stone boundary wall
- Remove the existing deck on the rock revetment
- Add new landscaping and signage
- Construct a new pergola and deck
- Construct a new pool
- Install new parking lighting
- Resurface the parking area
- Implement new stormwater management measures



- Upgrade the restaurant, bar, lounge area and spa in the guest house
- Expand the hotel parking by adding 6 new parking bays
- Expand the public parking by adding 27 new parking bays
- Construct bus-drop off area
- Construct beach shower deck
- Construct ablution block
- Construct stone boundary wall
- Remove the existing deck on the rock revetment
- Add new landscaping and signage
- Construct a new pergola and deck
- Construct a new pool
- Install new parking lighting
- Resurface the parking area
- Implement new stormwater management measures

No alternative for the parking or guest house expansion exists. Part of the alternative layout is to provide facilities for the public's benefit such as a beach shower deck and ablution block. The public amenities are highlighted in purple on Figure 32.







Figure 35: 3D rendering of beach shower deck

Provide a motivation for the preferred design or layout alternative.

During the first round of public participation, conducted from 13 September 2024 to 18 October 2024, CapeNature and DEA&DP: Biodiversity and Coastal Management provided comments expressing concern about the beach shower deck interfering with coastal processes. The applicant accordingly decided to remove the beach shower deck, public ablution and bus drop-off area from the preferred layout and moved it to the alternative layout.

During the second round of public participation, conducted from 11 December 2024 to 5 February 2025, we received comments expressing concern about rooms 1 and 9, accordingly the applicant decided to omit it. The bus-drop of area is now included in the preferred alternative.

Provide a detailed motivation if no design or layout alternatives exist.

#### Not applicable

List the positive and negative impacts that the design alternatives will have on the environment.

#### Alternative A:

Positive:

- Reduced footprint (Compared to Alternative B)
- Increased resilience against high tide waves or storm events

Negative:

• Encroachment on coastal public property

#### Alternative B:

Positive:

• Provision of public amenities

Negative:

- Beach shower deck may be subject to high tide waves and storm events
- Increased footprint
- Encroachment on coastal public property

1.4.	Technology alternatives (e.g., to reduce resource demand and increase resource use efficiency) to avoid negativ			
	impacts, mitigate unavoidable negative impacts and maximise positive impacts.			
Provide a description of the preferred technology alternative:				
Not applicable				
Provide a description of any other technology alternatives investigated.				
Not applicable				
Provide a motivation for the preferred technology alternative.				
Not ap	Not applicable			

Provide a detailed motivation if no alternatives exist.

Not applicable

List the positive and negative impacts that the technology alternatives will have on the environment.

#### Not applicable

1.5. Operational alternatives to avoid negative impacts, mitigate unavoidable negative impacts and maximise positive impacts.

Provide a description of the preferred operational alternative.

Alternative A is the preferred operational alternative layout, however both layout alternatives presented in this report have the same operational outcomes with regards to the guest house and parking. The bus drop-off area in Alternative A will allow more tourists traveling from far away to visit Look out Beach and the Milkwood Manor guest house. Alternative B will additionally provide more public benefits, such as the beach shower deck and public ablution block.

Provide a description of any other operational alternatives investigated.

See answer above.

Provide a motivation for the preferred operational alternative.

Comments received from authorities have influenced the preferred layout. The applicant has taken those comments into consideration and revised the original and previous preferred layout to exclude the beach shower deck and ablution block and rooms 1 and 9.

Provide a detailed motivation if no alternatives exist.

#### Not applicable

List the positive and negative impacts that the operational alternatives will have on the environment.

Both layouts will have the same operational impacts regarding the guest house and parking. The bus drop-off area in Alternative A will allow more tourists traveling from far away to visit Look out Beach and the Milkwood Manor guest house. Alternative B will additionally provide more public benefits, such as the beach shower deck and public ablution block.

1.6. The option of not implementing the activity (the 'No-Go' Option).

Provide an explanation as to why the 'No-Go' Option is not preferred.

The No-Go option is not preferred because all the impacts can be mitigated to Low or Very Low. The socio-economic impact for this proposal is very positive. The Bitou municipality will benefit financially from this project and the local community will benefit from job opportunities.

1.7. Provide and explanation as to whether any other alternatives to avoid negative impacts, mitigate unavoidable negative impacts and maximise positive impacts, or detailed motivation if no reasonable or feasible alternatives exist.

The Pre-Application preferred alternative A had the west building expansion extend all the way to the property boundary and public amenities such as a beach shower deck on RE/2066, an ablution block next to the existing pump house and a bus drop of area. After comments received expressing concern about impeding coastal processes and the free movement of sand, the applicant has revised the layout to pull the west building expansion back from the property boundary by approx. 3m and instead extend a wooden deck to the property boundary. The applicant also revised the layout to exclude the public amenities.



The Pre-Application Alternative B's east building extension extended closer to the rock revetment. Following the assessment from the coastal engineer the extension was pulled back by approx. 6.6m. The original Alternative B's ablution block was located at the entrance to the beach east of the parking lot on Remainder of Erf 2066. The ablution block is now located next to the existing pump house. Like the new Alternative A, the west building expansion was pulled back from the property boundary by approx. 3m and instead a wooden deck will extend to the property boundary.



Figure 37: A refers to the original Alternative B and B refers to the current Alternative B

The Draft BAR preferred layout east building extension was approx. 4.4 m from the site boundary. The new preferred layout's east building extension is located approx. 14.7 m from the property boundary after removing room 1 and 9. The removal of room 1 and 9 required the private parking layout to also change. The bus drop-off area is also included in the new preferred layout. The southern building extension (towards to the parking) is not indicated in the new layout and the applicant has indicated that the service yard will be managed within the current footprint and within the building lines. A 2.1 m stone boundary wall within the south and a small section of the south-west of the property will also form part of the new preferred layout.



Figure 38: C refers to the Draft BAR preferred layout and D refers to the new preferred layout.

The Draft BAR Alternative B layout east building extension was approx. 4.4 m from the site boundary. The new preferred layout's east building extension is located approx. 14.7 m from the property boundary after removing room 1 and 9. The removal of room 1 and 9 required the private parking layout to also change. The southern building extension (towards to the parking) is not indicated in the new Alternative B layout and the applicant has indicated that the service yard will be managed within the current footprint and within the building lines. A 2.1 m stone boundary wall within the south and a small section of the south-west of the property will also form part of the new preferred layout.



Figure 39: E refers to the Draft BAR alternative B layout and F refers to the new alternative B layout

1.8. Provide a concluding statement indicating the preferred alternatives, including the preferred location of the activity. Taking the findings of the specialists into account, the impacts associated with Alternatives A and B are the same, apart from the impacts relating to the beach shower deck that will not be present if Alternative A is approved. As such the deciding factor for the Preferred Alternative A extends from comments received from authorities expressing concern and the applicant revising the layout of Alternative A accordingly.

#### 2. "No-Go" areas

Explain what "no-go" area(s) have been identified during identification of the alternatives and provide the co-ordinates of the "no-go" area(s)

The Estuarine Impact Assessment specialist identified estuarine and coastal habitat outside of the working area and undeveloped areas of the EFZ (i.e. estuarine and coastal habitat) within the property boundary (i.e. outside of the rock revetment) and outside of the property boundary as No-Go areas.





Figure 41: No-Go areas for Alternative B

Please note that the above yellow layouts are still the previous layouts. The blue line shows the proposed new pipeline, but the no-go areas shown above are still applicable.

## 3. Methodology to determine the significance ratings of the potential environmental impacts and risks associated with the alternatives.

Describe the methodology to be used in determining and ranking the nature, significance, consequences, extent, duration of the potential environmental impacts and risks associated with the proposed activity or development and alternatives, the degree to which the impact or risk can be reversed and the degree to which the impact and risk may cause irreplaceable loss of resources.

The assessment criteria utilised in this environmental impact assessment is based on, and adapted from, the Guideline on Impact Significance, Integrated Environmental Management Information Series 5 (Department of Environmental Affairs and Tourism (DEAT), 2002) and the Guideline 5: Assessment of Alternatives and Impacts in Support of the Environmental Impact Assessment Regulations (DEAT, 2006).

Determination of Extent (	(Scale):
Site specific	On site or within 100 m of the site boundary, but not beyond the property boundaries.
Local	The impacted area includes the whole or a measurable portion of the site and property, but could affect the area surrounding the development, including the neighbouring properties and wider municipal area.
Regional	The impact would affect the broader region (e.g., neighbouring towns) beyond the boundaries of the adjacent properties.
National	The impact would affect the whole country (if applicable).

# Determination of Duration: Temporary The impact will be limited to the construction phase. Short term The impact will either disappear with mitigation or will be mitigated through a natural process in a period shorter than 8 months after the completion of the construction phase.

Medium term	Medium term         The impact will last up to the end of the construction phase, where after it w           entirely negated in a period shorter than 3 years after the completio construction activities.		
Long term	The impact will continue for the entire operational lifetime of the development but will be mitigated by direct human action or by natural processes thereafter.		
Permanent	This is the only class of impact that will be non-transitory. Such impacts are regarded to be irreversible, irrespective of what mitigation is applied.		
Determination of Probab	bility:		
Improbable	The possibility of the impact occurring is very low, due either to the circumstances, design or experience.		
Probable         There is a possibility that the impact will occur to the extent that provision therefore be made.			
Highly probable	It is most likely that the impacts will occur at some stage of the development. Plans must be drawn up to mitigate the activity before the activity commences.		
Definite	The impact will take place regardless of any prevention plans.		
Determination of Signific	ance (without mitiagtion):		
No significance	The impact is not substantial and does not require any mitigation action.		
Low	The impact is of little importance but may require limited mitigation.		
Medium	The impact is of sufficient importance and is therefore considered to have a negative impact. Mitigation is required to reduce the negative impacts to acceptable levels.		
Medium-HighThe impact is of high importance and is therefore considered to have a impact. Mitigation is required to manage the negative impacts to ac levels.			
High	The impact is of great importance. Failure to mitigate, with the objective of reducing the impact to acceptable levels, could render the entire development option or entire project proposal unacceptable. Mitigation is therefore essential.		
Very High	The impact is critical. Mitigation measures cannot reduce the impact to acceptable levels. As such the impact renders the proposal unacceptable.		
Determination of Signific	ance (with mitiaation):		
No significance	The impact will be mitigated to the point where it is regarded to be insubstantial.		
Low	The impact will be mitigated to the point where it is of limited importance.		
Medium	Notwithstanding the successful implementation of the mitigation measures, the impact will remain of significance. However, taken within the overall context of the project, such a persistent impact does not constitute a fatal flaw.		
High	Mitigation of the impact is not possible on a cost-effective basis. The impact continues to be of great importance, and taken within the overall context of the project, is considered to be a fatal flaw in the project proposal.		
Determination of Revers	ibility:		
Completely Reversible	The impact is reversible with implementation of minor mitigation measures		
Partly Reversible	The impact is partly reversible but more intense mitigation measures		

Barely Reversible	The impact is unlikely to be reversed even with intense mitigation measures
Irreversible	The impact is irreversible, and no mitigation measures exist

#### Determination of Degree to which an Impact can be Mitigated:

Can be mitigated	The impact is reversible with implementation of minor mitigation measures	
Can be partly mitigated	The impact is partly reversible but more intense mitigation measures	
Can be barely mitigated	The impact is unlikely to be reversed even with intense mitigation measures	
Not able to mitigate	The impact is irreversible, and no mitigation measures exist	

#### Determination of Loss of Resources:

No loss of resource	The impact will not result in the loss of any resources
Marginal loss of resource	The impact will result in marginal loss of resources
Significant loss of resources	The impact will result in significant loss of resources
Complete loss of resources	The impact will result in a complete loss of all resources

#### Determination of Cumulative Impact:

Negligible         The impact would result in negligible to no cumulative effects		
Low	The impact would result in insignificant cumulative effects	
Medium	The impact would result in minor cumulative effects	
High	The impact would result in significant cumulative effects	

#### Determination of Consequence significance:

Negligible	The impact would result in negligible to no consequences	
Low	The impact would result in insignificant consequences	
Medium	The impact would result in minor consequences	
High	The impact would result in significant consequences	

#### 4. Assessment of each impact and risk identified for each alternative

**Note:** The following table serves as a guide for summarising each alternative. The table should be repeated for each alternative to ensure a comparative assessment. The EAP may decide to include this section as Appendix J to this BAR.

#### **Development/Construction Phase Impacts**

Alternative:	Preferred Alternative A	Alternative B	No-Go Alternative
PLANNING, DESIGN AND DEVELOPMENT	PHASE		
	ESTUARINE ASSESSMEN	T IMPACT 1	
Potential impact and risk:	LOSS OF EFZ HABITAT (ESTUARINE) CAUSED BY THE EXPANSION OF THE PUBLIC CAR PARK.		
Nature of impact:	Expansion of public car park		No Impact
Extent and duration of impact:	<ul><li>Permanent</li><li>Site specific</li></ul>	<ul><li>Permanent</li><li>Site specific</li></ul>	
Consequence of impact or risk:	Loss of estuarine habitat	Loss of estuarine habitat	
Probability of occurrence:	Definite	Definite	
Degree to which the impact may cause irreplaceable loss of resources:	Marginal Loss	Marginal Loss	
Degree to which the impact can be reversed:	Irreversible	Irreversible	
Indirect impacts:	None identified.	None identified.	
Cumulative impact prior to mitigation:	Low	Low	
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Medium (-)	Medium (-)	No Impact
Degree to which the impact can be avoided:	Low	Low	
Degree to which the impact can be managed:	High	High	
Degree to which the impact can be mitigated:	Moderate	Moderate	
Proposed mitigation:	See below		
Residual impacts:	Low	Low	
Cumulative impact post mitigation:	Low	Low	
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Low (-)	Low (-)	No Impact

#### Mitigation measures to reduce residual risk or enhance opportunities:

- Working areas must be clearly demarcated. Estuarine habitat outside of the working area must be designated as No-Go and no disturbance (i.e. trampling, smothering etc.) of estuarine habitat in this area is permitted.
- No excavated material must be dumped or stockpiled in the No-Go area.
- A comprehensive method statement must be drawn up which provides a clear step by step plan of the sequence of construction activities that will be undertaken. The method statement must aim to minimise the length of time that cleared areas remain exposed and vulnerable to erosion.
- Clearing of vegetation in the EFZ should ideally take place during the winter (May to July) months when the presence of nesting bird species is likely to be minimal.
- Alien invasive trees and shrubs must be removed from the remaining buffer (i.e. undeveloped portion of the EFZ).

Altomativo	Preferred	Alternative B	No-Go	
Allemative:	Alternative A		Alternative	
PLANNING, DESIGN AND DEVELOPMEN	PLANNING, DESIGN AND DEVELOPMENT PHASE			
	ESTUARINE ASSESSMEN	T IMPACT 2		
Potential impact and risk:	Intial impact and risk: LOSS OF EFZ HABITAT (COASTAL) CAUSED BY THE CONSTRUCTION O BEACH SHOWERS.			
Nature of impact:	Due to comments received from Authorities, the applicant has revised the preferred layout to exclude the beach shower deck.	Construction of beach showers	No Impact	
Extent and duration of impact:		<ul><li>Permanent</li><li>Site specific</li></ul>		
Consequence of impact or risk:		Loss of coastal dune habitat in the EFZ		
Probability of occurrence:		Definite		
Degree to which the impact may cause irreplaceable loss of resources:		Marginal Loss		
Degree to which the impact can be reversed:		Fully reversible		
Indirect impacts:		None identified.		
Cumulative impact prior to mitigation:		Negligible		
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	No Impact	Low (-)	No Impact	
Degree to which the impact can be avoided:		Unmanageable		
Degree to which the impact can be managed:		High		
Degree to which the impact can be mitigated:		Moderate		
Proposed mitigation:				
Residual impacts:		Very Low		
Cumulative impact post mitigation:		Negligible		
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	No Impact	Low (-)	No Impact	

Mitigation measures to reduce residual risk or enhance opportunities:

- Working areas must be clearly demarcated. Coastal estuarine habitat outside of the working area must be designated as No-Go and no disturbance (i.e. trampling, smothering etc.) of estuarine habitat in this area is permitted.
- No excavated material must be dumped or stockpiled in the No-Go area.
| Alternative:                                                                                                   | Preferred<br>Alternative A                                | Alternative B                                                                                  | No-Go<br>Alternative |  |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------|--|
| PLANNING, DESIGN AND DEVELOPMEN                                                                                | PHASE                                                     |                                                                                                |                      |  |
|                                                                                                                | ESTUARINE ASSESSMEN                                       | T IMPACT 3                                                                                     |                      |  |
| Potential impact and risk:                                                                                     | EROSION AND SEDIMENT                                      | EROSION AND SEDIMENTATION CAUSED BY CLEARING OF VEGETATION<br>DURING CONSTRUCTION OF CAR PARK. |                      |  |
| Nature of impact:                                                                                              | Erosion of exposed soil                                   |                                                                                                | No Impact            |  |
| Extent and duration of impact:                                                                                 | <ul><li>Permanent</li><li>Site specific</li></ul>         | <ul><li>Permanent</li><li>Site specific</li></ul>                                              |                      |  |
| Consequence of impact or risk:                                                                                 | Sediment runoff and<br>smothering of estuarine<br>habitat | Sediment runoff and<br>smothering of estuarine<br>habitat                                      |                      |  |
| Probability of occurrence:                                                                                     | Probable                                                  | Probable                                                                                       |                      |  |
| Degree to which the impact may cause irreplaceable loss of resources:                                          | No Loss                                                   | No Loss                                                                                        |                      |  |
| Degree to which the impact can be reversed:                                                                    | Fully reversible                                          | Fully reversible                                                                               |                      |  |
| Indirect impacts:                                                                                              | None identified.                                          | None identified.                                                                               |                      |  |
| Cumulative impact prior to<br>mitigation:                                                                      | Low                                                       | Low                                                                                            |                      |  |
| Significance rating of impact prior to<br>mitigation<br>(e.g. Low, Medium, Medium-High,<br>High, or Very-High) | Medium (-)                                                | Medium (-)                                                                                     | No Impact            |  |
| Degree to which the impact can be avoided:                                                                     | High                                                      | High                                                                                           |                      |  |
| Degree to which the impact can be managed:                                                                     | High                                                      | High                                                                                           |                      |  |
| Degree to which the impact can be mitigated:                                                                   | High                                                      | High                                                                                           |                      |  |
| Proposed mitigation:                                                                                           | See below                                                 |                                                                                                |                      |  |
| Residual impacts:                                                                                              | Low                                                       | Low                                                                                            |                      |  |
| Cumulative impact post mitigation:                                                                             | Low                                                       | Low                                                                                            |                      |  |
| Significance rating of impact after<br>mitigation<br>(e.g. Low, Medium, Medium-High,<br>High, or Very-High)    | Low (-)                                                   | Low (-)                                                                                        | No Impact            |  |

- Working areas must be clearly demarcated to avoid unnecessary clearing of vegetation. Estuarine habitat outside of the working area must be designated as No-Go and no disturbance (i.e. trampling, smothering etc.) of estuarine habitat in this area is permitted.
- Construction of the car park must be planned for the dry season (May to July).
- A comprehensive method statement must be drawn up which provides a clear step by step plan of the sequence of construction activities that will be undertaken. The method statement must aim to minimise the length of time that cleared areas remain exposed and vulnerable to erosion.
- Silt fencing must be placed along the outer perimeter of the expanded park area to prevent sediment input in the event of a rainfall even.
- Any disturbed, exposed areas must be reprofiled to natural contours and re-vegetated.

Alternative:	Preferred Alternative A	Preferred Alternative A	No-Go Alternative
PLANNING, DESIGN AND DEVELOPMEN	PHASE		
	ESTUARINE ASSESSMEN	T IMPACT 4	
Potential impact and risk:	DISTURBANCE OF ESTUA	RINE AND COASTAL HA	BITAT CAUSED BY
	GENERAL CONSTRUCTION	ACTIVITIES.	
Nature of impact:	laydown areas, waste m refuelling of construction	anagement, site access, vehicles and machinery	No Impact
Extent and duration of impact:	<ul> <li>Permanent</li> </ul>	<ul> <li>Permanent</li> </ul>	
	Site specific	<ul> <li>Site specific</li> </ul>	
Consequence of impact or risk:	Physical disturbance and solid waste) of sensitive estuarine habitat	pollution (chemical and e estuarine coastal and	
Probability of occurrence:	Probable	Probable	
Degree to which the impact may cause irreplaceable loss of resources:	No Loss	No Loss	
Degree to which the impact can be reversed:	Fully reversible	Fully reversible	
Indirect impacts:	None identified.	None identified.	
Cumulative impact prior to mitigation:	Low	Low	
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Medium (-)	Medium (-)	No Impact
Degree to which the impact can be avoided:	High	High	
Degree to which the impact can be managed:	High	High	
Degree to which the impact can be mitigated:	High	High	
Proposed mitigation:	See b	below	
Residual impacts:	None (no additional lo	ss of estuarine habitat)	
Cumulative impact post mitigation:	Low	Low	
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Low (-)	Low (-)	No Impact

- Undeveloped areas of the EFZ (i.e. estuarine and coastal habitat) within the property boundary (i.e. outside of the rock revetment) and outside of the property boundary must be designated as No-Go areas.
- Access to the property via the beach/estuary is not permitted. Only the existing access from the car park can be used.
- No construction materials to be stored or stockpiled outside of the area delineated by the rock revetment or in any part of the undeveloped areas of the EFZ.
- Rubble and waste materials must be managed on site and must not be dumped or stockpiled within undeveloped areas of the EFZ.
- Chemical toilets should be provided on-site at 1 toilet per 10 persons.
- Waste from chemical toilets must be disposed of regularly (at least once a week) in a responsible manner by a registered waste contractor

Alternative	Preferred	Alternative B	No-Go
Allemanye.	Alternative A		Alternative
PLANNING, DESIGN AND DEVELOPMENT PHASE			
TERRESTRIAL BIODIVERSITY ASSESSMENT IMPACT 1			
Potential impact and risk: PERMANENT OR TEMPORARY LOSS OF INDIGENOUS V			EGETATION
Nature of impact:	Permanent or tempore vegetation cover becar clearing before constru- blanket clearing of veget footprint.	ary loss of indigenous use of site clearing. Site uction will result in the tation within the affected	No Impact
Extent and duration of impact:	<ul> <li>Local and limited to site</li> <li>Short term (1-5 years)</li> </ul>	<ul> <li>Local and limited to site</li> <li>Short term (1-5 years)</li> </ul>	
Consequence of impact or risk:	Loss of indigenous vegetation	Loss of indigenous vegetation	
Probability of occurrence:	Definite	Definite	
Degree to which the impact may cause irreplaceable loss of resources:	Low to very low	Low to very low	
Degree to which the impact can be reversed:	High	High	
Indirect impacts:	None identified.	None identified.	
Cumulative impact prior to mitigation:	None	None	
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Low (-)	Low (-)	No Impact
Degree to which the impact can be avoided:	Unavoidable	Unavoidable	
Degree to which the impact can be managed:	High	High	
Degree to which the impact can be mitigated:	High	High	
Proposed mitigation:	See b	pelow	
Residual impacts:	None	None	
Cumulative impact post mitigation:	None	None	
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Very Low (-)	Very Low (-)	No Impact

- No clearing outside of development footprint to take place.
- Surrounding Dune Thicket and Estuarine habitat is to be conserved and not harmed during the construction process.
- Rehabilitation of vegetation of the site must be done as described in the Rehabilitation Plans.
- Trees and shrubs that are directly affected by the operations may be felled or cleared but only by the expressed written permission of the ECO.

Alternative	Preferred	Alternative B	No-Go
Allemanve.	Alternative A		Alternative
PLANNING, DESIGN AND DEVELOPMENT	PHASE		
TERRESTRIAL BIODIVERSITY ASSESSMENT IMPACT 2			
Potential impact and risk:	LOSS OF FLORA SPECIES C	F CONSERVATION	
Nature of impact:	Loss of flora Species or during pre-construction Several special of cor surrounding areas, whic during site preparation confirmed to be present.	f Conservation Concern site clearing activities. Incern are known from ch could be destroyed , none of which were	No Impact
Extent and duration of impact:	<ul> <li>Local and limited to site</li> <li>Short term (1-5 years)</li> </ul>	<ul> <li>Local and limited to site</li> <li>Short term (1-5 years)</li> </ul>	
Consequence of impact or risk:	Loss of Flora SCC	Loss of Flora SCC	
Probability of occurrence:	Probable	Probable	
Degree to which the impact may cause irreplaceable loss of resources:	Low	Low	
Degree to which the impact can be reversed:	High	High	
Indirect impacts:	None identified.	None identified.	
Cumulative impact prior to mitigation:	None	None	
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Low (-)	Low (-)	No Impact
Degree to which the impact can be avoided:	High – No SCC found on site	High – No SCC found on site	
Degree to which the impact can be managed:	Manageable	Manageable	
Degree to which the impact can be mitigated:	Can be mitigated	Can be mitigated	
Proposed mitigation:	A flora search and rescue is unlikely to be required and no protected flora were found to be present within a natural context.		
Residual impacts:	None	None	
Cumulative impact post mitigation:	None	None	
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Very Low (-)	Very Low (-)	No Impact

• Workers are NOT allowed to collect any flora species. All flora species remain the property of the landowner and must not be disturbed, upset or used without their expressed consent.

Altornativo	Preferred	Alternative B	No-Go
Allemailve.	Alternative A		Alternative
PLANNING, DESIGN AND DEVELOPMENT	T PHASE		
TER	RESTRIAL BIODIVERSITY ASS	ESSMENT IMPACT 3	
Potential impact and risk: ALIEN INVASIVE SPECIES			
Nature of impact:	Susceptibility of post con to invasion by exotic ar and removal of exotic a during construction. Pos areas having no vege susceptible to invasion species, which can not c also prevent natural established.	astruction disturbed areas and alien invasive species and alien invasive species at construction disturbed tation cover are often by weedy and alien only become invasive but flora from becoming	No Impact
Extent and duration of impact:	<ul> <li>Local and limited to site</li> <li>Medium term (5-15 years)</li> </ul>	<ul> <li>Local and limited to site</li> <li>Medium term (5- 15 years)</li> </ul>	
Consequence of impact or risk:	Alien infestation on site	Alien infestation on site	
Probability of occurrence:	High	High	
Degree to which the impact may cause irreplaceable loss of resources:	Low	Low	
Degree to which the impact can be reversed:	High	High	
Indirect impacts:	None identified.	None identified.	
Cumulative impact prior to mitigation:	None	None	
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Low (-)	Low (-)	No Impact
Degree to which the impact can be avoided:	Avoidable	Avoidable	
Degree to which the impact can be managed:	High	High	
Degree to which the impact can be mitigated:	High	High	
Proposed mitigation:	A suitable weed management strategy must be implemented in the construction phase and carried through the operational phase.		
Residual impacts:	None	None	
Cumulative impact post mitigation:	None	None	
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Very Low (-)	Very Low (-)	No Impact

- Alien species must be removed from the site as per the National Environmental Management: Biodiversity Act (No. 10 of 2004) requirements.
- The Contractor is responsible for the removal of alien species within all areas disturbed during construction activities. Disturbed areas include (but are not limited to) access roads, construction camps, site areas and temporary storage areas.
- In consultation with relevant authorities, the Engineer may order the removal of alien plants (when necessary). Areas within the confines of the site are to be included.
- All alien plant material (including brushwood and seeds) should be removed from site and disposed of at a registered waste disposal site. Should brushwood be utilised for soil stabilization or mulching, it must be seed free.
- After clearing is completed, an appropriate cover crop may be required, should natural reestablishment of grasses not take place in a timely.

Alternative	Preferred	Alternative B	No-Go
Allemanye.	Alternative A		Alternative
PLANNING, DESIGN AND DEVELOPMENT	PHASE		
TER			
Potential impact and risk:	EROSION		
Nature of impact:	Susceptibility of some are construction related dis vegetation cover and soil some areas being suscep completion of the activity	eas to erosion because of sturbances. Removal of I disturbance may result in otible to soil erosion after 4.	No Impact
Extent and duration of impact:	<ul> <li>Local and limited to site</li> <li>Medium term (5-15 years)</li> </ul>	<ul> <li>Local and limited to site</li> <li>Medium term (5- 15 years)</li> </ul>	
Consequence of impact or risk:	Increased erosion on site	Increased erosion on site	
Probability of occurrence:	Probable	Probable	
Degree to which the impact may cause irreplaceable loss of resources:	Very low	Very low	
Degree to which the impact can be reversed:	Reversible	Reversible	
Indirect impacts:	None identified.	None identified.	
Cumulative impact prior to mitigation:	None	None	
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Low (-)	Low (-)	No Impact
Degree to which the impact can be avoided:	Avoidable	Avoidable	
Degree to which the impact can be managed:	High	High	
Degree to which the impact can be mitigated:	High	High	
Proposed mitigation:	See b	below	
Residual impacts:	None	None	
Cumulative impact post mitigation:	None	None	
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Very Low (-)	Very Low (-)	No Impact

- Suitable measures must be implemented in areas that are susceptible to erosion, including the stormwater structures around the parking areas as well as where mobile dune sands are present. Areas must be rehabilitated, and a suitable cover crop planted and/or other structures constructed.
- If natural vegetation re-establishment does not occur, a suitable grass must be applied on nonsand areas.
- Stormwater Management Plans must be developed for the site and should include: the management of stormwater during construction, the installation of stormwater and erosion control infrastructure, the management of infrastructure after completion of construction.
- Temporary drainage works may be required to prevent stormwater to prevent silt laden surface water from draining into the estuary in proximity to the site. Stormwater must be prevented from entering or running off in an unmanaged manner.
- To ensure that site is not subjected to excessive erosion and capable of drainage runoff with minimum risk of scour, their slopes should be profiled at a maximum 1:3 gradient.
- Diversion channels should be constructed ahead of the open cuts, and above emplacement areas and stockpiles to intercept clean runoff and divert it around disturbed areas into the natural drainage system downstream of the site.

- Existing vegetation must be retained as far as possible to minimise erosion problems.
- It is importation that the rehabilitation of site is planned and completed in such a way that the runoff water will not cause erosion.
- Sediment-laden runoff from cleared areas must be prevented from entering the estuary.
- No estuary or surface water may be affected by silt emanating from the site.

Alternative:	Preferred Alternative A	Alternative B	No-Go Alternative		
PLANNING, DESIGN AND DEVELOPMEN	PLANNING, DESIGN AND DEVELOPMENT PHASE				
TER	TERRESTRIAL BIODIVERSITY ASSESSMENT IMPACT 5				
Potential impact and risk:	ECOLOGICAL, AQUATIC	AND RIPARIAN PROCESSES			
Nature of impact:	Activity may result in dis processes. No Aquatic, processes will be affected	sturbances to ecological estuarine and riparian d.	No Impact		
Extent and duration of impact:	<ul> <li>Local and limited to site</li> <li>Very short to short term (0-5 years)</li> </ul>	<ul> <li>Local and limited to site</li> <li>Very short to short term (0-5 years)</li> </ul>			
Consequence of impact or risk:	Disturbance to ecological, aquatic and riparian processes.	Disturbance to ecological, aquatic and riparian processes.			
Probability of occurrence:	Probable	Probable			
Degree to which the impact may cause irreplaceable loss of resources:	Very low	Very low			
Degree to which the impact can be reversed:	Reversible	Reversible			
Indirect impacts:	None identified.	None identified.			
Cumulative impact prior to mitigation:	None	None			
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Low (-)	Low (-)	No Impact		
Degree to which the impact can be avoided:	Avoidable	Avoidable			
Degree to which the impact can be managed:	High	High			
Degree to which the impact can be mitigated:	High	High			
Proposed mitigation:	Adequate measures to erosion and stormwater n and parking areas into t Terrestrial Impact 4 propo	be implemented for nanagement from the site he adjacent estuary (see psed mitigation measures)			
Residual impacts:	None	None			
Cumulative impact post mitigation:	None	None			
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Very Low (-)	Very Low (-)	No Impact		

Alternative	Preferred	Alternative B	No-Go
	Alternative A		Alternative
PLANNING, DESIGN AND DEVELOPMENT PHASE			
TER	RESTRIAL BIODIVERSITY ASS	ESSMENT IMPACT 6	
Potential impact and risk:	FAUNAL SPECIES, HABITAT	AND PROCESSES	ſ
	Loss of faunal SCC due	to construction activities:	
	Activities associated with	bush clearing, killing of	
	perceived dangerous	tauna, may lead to	
Nature of impact:	increased mortalities among taunal species.		No Impact
	of habitat for faunal spec	cies which could result in	No impuci
	disturbance and displace	energy which coold result in	
	Impacts to faunal pro-	cesses because of the	
	activity.		
	Local and	<ul> <li>Local and</li> </ul>	
	limited to site	limited to site	
Extent and duration of impact:	• Very short term	<ul> <li>Very short term</li> </ul>	
	(0-1 years)	(0-1 years)	
	Loss of faunal SCC, loss	Loss of faunal SCC, loss	
Consequence of impact or risk:	of faunal habitat and	of faunal habitat and	
consequence of impact of fisk.	disturbance to faunal	disturbance to faunal	
	processes.	processes.	
	Loss of taunal SCC:	Loss of taunal SCC:	
	Probable	Probable	
Probability of occurrence:	Definite	Definite	
	Disturbance to faunal	Disturbance to faunal	
	processes: Probable	processes: Probable	
Degree to which the impact may cause irreplaceable loss of resources:	Low	Low	
Degree to which the impact can be reversed:	Reversible	Reversible	
Indirect impacts:	None identified.	None identified.	
Cumulative impact prior to mitigation:	None	None	
Significance rating of impact prior to			
(e.g. Low, Medium, Medium-High,	Low (-)	Low (-)	No Impact
High, or Very-High)			
Degree to which the impact can be avoided:	Medium to High	Medium to High	
Degree to which the impact can be	High	High	
managed:			
mitigated:	High	High	
Proposed mitigation:	See b	pelow	
Residual impacts:	None	None	
Cumulative impact post mitigation:	None	None	
Significance rating of impact after			
(e.g. Low, Medium, Medium-High,	Very Low (-)	Very Low (-)	No Impact
High, or Very-High)			

- The habitats and microhabitats present on the project site are not unique and are widespread in the general area, hence the local impact associated with the footprint would be of low significance if mitigation measures are adhered to.
- Small mammals within the habitat on and around the affected area are generally mobile and likely to be transient to the area. The risk of species of special concern is low, and it is unlikely that there will be any impact to populations of such species because of the activity.

- A faunal search and rescue is unlikely to be required and no protected species are likely to be affected.
- No animals are to be harmed or killed during the course of operations.
- No snares or harming of any faunal species permitted.

Alternative:	Preferred	Alternative B	No-Go Alternative
			Allemanve
C			
	IT IS ANTICIPATED THAT C		OSTS WILL BE IN THE
Potential impact and risk:	REGION OF R72 MILLION TO R90 MILLION		
	Applying the employmen	nt multiplier indicates that	
	the construction element	of the project will support	
Nature of impact:	the equivalent of 365 an	nual jobs in construction,	No Impact
	in its supply chain and i	nvestment activities, and	
	spending of construction	wages and profits.	
Eutopt and duration of impact	<ul> <li>Local</li> </ul>	<ul> <li>Local</li> </ul>	
Extern and duration of impact.	Short term	<ul> <li>Short term</li> </ul>	
	Capital influx for business	es involved and knock on	
Contact longo of impract or risks	effect as the businesses	that will supply services	
Consequence of impact of fisk:	and materials for the deve	elopment will benefit from	
	the capital influx and job	creation.	
Probability of occurrence:	Def	inite	
Degree to which the impact may	No loss of	resources	
Cause Irreplaceable loss of resources:	Notap		
reversed:			
	Growth for business involved in the development and general influx of capital into the construction sector support industries. Temporary construction		
Indirect impacts:			
	job creation for the comr	nunity.	
Cumulative impact prior to mitigation:	None		
Significance rating of impact prior to			
mitigation	Mediu	um (+)	No Impact
High, or Very-High)			•
Degree to which the impact can be	Unavo	idable	
avoided:		· · · · · · · · · · · · · · · · · · ·	
Degree to which the impact can be	Can be managed by er	couraging proponent to	
	support local business an	d employ local residents.	
Degree to which the impact can be	Support of local busines	ses and employment of	
mitigated:	augraphand		
	godianieed.	avmant of local residents	
Proposed mitigation:	Local pusiness and employment of local residents		
	Certain services or mat	rerials may need to be	
Residual impacts:	sourced from outside o	f the George Municipal	
	area		
Cumulative impact post mitigation:	None	None	
Significance rating of impact after		•	
mitigation	Mediu	um (+)	No Impact
High, or Very-High)			•

Alternative:	Preferred	Alternative B	No-Go
			Allemanve
	ACT GENERATED BY CONST	RUCTION ACTIVITIES	
Potential impact and risk: CONSTRUCTION RELATED NOISE			
Nature of impact:	Negative		No Impact
Extent and duration of impact:	<ul><li>Local</li><li>Temporary</li></ul>		
Consequence of impact or risk:	<ul> <li>Negligible</li> <li>Frustrations and disruptions experienced by surrounding landowners</li> <li>Detract from sense of place (peacefulness)</li> </ul>		
Probability of occurrence:	Def	inite	
Degree to which the impact may cause irreplaceable loss of resources:	No loss of	resource	
Degree to which the impact can be reversed:	High		No impact
Indirect impacts:	None identified		
Cumulative impact prior to mitigation:	<ul> <li>Nuisance from construction noise at inappropriate hours</li> </ul>		
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Medium (-)		No Impact
Degree to which the impact can be avoided:	Not ave	bidable	
Degree to which the impact can be managed:	Мес	dium	
Degree to which the impact can be mitigated:	Мес	dium	
Proposed mitigation:	Restricting construction activities to normal construction hours.		
Residual impacts:	Non-identified		
Cumulative impact post mitigation:	Less noise disturbance		
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Low	<i>ı</i> (-)	No Impact

# **Operational Phase Impacts**

Alternative:	Preferred Alternative A	Alternative B	No-Go Alternative	
PLANNING, DESIGN AND DEVELOPMEN	T PHASE			
	ESTUARINE ASSESSMEN	T IMPACT 5		
Potential impact and risk:	EROSION OF ESTUARINE HABITAT CAUSED BY INCREASED STORMWATER RUNOFF FROM THE EXPANDED CAR PARK			
Nature of impact:	Increased stormwater ru car park.	noff from the expanded	No Impact	
Extent and duration of impact:	<ul><li>Permanent</li><li>Site specific</li></ul>	<ul><li>Permanent</li><li>Site specific</li></ul>		
Consequence of impact or risk:	Erosion of est	Jarine habitat		
Probability of occurrence:	Highly Probable	Highly Probable		
Degree to which the impact may cause irreplaceable loss of resources:	Marginal Loss	Marginal Loss		
Degree to which the impact can be reversed:	Fully reversible	Fully reversible		
Indirect impacts:	None identified.	None identified.		
Cumulative impact prior to mitigation:	Low	Low		
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Medium (-)	Medium (-)	No Impact	
Degree to which the impact can be avoided:	High	High		
Degree to which the impact can be managed:	High	High		
Degree to which the impact can be mitigated:	High	High		
Proposed mitigation:	See below			
Residual impacts:	Low	Low		
Cumulative impact post mitigation:	Low	Low		
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Low (-)	Low (-)	No Impact	

Mitigation measures to reduce residual risk or enhance opportunities:

• The stormwater management plan must be implemented as specified in Section B4.4

• Silt and interception traps must be routinely inspected and cleared to ensure that they continue to operate as designed.

Alternative:	Preferred Alternative A	Alternative B	No-Go Alternative
PLANNING, DESIGN AND DEVELOPME	NT PHASE		
TE	RRESTRIAL BIODIVERSITY ASS	ESSMENT IMPACT 7	
Potential impact and risk:	ALIEN INVASIVE SPECIES		
Nature of impact:	Susceptibility of post con to invasion by exotic an and removal of exotic a during construction. Pos areas having no vege susceptible to invasion species, which can not a also prevent natural established.	nstruction disturbed areas and alien invasive species and alien invasive species at construction disturbed atation cover are often by weedy and alien only become invasive but flora from becoming	No Impact
Extent and duration of impact:	Local and limited to site	<ul> <li>Local and limited to site</li> </ul>	

	Medium term (5-	Medium term (5-	
	15 years)	15 years)	
Consequence of impact or risk:	Alien infestation on site	Alien infestation on site	
Probability of occurrence:	High	High	
Degree to which the impact may cause irreplaceable loss of resources:	Low	Low	
Degree to which the impact can be reversed:	High	High	
Indirect impacts:	None identified.	None identified.	
Cumulative impact prior to mitigation:	None	None	
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Low (-)	Low (-)	No Impact
Degree to which the impact can be avoided:	Avoidable	Avoidable	
Degree to which the impact can be managed:	High	High	
Degree to which the impact can be mitigated:	High	High	
Proposed mitigation:	See below		
Residual impacts:	None	None	
Cumulative impact post mitigation:	None	None	
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Very Low (-)	Very Low (-)	No Impact

- After clearing is completed, an appropriate cover crop may be required, should natural reestablishment of grasses not take place in a timely manner.
- A suitable weed management strategy to be implemented in and around the site post construction, which is likely to result in proliferation of weeds in disturbed areas on completion.

Alternative:	Preferred	Alternative B	No-Go
	Alternative A		Alternative
PLANNING, DESIGN AND DEVELOPMEN	T PHASE		
TER	<b>RESTRIAL BIODIVERSITY ASS</b>	ESSMENT IMPACT 8	
Potential impact and risk:	EROSION		
Nature of impact:	Removal of vegetation cover and soil disturbance may result in some areas being susceptible to soil erosion after completion of the activity.		No Impact
Extent and duration of impact:	<ul> <li>Local and limited to site</li> <li>Medium term (5-15 years)</li> </ul>	<ul> <li>Local and limited to site</li> <li>Medium term (5- 15 years)</li> </ul>	
Consequence of impact or risk:	Increased erosion on site	Increased erosion on site	
Probability of occurrence:	Probable	Probable	
Degree to which the impact may cause irreplaceable loss of resources:	Very low	Very low	
Degree to which the impact can be reversed:	Reversible	Reversible	
Indirect impacts:	None identified.	None identified.	
Cumulative impact prior to mitigation:	None	None	
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Low (-)	Low (-)	No Impact
Degree to which the impact can be avoided:	Avoidable	Avoidable	

Degree to which the impact can be	High	High	
Degree to which the impact can be mitigated:	High	High	
Proposed mitigation:	<ul> <li>Suitable measures n areas that are suscept the stormwater struct areas as well as when present. Areas must suitable cover cropt structures constructed</li> <li>If natural vegetation n occur, a suitable grast sand areas.</li> </ul>	hust be implemented in otible to erosion, including tures around the parking re mobile dune sands are be rehabilitated, and a planted and/or other d. re-establishment does not s must be applied on non-	
Residual impacts:	None	None	
Cumulative impact post mitigation:	None	None	
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Very Low (-)	Very Low (-)	No Impact

- Rehabilitation is necessary to control erosion and sedimentation of all eroded areas (where works will take place).
- Areas where construction is completed should be rehabilitated immediately.
- Areas to be disturbed in future activities will be kept as small as possible (i.e. conducting the operations in phases), thereby limiting the scale of erosion.
- Slopes will be profiled to ensure that they are not subjected to excessive erosion but capable of drainage runoff with minimum risk of scour (maximum 1:3 gradient).
- Existing vegetation will be retained as far as possible to minimize erosion problems.

Alternative:	Preferred	Alternative B	No-Go Alternativo
PLANNING DESIGN AND DEVELOPMEN			Allemanve
TER	RESTRIAL BIODIVERSITY ASS	ESSMENT IMPACT 9	
Potential impact and risk:	ECOLOGICAL, AQUATIC	AND RIPARIAN PROCESSES	
Nature of impact:	Activity may result in dis processes. No Aquatic a be affected.	Activity may result in disturbances to ecological processes. No Aquatic and riparian processes will be affected	
Extent and duration of impact:	<ul> <li>Local and limited to site</li> <li>Very short to short term (0-5 years)</li> </ul>	<ul> <li>Local and limited to site</li> <li>Very short to short term (0-5 years)</li> </ul>	
Consequence of impact or risk:	Disturbance to ecological, aquatic and riparian processes. Probable	Disturbance to ecological, aquatic and riparian processes. Probable	
Degree to which the impact may	Very low	Very low	
Degree to which the impact can be reversed:	Reversible	Reversible	
Indirect impacts:	None identified.	None identified.	
Cumulative impact prior to mitigation:	None	None	
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Low (-)	Low (-)	No Impact

Degree to which the impact can be avoided:	Avoidable	Avoidable	
Degree to which the impact can be managed:	High	High	
Degree to which the impact can be mitigated:	High	High	
Proposed mitigation:	Adequate measures to be implemented for erosion and stormwater management from the site and parking areas into the adjacent estuary.		
Residual impacts:	None	None	
Cumulative impact post mitigation:	None	None	
Significance rating of impact after mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Very Low (-)	Very Low (-)	No Impact

Allermeliter	Preferred	Alternative B	No-Go
Alfernative:	Alternative A		Alternative
PLANNING, DESIGN AND DEVELOPMEN	T PHASE		
	OPERATIONAL RELATED JOB	OPPORTUNITIES	
Potential impact and risk:	POST-CONSTRUCTION, TH	E EXTENDED HOTEL WILL RI	EQUIRE ADDITIONAL
Nature of impact:	Post-construction, the exact additional staff for whousekeeping, mainter management, and food This will lead to opportunities for local related will employ 65 states and general workforce. It is the 65 of these staff mere Plettenberg Bay Commemployment opportunities Disadvantaged Individuation community.	tended hotel will require various roles such as enance, front desk, and beverage services. long-term employment esidents. The 22-bedroom aff members inclusive of management, and the ne intention to employ all embers from the local unity. Most (70%) of the es will benefit Historically als (HDIs) from the local	No Impact
Extent and duration of impact:	<ul><li>Local</li><li>Long term</li></ul>	<ul><li>Local</li><li>Long term</li></ul>	
Consequence of impact or risk:	Long term job opportunities for 65 staff members		
Probability of occurrence:	Def	inite	
Degree to which the impact may cause irreplaceable loss of resources:	No loss of resources		
Degree to which the impact can be reversed:	Not ap	olicable	
Indirect impacts:	Improved quality of life fo	or community members.	
Cumulative impact prior to mitigation:	None		
Significance rating of impact prior to mitigation (e.g. Low, Medium, Medium-High, High, or Very-High)	Medium (+)		No Impact
Degree to which the impact can be avoided:	Unavoidable		
Degree to which the impact can be managed:	Can be managed by encouraging proponent to employ local residents.		
Degree to which the impact can be mitigated:	Support of employment of local residents can be encouraged but not guaranteed.		
Proposed mitigation:	Employment of local residents should be supported as far as possible		
Residual impacts:		Γ	
Cumulative impact post mitigation:	None	None	

# SECTION I: FINDINGS, IMPACT MANAGEMENT AND MITIGATION MEASURES

1. Provide a summary of the findings and impact management measures identified by all Specialist and an indication of how these findings and recommendations have influenced the proposed development.

Table 5 below summarises the potential Impacts associated with the proposed upgrades and expansion to the Milkwood Manor Guest House and parking, post mitigation. Please refer to the Section I (2) for the proposed mitigation measures to ensure the corresponding rating post mitigation.

Table 5: Summary of Impacts Post Mitigation

Impact	Preferred Alternative A	Alternative B	No-Go Alternative
	Construction Pho	ase	
Loss of EFZ (estuarine) habitat caused by the expansion of the car park	Low (-)	Low (-)	No Impact
Loss of EFZ habitat (coastal) caused by the construction of beach showers	No Impact	Low (-)	No Impact
Erosion and sedimentation caused by clearing of vegetation during construction of the car park	Low (-)	Low (-)	No Impact
Disturbance of estuarine and coastal habitat caused by general construction activities	Low (-)	Low (-)	No Impact
Permanent or temporary loss of indigenous vegetation	Very Low (-)	Very Low (-)	No Impact
Loss of flora species of conservation concern caused by pre- construction clearing	Very Low (-)	Very Low (-)	No Impact
Infestation of alien invasive species	Very Low (-)	Very Low (-)	No Impact
Erosion caused by construction related disturbances	Very Low (-)	Very Low (-)	No Impact
Disturbances to ecological, aquatic and riparian processes caused by construction activities	Very Low (-)	Very Low (-)	No Impact
Loss of faunal species and habitat and disturbance of faunal processes cause by construction activities	Very Low (-)	Very Low (-)	No Impact
Construction related job opportunities	Medium (+)	Medium (+)	No Impact
Noise disturbance due to construction activities	Low (-)	Low (-)	No Impact
Operational Phase			
Erosion of estuarine habitat caused by increased stormwater runoff from the expanded car park	Low (-)	Low (-)	No Impact
Infestation of alien invasive species	Very Low (-)	Very Low (-)	No Impact
Erosion after completion of the activity.	Very Low (-)	Very Low (-)	No Impact
Disturbances to ecological, aquatic and riparian processes caused by construction activities	Very Low (-)	Very Low (-)	No Impact
Operational related job opportunities	Medium (+)	Medium (+)	No Impact

## Estuarine Impact Assessment, Appendix G1:

Renovations to the existing Milkwood Manor House will occur in close proximity to estuarine and coastal habitat. Impacts associated with the renovations to the house are however manageable and can be mitigated to result in low impacts and no residual impact on biodiversity. The expansion to the car park will result in the permanent transformation of a small area of the EFZ and is not aligned to CBA management objectives and macrophyte RQOs for the estuary. The open water body of the estuary will remain well buffered by dense reed vegetation (approximately 30 m in width) and construction activities are unlikely to affect any of the other RQOs for the estuary. Stormwater runoff from the existing car park has resulted in erosion of the bank of the estuary and expanding the car park will slightly increase the intensity of this impact. The loss of the vegetation is acceptable and will result in low residual impacts on estuarine habitat and biodiversity. Furthermore, implementation of the proposed stormwater management plan will adequately address and mitigate stormwater flows from the car park and represents an improvement when compared to the current scenario. Based on these findings the proposed renovations and expansion of the car park are considered acceptable from an aquatic biodiversity perspective.

Mitigation measures recommended by the specialist:

- Working areas must be clearly demarcated. Estuarine habitat outside of the working area must be designated as No-Go and no disturbance (i.e. trampling, smothering etc.) of estuarine habitat in this area is permitted.
- No excavated material must be dumped or stockpiled in the No-Go area.
- A comprehensive method statement must be drawn up which provides a clear step by step plan of the sequence of construction activities that will be undertaken. The method statement must aim to minimise the length of time that cleared areas remain exposed and vulnerable to erosion.
- Clearing of vegetation in the EFZ should ideally take place during the winter (May to July) months when the presence of nesting bird species is likely to be minimal.
- Alien invasive trees and shrubs must be removed from the remaining buffer (i.e. undeveloped portion of the EFZ).
- Working areas must be clearly demarcated to avoid unnecessary clearing of vegetation.
- Construction of the car park must be planned for the dry season (May to July).
- Silt fencing must be placed along the outer perimeter of the expanded park area to prevent sediment input in the event of a rainfall even.
- Any disturbed, exposed areas must be reprofiled to natural contours and re-vegetated.
- Undeveloped areas of the EFZ (i.e. estuarine and coastal habitat) within the property boundary (i.e. outside of the rock revetment) and outside of the property boundary must be designated as No-Go areas.
- Access to the property via the beach/estuary is not permitted. Only the existing access from the car park can be used.
- No construction materials to be stored or stockpiled outside of the area delineated by the rock revetment or in any part of the undeveloped areas of the EFZ.
- Rubble and waste materials must be managed on site and must not be dumped or stockpiled within undeveloped areas of the EFZ.
- Chemical toilets should be provided on-site at 1 toilet per 10 persons.
- Waste from chemical toilets must be disposed of regularly (at least once a week) in a responsible manner by a registered waste contractor.
- The stormwater management plan must be implemented as specified in Section B4.4
- Silt and interception traps must be routinely inspected and cleared to ensure that they continue to operate as designed.

### Terrestrial Impact Assessment, Appendix G2:

The vegetation on site is generally transformed and comprising a landscaped garden with some remnant dune thicket elements, including several milkwood trees as some associated remnant dune thicket elements. A small pocket of dune thicket is also present at the parking beach access point. No Sensitive plant or Animal species identified as per the National Environmental Screening Tool were found to be present or likely to be present. Several Cycads are present but are introduced for landscape garden purposes and are not in a natural context. Although areas are designated CBA 1 & Protected Area, these designations are incorrect as the site is significantly transformed, being a developed erf on the edge of an urban area. Most of the site is considered to have a LOW Sensitivity due to the disturbed and transformed nature. A few minor MODERATE sensitivity patches are designated where Milkwood trees and/or remnant dune thicket is present, which largely has negligible ecological value. No HIGH sensitivity areas are identified within the terrestrial environment, but the estuarine and dune environment are outside the context of this assessment and report. No No-go areas are identified within the site footprint. No significant direct, indirect or cumulative impacts are anticipated.

Mitigation measures and recommendations by the specialist:

- No clearing outside of development footprint to take place.
- Surrounding Dune Thicket and Estuarine habitat is to be conserved and not harmed during the construction process.
- Rehabilitation of vegetation of the site must be done as described in the Rehabilitation Plans.
- Trees and shrubs that are directly affected by the operations may be felled or cleared but only by the expressed written permission of the ECO.
- Workers are NOT allowed to collect any flora species. All flora species remain the property of the landowner and must not be disturbed, upset or used without their expressed consent.
- Alien species must be removed from the site as per the National Environmental Management: Biodiversity Act (No. 10 of 2004) requirements.
- The Contractor is responsible for the removal of alien species within all areas disturbed during construction activities. Disturbed areas include (but are not limited to) access roads, construction camps, site areas and temporary storage areas.
- In consultation with relevant authorities, the Engineer may order the removal of alien plants (when necessary). Areas within the confines of the site are to be included.
- All alien plant material (including brushwood and seeds) should be removed from site and disposed of at a registered waste disposal site. Should brushwood be utilised for soil stabilization or mulching, it must be seed free.
- After clearing is completed, an appropriate cover crop may be required, should natural reestablishment of grasses not take place in a timely.
- Suitable measures must be implemented in areas that are susceptible to erosion, including the stormwater structures around the parking areas as well as where mobile dune sands are present. Areas must be rehabilitated, and a suitable cover crop planted and/or other structures constructed.
- If natural vegetation re-establishment does not occur, a suitable grass must be applied on nonsand areas.
- Stormwater Management Plans must be developed for the site and should include: the management of stormwater during construction, the installation of stormwater and erosion control infrastructure, the management of infrastructure after completion of construction.
- Temporary drainage works may be required to prevent stormwater to prevent silt laden surface water from draining into the estuary in proximity to the site. Stormwater must be prevented from entering or running off in an unmanaged manner.
- To ensure that site is not subjected to excessive erosion and capable of drainage runoff with minimum risk of scour, their slopes should be profiled at a maximum 1:3 gradient.
- Diversion channels should be constructed ahead of the open cuts, and above emplacement areas and stockpiles to intercept clean runoff and divert it around disturbed areas into the natural drainage system downstream of the site.

- Existing vegetation must be retained as far as possible to minimise erosion problems.
- It is importation that the rehabilitation of site is planned and completed in such a way that the runoff water will not cause erosion.
- Sediment-laden runoff from cleared areas must be prevented from entering the estuary.
- No estuary or surface water may be affected by silt emanating from the site.
- A suitable weed management strategy must be implemented in the construction phase and carried through the operational phase.
- The habitats and microhabitats present on the project site are not unique and are widespread in the general area, hence the local impact associated with the footprint would be of low significance if mitigation measures are adhered to.
- Small mammals within the habitat on and around the affected area are generally mobile and likely to be transient to the area. The risk of species of special concern is low, and it is unlikely that there will be any impact to populations of such species because of the activity.
- A faunal search and rescue is unlikely to be required and no protected species are likely to be affected.
- No animals are to be harmed or killed during the course of operations.
- No snares or harming of any faunal species permitted.
- A suitable weed management strategy to be implemented in and around the site post construction, which is likely to result in proliferation of weeds in disturbed areas on completion.
- Rehabilitation is necessary to control erosion and sedimentation of all eroded areas (where works will take place).
- Areas where construction is completed should be rehabilitated immediately.
- Areas to be disturbed in future activities will be kept as small as possible (i.e. conducting the operations in phases), thereby limiting the scale of erosion.
- Slopes will be profiled to ensure that they are not subjected to excessive erosion but capable of drainage runoff with minimum risk of scour (maximum 1:3 gradient).
- Adequate measures to be implemented for erosion and stormwater management from the site and parking areas into the adjacent estuary.

#### Appendix C: Biodiversity Environmental Management Plan Protection of Flora and Fauna

- No animals are to be harmed or killed during the course of operations.
- No domestic animals are permitted on the site.
- Trees and shrubs that are directly affected by the operations may be felled or cleared but only by the expressed written permission of the ECO.
- Rehabilitation of vegetation of the site must be done as described in the Rehabilitation Plans.

Alien Invasive Species Management Plan:

- Alien species must be removed from the site as per the National Environmental Management: Biodiversity Act (No. 10 of 2004) requirements.
- A suitable weed management strategy must be implemented in the construction phase and carried through the operational phase.
- The Contractor is responsible for the removal of alien species within all areas disturbed during construction activities. Disturbed areas include (but are not limited to) access roads, construction camps, site areas and temporary storage areas.
- All alien plant material (including brushwood and seeds) should be removed from site and disposed of at a registered waste disposal site. Should brushwood be utilised for soil stabilization or mulching, it must be seed free.
- After clearing is completed, an appropriate cover crop may be required, should natural reestablishment of grasses not take place in a timely manner.

Fire Risk:

- The Contractor must ensure that an emergency preparedness plan is in place in order to fight accidental fires or veld fires, should they occur. The adjacent landowners/users/managers should also be informed or otherwise involved.
- Enclosed areas for food preparation should be provided and the Contractor must strictly prohibit the use of open fires for cooking and heating purposes.
- The use of branches of trees and shrubs for fire-making must be strictly prohibited.
- The Contractor should take all reasonable and active steps to avoid increasing the risk of fire through their activities on-site. No fires may be lit except at places approved by the ECO.
- The Contractor must ensure that the basic fire-fighting equipment is to the satisfaction of the Local Emergency Services.
- The Contractor must supply all living quarters, site offices, kitchen areas, workshop areas, materials, stores and any other relevant areas with tested and approved fire-fighting equipment.
- Fires and "hot work" must be restricted to demarcated areas.
- The Contractor must take precautions when working with welding or grinding equipment near potential sources of combustion. Such precautions include having a suitable, tested and approved fire extinguisher immediately at hand and the use of welding curtains.

### Soil Aspects:

- Sufficient topsoil must be stored for later use during decommissioning, particularly from outcrop areas.
- Topsoil shall be removed from all areas where physical disturbance of the surface will occur.
- Topsoil shall be kept separate from overburden and shall not be used for building or maintenance of roads.
- The stockpiled topsoil shall be protected from being blown away or being eroded. The application of a suitable grass seed/runner mix will facilitate this and reduce the minimise weeds.

Dust:

- If required, water spray vehicles will be used to control wind cause by strong winds during activities on the works.
- No over-watering of the site or road surfaces.
- Wind screens should be used to reduce wind and dust in open areas.

## Topsoil:

- Topsoil shall be removed from all areas where physical disturbance of the surface will occur.
- Topsoil shall be kept separate from overburden and shall not be used for building or maintenance of roads.
- The stockpiled topsoil shall be protected from being blown away or being eroded. The use of a suitable grass seed/runner mix will facilitate soil protection and minimise weeds/weed growth.

Stormwater and Erosion control:

- Stormwater Management Plans must be developed for the site and should include the following:
  - The management of stormwater during construction.
  - The installation of stormwater and erosion control infrastructure.
  - The management of infrastructure after completion of construction.
- Temporary drainage works may be required to prevent stormwater to prevent silt laden surface water from draining into river systems in proximity to the site. Stormwater must be prevented from entering or running off site.
- To ensure that site is not subjected to excessive erosion and capable of drainage runoff with minimum risk of scour, their slopes should be profiled at a maximum 1:3 gradient.

- Diversion channels should be constructed ahead of the open cuts, and above emplacement areas and stockpiles to intercept clean runoff and divert it around disturbed areas into the natural drainage system downstream of the site.
- Rehabilitation is necessary to control erosion and sedimentation of all eroded areas (where works will take place).
- Existing vegetation must be retained as far as possible to minimise erosion problems.
- It is importation that the rehabilitation of site is planned and completed in such a way that the runoff water will not cause erosion.
- Sediment-laden runoff from cleared areas must be prevented from entering rivers and streams.
- No river or surface water may be affected by silt emanating from the site.

Site Office / Camp Sites:

• No site offices or camp sites will be constructed on the site under current operating conditions, existing structures will be used.

Operating Procedures in the Site:

- Construction shall only take place within the approved demarcated site.
- Construction may be limited to the areas indicated by the Regional Manager on assessment of the application.
- The holder of the environmental authorisation shall ensure that operations take place only in the demarcated areas as described in this report.
- Watering to minimise the effect of dust generation should be carried out as frequently as necessary. Noise should also be kept within reason.
- No workers will be allowed to damage or collect any indigenous plant or snare any animal.
- Grass and vegetation of the immediate environment or adapted grass / vegetation will be reestablished on completion of construction activities, where applicable.
- No firewood to be collected on site and the lighting of fires must be prohibited.
- Cognisance is to be taken of the potential for endangered species occurring in the area. It is considered unlikely, however, that these species will be affected by the proposed activity, or the access road.

## Excavations:

- Topsoil shall be handled as described in this EMP.
- Excavations shall take place only within the approved demarcated site.
- Excavations must follow the contour lines where possible.
- The construction site will not be left in any way to deteriorate into an unacceptable state.
- The excavated area must serve as a final depositing area for waste rock and overburden during the rehabilitation process.
- Once excavations have been filled with overburden, rocks and coarse natural materials and profiled with acceptable contours (including erosion control measures), the previous stored topsoil shall be returned to its original depth over the area.
- The area shall be fertilised, if necessary, to allow vegetation to establish rapidly. The site shall be seeded with a local or adapted indigenous seed mix in order to propagate the locally occurring flora.

Rehabilitation of Processing and Excavation Areas:

- On completion of construction, the surface of the processing areas especially if compacted due to hauling and dumping operations shall be scarified to a depth of at least 200 mm and graded to an even surface condition and the previously stored topsoil will be returned to its original depth over the area.
- The area shall be fertilised, if necessary, to allow vegetation to establish rapidly. The site shall be seeded with suitable grasses and local indigenous seed mix.
- Waste (non-biodegradable refuse) will not be permitted to be deposited in the excavations.

• Final rehabilitation must comply with the requirements mention in the Rehabilitation Plan.

## **Rehabilitation Plan**

Topsoil and Subsoil Replacement:

Topsoil and subsoil will be stripped and stockpiled separately and only used in rehabilitation work towards the end of the operation. This is in contract to the gravel activity where rehabilitation and topsoil replacement was earmarked at the completion of each phase. Stripped overburden will be backfilled into the worked-out areas where needed. Stripped topsoil will be spread over the re-profiled areas to an adequate depth to encourage plant regrowth. The vegetative cover will be stripped with the thin topsoil layer to provide organic matter to the relayed material and to ensure that the seed store contained in the topsoil is not diminished. Reseeding may be required should the stockpiles stand for too long and be considered barren from a seed bank point of view. Stockpiles should ideally be stored for no longer than a year. The topsoil and overburden will be keyed into the reprofiled surfaces to ensure that they are not eroded or washed away. The topsoiled surface will be left fairly rough to enhance seedling establishment, reduce water runoff and increase infiltration.

### Revegetation:

All prepared surfaces will be seeded with suitable grass species to provide an initial ground cover and stabilize the soil surface. The following grass seed that is commonly available and suitable.

Botanical name	Common name	Approx seed mixture /Ha
Cynodon dactylon	Kweek	12 kg/ Ha
Eragrostis curvula	Weeping Love Grass	6 kg/ Ha
Eragrostis tef	Teff	2 kg/ Ha
Digitaria eriantha	Smuts Grass	4 kg/ Ha
Other indigenous veld grasses can be added to the seed mix		± 4 kg/Ha

The overall revegetation plan will, therefore, be as follows:

- Ameliorate the aesthetic impact of the site.
- Stabilise disturbed soil and rock faces.
- Minimize surface erosion and consequent siltation of natural water course located on site.
- Control wind-blown dust problems.
- Enhance the physical properties of the soil.
- Re-establish nutrient cycling.
- Re-establish a stable ecological system.

Every effort must be made to avoid unnecessary disturbance of the natural vegetation during operations.

Drainage and Erosion Control:

- Areas where construction is completed should be rehabilitated immediately.
- Areas to be disturbed in future activities will be kept as small as possible (i.e. conducting the operations in phases), thereby limiting the scale of erosion.
- Slopes will be profiled to ensure that they are not subjected to excessive erosion but capable of drainage runoff with minimum risk of scour (maximum 1:3 gradient).
- Existing vegetation will be retained as far as possible to minimize erosion problems.

Visual Impacts Amelioration:

- Confining the footprint to an area as small as possible
- Re-topsoiling and vegetating all disturbed areas.

#### Monitoring and Reporting

Adequate management, maintenance and monitoring will be carried out annually by the applicant to ensure successful rehabilitation of the property until a closure certificate is obtained. To minimise adverse environmental impacts associated with operations it is intended to adopt a progressive rehabilitation programme, which will entail carrying out the proposed rehabilitation procedures concurrently with activity.

## Closure Objectives

The closure of the site will involve removal of all debris and rehabilitation of areas disturbed during the construction phase of the project. This will comprise the scarification of compacted areas, reshaping of areas, topsoiling and rehabilitating all prepared surfaces.

### Palaeontology Impact Assessment, Appendix G3:

The property lies on the Enon Formation (Uitenhage Group) conglomerate and sandstones that are incorrectly indicated as very highly sensitive for palaeontology. The fossil record is based on one repeated record of abraded and poorly preserved silicified wood, bones and teeth that have been transported and deposited. Based on the nature of the project, surface activities may impact upon the fossil heritage if preserved in the development footprint. The geological structures suggest that the rocks are either much too old to contain fossils or are the wrong kind (soils and conglomerates). Furthermore, the material to be excavated s soil and this does not preserve fossils. Taking account of the defined criteria, the potential impact to fossil heritage resources is extremely low.

Based on experience and the lack of any previously recorded fossils from the area, it is extremely unlikely that any fossils would be preserved in the overlying soils of the Quaternary. There is a very small chance that fossils may occur in the underlying conglomerates of the Enon Formation so a Fossil Chance Find Protocol should be added to the EMPr. If fossils are found by the environmental officer, or other responsible person once excavations for amenities, infrastructure and foundations have commenced then they should be rescued, and a palaeontologist called to assess and collect a representative sample. The impact on the palaeontological heritage would be low, as far as the palaeontology is concerned, so the project should be authorised.

#### Heritage Assessment Appendix G4:

Development of the site will involve minimal vegetation clearing and earthmoving activities. Former flood events are likely to already have impacted any archaeological resources. Surveys have identified scatters of ESA and MSA material in the area, however they are generally in disturbed areas. Research has shown that LSA archaeological sites (shell middens) tend to concentrate close to rocky headlands, and there are fewer sites along the sand dunes associated with long sandy beaches (such as the Keurbooms River estuary). Impacts are expected to be LOW. From the assessment it is the specialist's contention that the proposal would not impact any structure(s) or landscape of cultural significance, nor is it likely to impact on archaeological or palaeontological resources of cultural significance though the implementation of Protocol for Chance (Palaeontological) Finds is recommended.

No further archaeological work is recommended.

#### Coastal Engineering Assessment Appendix G5:

This report provides a high-level assessment of the rock revetment protecting the existing Milkwood Manor buildings. The structure was inspected visually and found to be in good condition. The conditions which led to the need to build the structure at the end of 2007 can be expected to recur in future. Whilst the existing structure is considered adequate for conditions experienced to date, the effects of global climate change are expected to lead to increased flooding and overtopping. Various mitigatory measures have been recommended regarding the development of the site to reduce this risk.

Mitigation measures and recommendations by the specialist:

- Additional rock armour to be added to the structure as part the existing management plan. This will ensure that the structure is resilient into the future.
- Consideration to be given to increasing the floor levels in the buildings where possible.
- Setback lines from the sea facing section of the revetment have been considered such that wave loading and overtopping on the buildings is avoided.
- Allowance has been made for adequate drainage away from the buildings toward the estuary to prevent the build-up of flood waters should overtopping of the revetment take place.

#### 2. List the impact management measures that were identified by all Specialist that will be included in the EMPr

## Estuarine Impact Assessment mitigation measures:

- Working areas must be clearly demarcated. Estuarine habitat outside of the working area must be designated as No-Go and no disturbance (i.e. trampling, smothering etc.) of estuarine habitat in this area is permitted.
- No excavated material must be dumped or stockpiled in the No-Go area.
- A comprehensive method statement must be drawn up which provides a clear step by step plan of the sequence of construction activities that will be undertaken. The method statement must aim to minimise the length of time that cleared areas remain exposed and vulnerable to erosion.
- Alien invasive trees and shrubs must be removed from the remaining buffer (i.e. undeveloped portion of the EFZ).
- Silt fencing must be placed along the outer perimeter of the expanded park area to prevent sediment input in the event of a rainfall even.
- Any disturbed, exposed areas must be reprofiled to natural contours and re-vegetated.
- Undeveloped areas of the EFZ (i.e. estuarine and coastal habitat) within the property boundary (i.e. outside of the rock revetment) and outside of the property boundary must be designated as No-Go areas.
- Access to the property via the beach/estuary is not permitted. Only the existing access from the car park can be used.
- No construction materials to be stored or stockpiled outside of the area delineated by the rock revetment or in any part of the undeveloped areas of the EFZ.
- Rubble and waste materials must be managed on site and must not be dumped or stockpiled within undeveloped areas of the EFZ.
- Chemical toilets should be provided on-site at 1 toilet per 10 persons.
- Waste from chemical toilets must be disposed of regularly (at least once a week) in a responsible manner by a registered waste contractor.
- The stormwater management plan must be implemented as specified in Section B4.4
- Silt and interception traps must be routinely inspected and cleared to ensure that they continue to operate as designed.

## Terrestrial Impact Assessment mitigation measures:

- No clearing outside of development footprint to take place.
- No domestic animals are permitted on the site.
- Surrounding Dune Thicket and Estuarine habitat is to be conserved and not harmed during the construction process.
- Rehabilitation of vegetation of the site must be done as described in the Rehabilitation Plans.
- Trees and shrubs that are directly affected by the operations may be felled or cleared but only by the expressed written permission of the ECO.
- Workers are NOT allowed to collect any flora species. All flora species remain the property of the landowner and must not be disturbed, upset or used without their expressed consent.
- Alien species must be removed from the site as per the National Environmental Management: Biodiversity Act (No. 10 of 2004) requirements.
- The Contractor is responsible for the removal of alien species within all areas disturbed during construction activities. Disturbed areas include (but are not limited to) access roads, construction camps, site areas and temporary storage areas.
- In consultation with relevant authorities, the Engineer may order the removal of alien plants (when necessary). Areas within the confines of the site are to be included.
- All alien plant material (including brushwood and seeds) should be removed from site and disposed of at a registered waste disposal site. Should brushwood be utilised for soil stabilization or mulching, it must be seed free.

- Suitable measures must be implemented in areas that are susceptible to erosion, including the stormwater structures around the parking areas as well as where mobile dune sands are present. Areas must be rehabilitated, and a suitable cover crop planted and/or other structures constructed.
- It is important that the rehabilitation of site is planned and completed in such a way that the runoff water will not cause erosion.
- Sediment-laden runoff from cleared areas must be prevented from entering the estuary.
- No estuary or surface water may be affected by silt emanating from the site.
- A suitable weed management strategy must be implemented in the construction phase and carried through the operational phase.
- The habitats and microhabitats present on the project site are not unique and are widespread in the general area, hence the local impact associated with the footprint would be of low significance if mitigation measures are adhered to.
- Small mammals within the habitat on and around the affected area are generally mobile and likely to be transient to the area. The risk of species of special concern is low, and it is unlikely that there will be any impact to populations of such species because of the activity.
- A faunal search and rescue is unlikely to be required and no protected species are likely to be affected.
- No animals are to be harmed or killed during the course of operations.
- No snares or harming of any faunal species permitted.
- After clearing is completed, an appropriate cover crop may be required, should natural reestablishment of grasses not take place in a timely manner.
- A suitable weed management strategy to be implemented in and around the site post construction, which is likely to result in proliferation of weeds in disturbed areas on completion.
- Rehabilitation is necessary to control erosion and sedimentation of all eroded areas (where works will take place).
- Areas where construction is completed should be rehabilitated immediately.
- Areas to be disturbed in future activities will be kept as small as possible (i.e. conducting the operations in phases), thereby limiting the scale of erosion.
- Slopes will be profiled to ensure that they are not subjected to excessive erosion but capable of drainage runoff with minimum risk of scour (maximum 1:3 gradient).
- Existing vegetation will be retained as far as possible to minimize erosion problems.
- Adequate measures to be implemented for erosion and stormwater management from the site and parking areas into the adjacent estuary.

## Palaeontology Impact Assessment mitigation measures:

Fossil Chance Find Protocol should be added to the EMPr

## Coastal Engineer mitigation measures:

- Additional rock armour to be added to the structure as part the existing management plan
- Periodic maintenance of the rock revetment should be carried out to ensure that any settlement, displacement or weathering of the material is addressed.

3. List the specialist investigations and the impact manag	List the specialist investigations and the impact management measures that will <b>not</b> be implemented and provide an		
explanation as to why these measures will not be impler	nented.		
Estuarine Impact Assessment mitigation measures that will not be included in the EMPr:			
Mitigation measure to be excluded	Reason for exclusion		
Clearing of vegetation in the EFZ should ideally take place during the winter (May to July) months when the presence of nesting bird species is likely to be minimal.	The flagged Avifauna (bird) species Bradypterus sylvaticus (Knysna warbler), could in principle occasionally perch in the Milkwood trees if present and foraging in the surround area, but is unlikely to be affected above any baseline disturbances. The remaining flagged Avifauna (bird) species would be associated with the		

	adjacent dune and/or estuarine environments and/or unpopulated areas and thus the site is unlikely to provide suitable habitat. If present occasionally, it would suggest that the individuals are somewhat acclimatised to a peri- urban environment and would also not be significantly affected.
Construction of the car park must be planned for the dry season (May to July).	It is unrealistic to only construct the car park during the recommended dry season. Mitigation measures such as silt fencing will be placed along the outer perimeter of the expanded park area to prevent sediment input in the event of a rainfall even.

**Appendix C** of the Terrestrial Impact Assessment prepared by J. Pote is: "A Biodiversity Management Plan with specific measures relating to management of Biodiversity Impacts that must be included in the project Environmental Management Programme (EMPr). The impacts identified and listed in this report will be managed / controlled as set out under mitigating measures and as detailed in this section, which provides general management guidelines, which may or may not be appropriate, depending on the specific circumstances."

The EAP disagrees with some of the mitigation measures recommended in Appendix C and will exclude them from the EMPr since it is not relevant to the proposal's potential impacts or proposed activities.

Mitigation measure to be excluded	Reason for exclusion
Fire risk	Similar mitigation measures are included in the EMPr
Soil aspects	Similar mitigation measures are included in the EMPr, however relevant mitigation measures will also be included.
Dust	Similar mitigation measures are included in the EMPr
Topsoil	Similar mitigation measures are included in the EMPr, however relevant mitigation measures will also be included.
Stormwater and Erosion control	A stormwater management plan has been developed; however relevant mitigation measures will also be included.
Site Office / Camp Sites	The existing guest house can be used as a site camp for the upgrade of the parking lot and vice versa.
Operating Procedures in the Site	Similar mitigation measures are included in the EMPr, however relevant mitigation measures will also be included.
Excavations	Similar mitigation measures are included in the EMPr, however relevant mitigation measures will also be included.
Rehabilitation of Processing and Excavation Areas	Similar mitigation measures are included in the EMPr, however relevant mitigation measures will also be included.
Rehabilitation Plan	Similar mitigation measures are included in the EMPr, however relevant mitigation measures will also be included.

#### Terrestrial Impact Assessment mitigation measures that will not be included in the EMPr:

Coastal Engineer mitigation measures that will not	be include in the EMPr:	
Mitigation measure to be excluded	Reason for exclusion	
Consideration to be given to increasing the floor levels in the buildings where possible	Additional measures have been taken to increase the floor levels for any new expansions. The applicant has indicated that all the expansion will be on the same level as the existing guest house building (approx. 0.5m above around level)	
Setback lines from the sea facing section of the revetment	Alterations were made to the building to set it back from the northern and eastern boundary to accommodate increased overtopping such that any direct wave loading is avoided.	
All open areas are to be designed to drain away from the buildings and parking areas back into the estuary.	Allowance has been made for adequate drainage away from the buildings toward the estuary to prevent the build-up of flood waters should overtopping of the revetment take place.	
4. Explain how the proposed development will impact the During the construction phase the surrounding con	surrounding communities. mmunity will be temporarily inconvenienced by the	
construction noise that will take place however the the Bitou Municipality will be used as labour durin with an income.	ese impacts are temporary in nature. Labourers from ig the construction phase, therefor providing them	
5. Explain how the risk of climate change may influence the impacts of climate change been considered and addre	ne proposed activity or development and how has the potential essed.	
(Source: MILKWOOD MANOR REVETMENT: COASTAL	ENGINEERING ASSESSMENT, prepared by Consulting	
Port and Coastal Engineers, dated 1 August 2024)		
<ul> <li>It is expected that global climate will affect the conditions prevailing at the site over the next 100 years. This is likely to affect the revetment in the following manner: <ul> <li>Rainfall patterns in the area are not expected to change and therefore no major changes in the river discharge volumes are expected.</li> <li>By 2100 extreme wave conditions are expected to increase by some 5% with a southward rotation of the south westerly swell of approximately 5%.</li> <li>The extent of sea level rise is dependent on the future emission reductions achieved globally. If a mid-level scenario (upper confidence level) is selected for 2060 an increase in sea level of 0.4 m is forecast whilst for 2100 an increase of 0.8 m is forecast. Increased sea levels in future will result in higher flooding levels in the estuary.</li> </ul> </li> </ul>		
The impact of climate change will therefore lead to more severe conditions at the site. This will be experienced as higher flooding levels and increased wave heights on the seaward portion of the revetment with resultant higher levels of overtopping and flooding behind the revetment.		
The current rock revetment is considered fit for pur site to date. With the expectation of climate ch resultant increased severity of the site condition considered.	pose in terms of what has been experienced at the nange effects coming into play in future and the ns the following mitigatory measures have been	
<ul> <li>Additional rock armour to be added to the structure as part the existing management plan This will ensure that the structure is resilient into the future.</li> <li>Consideration to be given to increasing the floor levels in the buildings where possible.</li> <li>Setback lines from the sea facing section of the revetment have been considered such that wave loading and overtopping on the buildings is avoided.</li> <li>Allowance has been made for adequate drainage away from the buildings toward the estuary to prevent the build-up of flood waters should overtopping of the revetment take place.</li> </ul>		
Explain whether there are any conflicting recommendation     addressed and resolved	tions between the specialists. If so, explain how these have been	
No conflicting recommendations.		

7.	Explain how the findings and recommendations of the different specialist studies have been integrated to inform the most appropriate mitigation measures that should be implemented to manage the potential impacts of the proposed activity or development.					
The	The recommendation of the specialists has been incorporated into the EMPr. except for those					
men	mentioned in Section 1.3 and compliance will be monitored by the appointed ECO during the					
construction phase						
8	Explain how the mitigation hierarchy has been applied to arrive at the best practicable environmental option					
0.						
Table	6: Mitigation hierarc	hy				
	MITIGATION HIERARCHY					
1	AVOID	As the proposal is to upgrade and expand the existing the existing Milkwood				
	IMPACTS	Manor Guest house and parking the impacts cannot be avoided at this				
		location. No ao areas will be prescribed				
		The second state of the se				
2	MINIMISE	Ine recommended mitigation measures of the specialists reports in addition to				
	IMPACIS	the compressive mitigation measures contained in the EMPr will minimise the				
		impact of the development. Recommendations from authorities have also				
		been included into revised layouts.				
3	RECTIFY	The disturbances created by the construction phase will be rehabilitated in				
		accordance with the EMPr.				
Δ	OFESET	Not necessary as no residual impacts not addressed by the previous steps of				
-	OTIVET	the mitigation hierarchy				
		meminganon merarchy				

# SECTION J: GENERAL

### 1. Environmental Impact Statement

1.1. Provide a summary of the key findings of the EIA.

#### Estuarine Impact Assessment, Appendix G1:

Renovations to the existing Milkwood Manor House will occur in close proximity to estuarine and coastal habitat. Impacts associated with the renovations to the house are however manageable and can be mitigated to result in low impacts and no residual impact on biodiversity. The expansion to the car park will result in the permanent transformation of a small area of the EFZ and is not aligned to CBA management objectives and macrophyte RQOs for the estuary. The open water body of the estuary will remain well buffered by dense reed vegetation (approximately 30 m in width) and construction activities are unlikely to affect any of the other RQOs for the estuary. Stormwater runoff from the existing car park has resulted in erosion of the bank of the estuary and expanding the car park will slightly increase the intensity of this impact. The loss of the vegetation is acceptable and will result in low residual impacts on estuarine habitat and biodiversity. Furthermore, implementation of the proposed stormwater management plan will adequately address and mitigate stormwater flows from the car park and represents an improvement when compared to the current scenario. Based on these findings the proposed renovations and expansion of the car park are considered acceptable from an aquatic biodiversity perspective.

#### Terrestrial Impact Assessment, Appendix G2:

The vegetation on site is generally transformed and comprising a landscaped garden with some remnant dune thicket elements, including several milkwood trees as some associated remnant dune thicket elements. A small pocket of dune thicket is also present at the parking beach access point. No Sensitive plant or Animal species identified as per the National Environmental Screening Tool were found to be present or likely to be present. Several Cycads are present but are introduced for landscape garden purposes and are not in a natural context. Although areas are designated CBA 1 & Protected Area, these designations are incorrect as the site is significantly transformed, being a developed erf on the edge of an urban area. Most of the site is considered to have a LOW Sensitivity due to the disturbed and transformed nature. A few minor MODERATE sensitivity patches are designated where Milkwood trees and/or remnant dune thicket is present, which largely has negligible

ecological value. No HIGH sensitivity areas are identified within the terrestrial environment, but the estuarine and dune environment are outside the context of this assessment and report. No No-go areas are identified within the site footprint. No significant direct, indirect or cumulative impacts are anticipated.

#### Palaeontology Impact Assessment, Appendix G3:

The property lies on the Enon Formation (Uitenhage Group) conglomerate and sandstones that are incorrectly indicated as very highly sensitive for palaeontology. The fossil record is based on one repeated record of abraded and poorly preserved silicified wood, bones and teeth that have been transported and deposited. Nonetheless, a Fossil Chance Find Protocol should be added to the EMPr. Based on this information it is recommended that no further palaeontological impact assessment is required unless fossils are found by the contractor, environmental officer or other designated responsible person once excavations or drilling activities have commenced. Since the impact will be low, as far as the palaeontology is concerned, the project should be authorised.

#### Heritage Impact Assessment, Appendix G4:

Development of the site will involve minimal vegetation clearing and earthmoving activities. Former flood events are likely to already have impacted any archaeological resources. Surveys have identified scatters of ESA and MSA material in the area, however they are generally in disturbed areas. Research has shown that LSA archaeological sites (shell middens) tend to concentrate close to rocky headlands, and there are fewer sites along the sand dunes associated with long sandy beaches (such as the Keurbooms River estuary). Impacts are expected to be LOW. From the assessment it is the specialist's contention that the proposal would not impact any structure(s) or landscape of cultural significance, nor is it likely to impact on archaeological or palaeontological resources of cultural significance though the implementation of Protocol for Chance (Palaeontological) Finds is recommended.

### Coastal Engineering Assessment, Appendix G5:

This report provides a high-level assessment of the rock revetment protecting the existing Milkwood Manor buildings. The structure was inspected visually and found to be in good condition. The conditions which led to the need to build the structure at the end of 2007 can be expected to recur in future. Whilst the existing structure is considered adequate for conditions experienced to date, the effects of global climate change are expected to lead to increased flooding and overtopping. Various mitigatory measures have been recommended regarding the development of the site to reduce this risk

1.2. Provide a map that that superimposes the preferred activity and its associated structures and infrastructure on the environmental sensitivities of the preferred site indicating any areas that should be avoided, including buffers. (Attach map to this BAR as Appendix B2)

Figure 42 still shows the previous preferred layout, however the sensitivities shown in the figure remain accurate and relevant.



- Temporary construction phase eyesore
- Temporary nuisances from construction vehicles and construction noise
- Encroachment on coastal public property

## 2. Recommendation of the Environmental Assessment Practitioner ("EAP")

2.1. Provide Impact management outcomes (based on the assessment and where applicable, specialist assessments) for the proposed activity or development for inclusion in the EMPr

In order to obtain/reach the impact management objects the corresponding mitigation measures prescribed in the BAR and EMPr must be implemented. Potential impacts were assessed and mitigation measures to minimise the negative impacts were explored in greater depth Section G of this BAR. Within the Environmental Management Programme (attached as Appendix H) the Environmental Impact Management has been separated into 3 sections, Pre-construction Phase, Construction Phase and Post Construction Rehabilitation Phase.

IMPACT MANAGEMENT OBJECTIVES	IMPACT MANAGEMENT OUTCOMES			
PRE-CONSTRUCTION PHASE				
Identify and demarcate no-go areas, working areas and site facilities	Future construction activities will be restricted to within the designated areas & environmentally sensitive areas (no-go areas) will be protected from disturbance			

	To set up and equip the site camp and associated site facilities in a manner that will promote good environmental management.	Site camp facilities do not impact significantly on environment. The equipment required to implement the provisions of the EMPr are provided on site.			
		Good environmental management is			
		promoted and enforced by the ECO during the			
		full pro-construction and construction phases			
		Tui pre-construction and construction phases.			
	Environmental Control Officer to conduct an inspection prior to the commencement of construction activities on site	Site facilities are appropriately located on site.			
		Construction workers receive environmental			
		awareness training before commencing work			
		on site			
	CONSTRUCT				
	CONSTRUC	IION PHASE			
	Prevent loss of estuarine functional zone habitat	Delineated footprints area not exceeded.			
	Prevent loss of coastal habitat	Delineated footprints area not exceeded.			
	Prevent erosion and input of sediment and construction material into the estuary	No soil erosion and changes in estuarine vegetation is present.			
	Prevent disturbances to estuarine and coastal	No solid waste pollution and chemical pollution			
	habitat during the clearing of vegetation	is present on site.			
	limit the loss of indigonous vagatation	No clearing takes place outside the approved			
		footprint and working corridor			
	Prevent the loss of SCC	None present on site during the site visit conducted by J Pote.			
	Removal of alien invasive species	All alien invasive species are eradicated from the developmental footprint.			
	Prevent and limit disturbance to ecological,	Aquatic, riparian and ecological processes are			
	riparian and aquatic processes	not disturbed.			
	Limit habitat destruction and direct mortality of	No fauna mortality or loss of natural habitats as			
	fauna	a results of construction activities.			
	To limit noise generated by construction activities	No avoidable noise impacts emanate from the site during the construction phase			
Ī	To create employment opportunities with	The Bitou Municipality labourers benefit from			
	potential for skills transfer, for members of the	the employment opportunities created during			
	local community	the construction phase.			
Ī	Prevent disturbance of flora species, habitat	Delineated footprints area not exceeded.			
	and processes.				
	POST CONSTRUCTION	REHABILITATION PHASE			
	Prevent erosion of estuarine habitat	No increased volumes of stormwater runoff in areas of hardened surfaces.			
		The site is negt and tidy, and all exposed			
	To rehabilitate all areas disturbed by	surfaces are suitably covered/stabilised.			
	construction activities in an environmentally				
	sensitive manner	There is no construction-related waste or			
		pollution remaining on site.			
	Prevent alien vegetation establishment on the	Only indigenous vegetation species establish			
	site	on the disturbed areas			
ľ	Prevent disturbances to faunal processes	Faunal processes are not disturbed			
	Prevent and limit disturbance to ecological.	Aquatic, riparian and ecoloaical processes are			
	riparian and aquatic processes	not disturbed.			
2.2	2.2. Provide a description of any aspects that were conditional to the findings of the assessment either by the EAP or specialist that must be included as conditions of the authorisation.				
The EMPr must be implemented, this is however a standard condition of Environmental Authorisation.					
Δ	All mitigation measures from the specialists, except those highlighted in Section 1.3 have been				

All mitigation measures from the specialists, except those highlighted in Section I.3 have been incorporated into the EMPr and as such are conditional to the environmental authorisation.

2.3.	Provide a reasoned opinion as to whether the proposed activity or development should or should not be authorised, and if the opinion is that it should be authorised, any conditions that should be included in the authorisation.				
Cons	idering the specialist reports, all impacts can be mitigated to Low or Very low significance. The				
ecor	nomic and social benefits that the Bitou Municipality will gain from this proposal outweighs the low				
nego	egative impacts identified. Most of the proposed site is disturbed and does not have natural				
biodi	versity left, therefor it would be a loss of major economic and social growth if not authorised.				
2.4.	Provide a description of any assumptions, uncertainties and gaps in knowledge that relate to the assessment and mitigation measures proposed.				
	Assumptions, Uncertainties and Gaps in Knowledge related to the Terrestrial Biodiversity, Animal				
	and Plant Species combined Assessment:				
	The findings and recommendations of this report may be susceptible to the following uncertainties and limitation:				
	<ul> <li>No assessment has been made of aquatic or estuarine aspects relating to any wetlands,</li> </ul>				
	pans, and rivers/seeps and/or estuaries or marine ecosystems outside of the scope of a				
	terrestrial biodiversity report. Refer to separate reporting.				
	• Any botanical surveys based upon a limited sampling time-period, may not reflect the				
	actual species composition of the site due to seasonal variations in flowering times.				
	Additionally, the composition of fire adapted vegetation may vary depending on level				
	of maturity or time since last burn. As far as possible, site collected data has been				
	supplemented with desktop and database centred distribution data				
	• As far as possible site collected data has been supplemented with desktop and				
	database-centred distribution data as well as previous studies undertaken in the area				
	<ul> <li>Assumptions, Uncertainties and Gaps in Knowledge related to the Estuarine Impact Assessment:</li> <li>Estuaries are complex, dynamic systems influenced by multiple environmental and anthropogenic variables. A comprehensive assessment that considers all of these variables did not form part of the scope of work. Assessments of the ecological state of the estuary were therefore derived using appropriate desktop resources.</li> <li>The dynamic nature of estuaries means that the structure of physical habitat and associated estuarine fauna and flora can change rapidly in response to tidal and hydrological (e.g. flooding events) influences. This assessment is based on a single site visit that took place in June 2024 and represents a 'snapshot' in time.</li> <li>No sampling of biota was undertaken (e.g. fish, invertebrates, microphytes, etc.) and all biotic data was derived from desktop sources.</li> </ul>				
	Assumptions, Uncertainties and Gaps in Knowledge related to the Palaeontology Impact Assessment:				
	Based on the geology of the area and the palaeontological record as we know it, it can be assumed that the formation and layout of the dolomites, sandstones, shales and sands are typical for the country and do not contain fossil plant, insect, invertebrate and vertebrate material. The sands of the Quaternary period would not preserve fossils.				
	<ul> <li>Assumptions, Uncertainties and Gaps in Knowledge related to the Draft Basic Assessment Report:</li> <li>The information presented in this BAR relating to the Departure and SDP Approval</li> </ul>				
	Applications prepared by Planning Space Town and Regional Planners, dated 8 August				
	2024, are still based on the original layouts.				
	• The information presented in this BAR relating to the Capacity Analysis of the bulk				
	electrical services prepared by GSL Consulting dated 18 July 2024 are still based on the				
	previous lavouts				
	<ul> <li>The stormwater management plan prepared by Dave Visser Consulting engineer dated</li> </ul>				
	• The stormwater management plan previous layer to be vissel consulting engineer dated				
	na restill relevant and fits into the new layout, nowever the stormwater management				
	piùn is sim relevant ana ins into the new layout.				

•	The information presented in this BAR relating to the Revised Engineering Report prepared
	by JVR Structural Consulting Engineers, dated 3 March 2025, seems to be based on the
	previous layouts.

2.5. The period for which the EA is required, the date the activity will be concluded and when the post construction monitoring requirements should be finalised.

The construction project is expected to last one year from mid-2025.

Therefore, the EA should be valid for 3 years to allow for enough time obtain construction permits etc and to accommodate for potential delays in the project.

#### 3. Water

Since the Western Cape is a water scarce area explain what measures will be implemented to avoid the use of potable water during the development and operational phase and what measures will be implemented to reduce your water demand, save water and measures to reuse or recycle water.

• Rainwater tanks will be added to support the functionality of the hotel

#### 4. Waste

Explain what measures have been taken to reduce, reuse or recycle waste.

Solid waste will be collected by the municipality as part of their municipal collection routing. The Site Plan indicates an enclosed refuse yard from where the waste can be collected. In addition to this, there will be a separation of recycled materials on-site for collection by a community-based collection service. Recycled waste is recorded and kept as part of the company's internal sustainability records.

#### 5. Energy Efficiency

8.1. Explain what design measures have been taken to ensure that the development proposal will be energy efficient.

- Street and bollard lighting in the parking lot will be eco-friendly and low light pollution
- All internal lighting will be low consumption energy saving lights.

## SECTION K: DECLARATIONS

#### **DECLARATION OF THE APPLICANT**

Note: Duplicate this section where there is more than one Applicant.

I. Robert Thomas More ID number 7205115163089 in my personal capacity or duly authorised thereto hereby declare/affirm that all the information submitted or to be submitted as part of this application form is true and correct, and that:

- Lam fully aware of my responsibilities in terms of the National Environmental Management Act, 1998 (Act No. 107 of 1998) ("NEMA"), the Environmental Impact Assessment ("EIA") Regulations, and any relevant Specific Environmental Management Act and that failure to comply with these requirements may constitute an offence in terms of relevant environmental legislation;
- I am aware of my general duty of care in terms of Section 28 of the NEMA;
- I am aware that it is an offence in terms of Section 24F of the NEMA should I commence with a listed activity prior to obtaining an Environmental Authorisation;
- I appointed the Environmental Assessment Practitioner ("EAP") (if not exempted from this requirement) which:
- o meets all the requirements in terms of Regulation 13 of the NEMA EIA Regulations; or
- meets all the requirements other than the requirement to be independent in terms of Regulation 13 of the NEMA EIA Regulations, but a review EAP has been appointed who does meet all the requirements of Regulation 13 of the NEMA EIA Regulations;
- I will provide the EAP and any specialist, where applicable, and the Competent Authority with access to all information at my disposal that is relevant to the application;
- I will be responsible for the costs incurred in complying with the NEMA EIA Regulations and other environmental legislation including but not limited to –
  - costs incurred for the appointment of the EAP or any legitimately person contracted by the EAP;
  - costs in respect of any fee prescribed by the Minister or MEC in respect of the NEMA EIA Regulations;
  - Legitimate costs in respect of specialist(s) reviews; and
  - the provision of security to ensure compliance with applicable management and mitigation measures;
- I am responsible for complying with conditions that may be attached to any decision(s) issued by the Competent Authority, hereby indemnify, the government of the Republic, the Competent Authority and all its officers, agents and employees, from any liability arising out of the content of any report, any procedure or any action for which I or the EAP is responsible in terms of the NEMA EIA Regulations and any Specific Environmental Management Act.

Note: If acting in a representative capacity, a certified copy of the resolution or power of attorney must be attached.

Signature of the Applicant

12.05.2025

Date:

The More Family Collection

Name of company (if applicable):

BASIC ASSESSMENT REPORT: APRIL 2024

## DECLARATION OF THE ENVIRONMENTAL ASSESSMENT PRACTITIONER ("EAP")

Benneff EAP Registration number 2021 3163 appointed EAP hereby declare/affirm the correctness of the:

- Information provided in this BAR and any other documents/reports submitted in support of this BAR;
- The inclusion of comments and inputs from stakeholders and I&APs;
- The inclusion of inputs and recommendations from the specialist reports where relevant; and
- Any information provided by the EAP to interested and affected parties and any responses by the EAP to comments or inputs made by interested and affected parties, and that:
- In terms of the general requirement to be independent:
  - other than fair remuneration for work performed in terms of this application, have no business, financial, personal or other interest in the activity or application and that there are no circumstances that may compromise my objectivity; or
  - am not independent, but another EAP that meets the general requirements set out in 0 Regulation 13 of NEMA EIA Regulations has been appointed to review my work (Note: a declaration by the review EAP must be submitted);
- In terms of the remainder of the general requirements for an EAP, am fully aware of and meet all of the requirements and that failure to comply with any the requirements may result in disqualification;
- I have disclosed, to the Applicant, the specialist (if any), the Competent Authority and registered interested and affected parties, all material information that have or may have the potential to influence the decision of the Competent Authority or the objectivity of any report, plan or document prepared or to be prepared as part of this application;
- I have ensured that information containing all relevant facts in respect of the application was distributed or was made available to registered interested and affected parties and that participation will be facilitated in such a manner that all interested and affected parties were provided with a reasonable opportunity to participate and to provide comments;
- I have ensured that the comments of all interested and affected parties were considered, recorded, responded to and submitted to the Competent Authority in respect of this application;
- I have ensured the inclusion of inputs and recommendations from the specialist reports in respect of the application, where relevant;
- I have kept a register of all interested and affected parties that participated in the public participation process; and
- I am aware that a false declaration is an offence in terms of Regulation 48 of the NEMA EIA Regulations

Signature of the EAP:

Services CC

Name of company (if applicable):

BASIC ASSESSMENT REPORT: APRIL 2024