



Hartebeest Hoek Transmission Infrastructure

**PROPOSED 132KV OVERHEAD POWERLINES AND ASSOCIATED
INFRASTRUCTURE FROM PROPOSED HARTEBEEST HOEK SOLAR
PV1 FACILITY, PIXLEY KA SEME DISTRICT MUNICIPALITY,
EMTHANJENI LOCAL MUNICIPALITY, NORTHERN CAPE PROVINCE**



VISUAL IMPACT ASSESSMENT FINAL REPORT | 2025-07-16

david gibbs Landscape Architect | Environmental Planner + Heritage Practitioner

Table of Contents

Table of Contents	1
List of Figures	2
Preface.....	5
Summary.....	6
1. Introduction.....	8
2. The Proposed Development	26
3. The Receiving Environment	33
4. The Visual Setting	48
5. Site Views	53
6. Landscape Character Analysis.....	71
7. Planning and Design Response	80
8. Visual Impact Assessment	81
9. Visual Impact Assessment Summary Tables	83
10. Conclusion	85
11. Source Material.....	90
12. Annexures & Appendices	94

List of Figures

Figure 1: National context: subject site (yellow) outside of any REDZones (Source: GEP)	9
Figure 2: National context: Strategic Transmission Corridors and their Expansions (Source: SES)	9
Figure 3: Regional setting: study area shaded red (Source: GEP)	16
Figure 4: Local Context: study area shaded red (Source: GEP)	16
Figure 5: study area outlined in red. (source: GEP)	18
Figure 6: Riet Fontain Portion 6 (Hartebeest Hoek Solar PV1 site) shaded green. Source: GEP	18
Figure 7: visual resources and visual buffers mapped in 2022. Source: GEP	23
Figure 8: Hartebeest Hoek Solar PV1 overlaid onto cultural landscape	24
Figure 9: Hercules Solar Cluster – anticipated cumulative impact. Source: SES	25
Figure 10: Continuity of cultural landscape (current status): Source: GEP	29
Figure 11: Properties affected by the Hartebeest Hoek Solar PV1: Source SES	29
Figure 12: Proposed transmission infrastructure: preferred (eastern) corridor (Source: SES)	30
Figure 13: Proposed transmission infrastructure: alternative (western) corridor (Source: SES)	30
Figure 14: Contours at 20m intervals (Source: Cape Farm Mapper)	34
Figure 15: Slope curvature (Source: Cape Farm Mapper)	35
Figure 16: Aspect (Source: Cape Farm Mapper)	36
Figure 17: River and drainage systems (Source: Cape Farm Mapper)	37
Figure 18: Landmarks and elevation (Source: Cape Farm Mapper)	38
Figure 19: Cadastral patterns (Source: Cape Farm mapper)	39
Figure 20: Landscape patterns (Source: Cape Farm Mapper)	40
Figure 21: aerial perspective across mixed scrub and grassland (Source: SES)	42
Figure 22: aerial perspective across the site, towards dolerite ridges on the horizon (Source: SES) ...	42
Figure 23: aerial perspective at higher altitude – note overhead powerlines (Source: SES)	43
Figure 24: aerial perspective showing perceived ‘natural’ quality of landscape (Source: SES)	43
Figure 25: Panoramic view looking southwards from the N10	44
Figure 26: panoramic view from ridgeline towards existing powerlines	44
Figure 27: panoramic view across site towards existing powerlines	44
Figure 28: panoramic view looking north towards Haartbeesthoek	44
Figure 29: The Study area (Source: GE Pro)	45
Figure 30: Detail: Hartebeesfontein farm werf (Source: GE Pro)	45
Figure 31: Digital view catchment area from the N10 at site entrance (Source: GEP)	49
Figure 32: Digital view catchment area from Kampfontein (Source: GEP)	49
Figure 33: Digital view catchment area from Hartebeeshoek (Source: GEP)	50
Figure 34: Digital view catchment area from Riet Fountain (Source: GEP)	50

Figure 35: Zones of visual influence (Source: Cape Farm Mapper)	51
Figure 36: View from the N10 looking southeast	54
Figure 37: Typical 'koppies' in the middle-distance.....	54
Figure 38: access road to Hartebeeshoek.....	55
Figure 39: N10 extending northwards from the site entrance	55
Figure 40: gravel access road travelling northwards	56
Figure 41: subtle undulations	56
Figure 42: approaching the farmstead	57
Figure 43: farm outbuildings.....	57
Figure 44: farm dam.....	58
Figure 45: waterbody reflecting sky	58
Figure 46: Existing gridlines crossing the N10.....	59
Figure 47: electricity pylons on site	59
Figure 48: remnant telephone infrastructure.....	60
Figure 49: dolerite ridge with existing gridline	60
Figure 50: distant gridlines almost indistinguishable	61
Figure 51 : view from ridge looking eastwards across site	61
Figure 52: existing powerlines	62
Figure 53: pylons lending a sense of scale	62
Figure 54: farm track extending northeast	63
Figure 55: farm track extending underneath the powerlines.....	63
Figure 56: pylons in foreground, koppies in middle distance.....	64
Figure 57: farm gate at northern boundary.....	64
Figure 58: typical farm fence with existing pylons	65
Figure 59: extent of existing powerlines on site	65
Figure 60: scale of infrastructure.....	66
Figure 61: typical Karoo scrub, with introduced tree	66
Figure 62: typical site view.....	67
Figure 63: farmstead in middle-distance, dolerite koppies beyond	67
Figure 64: landscape continues across fence lines	68
Figure 65: karoo scrub in foreground	68
Figure 66: sheep at farm dam	69
Figure 67: approaching the farmstead from the southeast.....	69
Figure 68: pastoral tranquility, simple farm buildings	70
Figure 69: horizontality of landscape.....	70
Figure 70: farmstead and werf curtilage areas.....	72

Figure 71: farmsteads with 500m buffer indicated	72
Figure 72: N10 view corridor with 300m buffer indicated either side of roadway	73
Figure 73: Cape Midland Railway line as visual corridor, with 250m buffer either side indicated	73
Figure 74: Visually prominent koppies and ridgelines indicated in purple.....	74
Figure 75: drainage lines indicated in blue	74
Figure 76: composite visual indicator diagrams	75
Figure 77: visually recessive areas indicated in violet (i.e., low visual sensitivity)	75
Figure 78: Soorebane ('bog-fox') high-voltage-pylon, Risti, Estonia Source: ahvenas, Altas Obscura .	78
Figure 79: Soorebane in winter. Source: https://www.reddit.com/	78
Figure 80: 'Leuchtturm', Germany. Source: demilked.com	79
Figure 81: Leuchtturm', Hattingen, Germany. Source: https://www.thisiscolossal.com/2014/07/	79
Figure 82: Hartebeest Hoek proposed transmission infrastructure: preferred corridor. Source: SES.	80
Figure 83: Hartebeest Hoek proposed transmission infrastructure: alternative corridor Source: SES	80

Preface

Visual, scenic, and aesthetic components of the environment are valuable resources which contribute to the cultural landscape heritage of an environment. Visual Impact Assessment (VIA) is integral to the management of visual heritage, towards ensuring that the integrity and quality of the visual environment is conserved. The process of assessment begins with an analysis of the spatial context and landscape character of the subject site, towards establishing visual indicators for planning and design response, and as the basis of the evaluation of the suitability of the proposed development or landscape modification (designed adaption).

Cultural Landscape Analysis is therefore integral to the management of visual resources, and may form part of Strategic Environmental Assessment, and / or Heritage Inventory Mapping and Resource Management; towards ensuring that the integrity and quality of the visual environment is conserved, and that development proposals or landscape modifications can be accommodated in suitable ways. Cultural Landscape analysis suggests a methodology for identifying, describing, classifying, and mapping what is distinctive about landscapes, their variety, and helps to determine what makes one landscape different from another. Cultural Landscape Analysis provides baseline information which can be articulated as a visual impact statement (with visual indicators for planning and design response); to be used to guide landscape change by informing decisions on proposed land-use management plans, rezoning applications, and development proposals.

As all development proposals have the potential to change the visual character of the environment within which they are located, and to affect people's perceptions of such places, significant visual impact may be expected. Visual Impact Assessment (VIA) may form part of the Basic Assessment, Scoping, and Impact assessment phases of the Environmental Assessment process; or integrated within Heritage Impact Assessment (HIA) and town planning processes. Visual Impact Assessments endeavour to determine the correct category of expected impact, to illustrate the expected visual impact associated with the proposed development; and to formulate measures or interventions to mitigate any detrimental impacts of the proposal to the extent that the development will meet acceptable visual criteria. Visual Impact Assessment therefore serves to inform planning and design decision-making proactively.

©Copyright: David Gibbs Landscape Architect | Environmental Planner + Heritage Practitioner

The information contained in this report is the sole intellectual property of the authors and may be used only for the purposes for which it was commissioned by the client. All intellectual property rights and copyright associated with this work are reserved. No part of this work may be modified nor incorporated into subsequent reports in any form, nor by any means, without correct reference to this work as source, and any recommendations, statements or conclusions drawn from this work must be accurate.

DISCLAIMER:

During the assessment of the study area, every effort has been made to ensure accuracy, using the source material available at the time of the assessment in good faith. Should any design changes be made after the completion of the assessment, the author of this document cannot be held liable for discrepancies that may occur as a result thereof.

Prepared by	<i>David Gibbs Landscape Architect Environmental Planner + Heritage Practitioner (visual specialist)</i>		
Prepared for	<i>Sharpley Environmental Services (EAP)</i>	for:	<i>Mulilo Renewable Energy (Pty) Ltd (client)</i>

Summary

[‘PROPOSED DEVELOPMENT OF THE HARTEBEEST HOEK SOLAR PV1 FACILITY ON THE REMAINDER OF THE FARM HARTEBEEST HOEK 31, EMTHANJENI LOCAL MUNICIPALITY, PIXLEY KA SEME DISTRICT MUNICIPALITY, NORTHERN CAPE PROVINCE – Visual Impact Assessment]

S1 Site Name and Location

Site	“Hartebeest Hoek Solar PV1”
Address	accessed off the N 10, southeast of De Aar
Farm portion(s)	Remainder of Portion 6 of the farm Riet Fountain, (facility and access road)
Situate	Emthanjeni Local Municipality
Administrative District	Pixley Ka Seme District Municipality
Province	Northern Cape
GPS co-ordinates	Latitude: 30°46'16.76"S Longitude: 24° 7'39.98"E (Logical centre point, format based on WGS84)

S2 Brief description of proposed development

The Mulilo Renewable Projects Development proposal for the Hercules Solar PV Cluster aims to achieve a maximum capacity of approximately 1330 MW through four Solar PV facilities, each requiring separate Environmental Authorization (Hercules Solar PV1, **Hartebeest Hoek Solar PV1**, Jupiter Solar PV1, and Roode Kraal Solar PV1). The proposal includes associated structures, buildings, internal roadways, services, and four 132kV transmission lines connecting the proposed Eskom Switching Station to the future Kestral Main Transmission Station (MTS).

The transmission infrastructure consists of the Eskom Switching Station, a 132kV overhead powerline, and the busbar extension at the Kestral MTS (previously referred to as the Wag ‘n Bietjie MTS), which is already approved under DFFE Ref: 14/12/16/3/3/1/2577/4.

Whereas the baseline report considered the entire solar cluster (approximately 2865 ha development area footprint of the 4105 total project site area) within the cultural landscape context; separate Visual Impact Assessment (VIA) reports have been required for each of the four Solar PV facilities and for each of their respective 132kV transmission corridors, resulting in a total of eight reports.

This report considers the **Transmission Infrastructure** associated with the Hartebeest Hoek Solar PV 1 Facility. The solar facility project (site) footprint is **1041 ha**, of which the development footprint of the facility is approximately **688 ha**, with a maximum output capacity of **303 MW**.

Subject to a separate application, the components of the facility include the following: Battery Energy Storage Facility, Eskom Switching Station, IPP Substation, Laydown Area, Diesel Storage Facility (Hazardous substances storage area, Operational & Maintenance Area, Internal Roads with a maximum operational width of up to 6 m and a construction servitude of up to 8 m, External Roads (Access Road) with a maximum operational width of 8 m and a construction servitude of up to 10 m, a Solar Array, and Medium Voltage Power Station located throughout the solar array.

S3 **Key Findings and recommendations**

Although the site lies within a continuous rural landscape that appears largely intact, it has already absorbed electrical grid infrastructure without a substantial loss of character, owing to its vast scale.

The landscape is of good quality and contains distinctive features that contribute to its character and identity. These have been interpreted as visual indicators to inform planning and design responses. However, the landscape is not of such exceptional or pristine quality as to preclude the proposed development. From a visual impact perspective, the proposal is thus permissible in principle. By responding to identified visual indicators, the layout has been adjusted to minimise visual intrusion and to achieve a more sympathetic fit within the landscape.

This has included avoiding development on ridgelines and koppies, favouring flatter terrain while steering clear of drainage lines (as far as practicable), providing adequate visual buffers from farmstead settlements to preserve their curtilage and sense of place, and setting back from the visual corridor of the N10 and the adjacent railway line (whether currently or potentially operational). Additional setbacks from cadastral boundaries have ensured that the array layout follows the organic geometries of the site, rather than imposing artificial rectilinear forms.

These planning and design parameters collectively contribute to the mitigation of adverse visual impacts and help retain the cultural landscape attributes that lend the area its identity and sense of place. Provided that the visual indicator recommendations are adopted as part of implementation-phase mitigation, the development will meet the visual acceptability thresholds required for approval.

Although the final gridline alignment has been revised to avoid sensitive receptors—confirming the ‘red’ (eastern) corridor as the preferred development option—the visual impact assessment finds the ‘yellow’ (western) corridor to be an equally acceptable alternative.

1. Introduction

1.1 Background

Mulilo Renewable Energy (Pty) Ltd proposes to develop the “Hercules Solar Energy Cluster” project on Farm Portions: Remainder of Portion 6 of Riet Fountain, Remainder of Portion 28 of Roodekraal and Remainder Portion 31 Farm Hartebeest Hoek.

Visual Impact Assessment is required as a component of the Environmental Impact Assessment and authorizations processes associated with the proposal (facilitated by Sharples Environmental Consultants). David Gibbs PrLArch was appointed to as consultant visual specialist conduct the visual impact assessment of the Solar Energy Cluster Project proposed for the site.

Renewable Energy Development Zones (REDZs) are geographical areas where wind and solar PV development can occur in concentrated zones, creating priority areas for investment in the electricity grid and thereby increasing South Africa’s green energy map by enabling higher levels of renewable power penetration.

Whereas the subject site does not fall within the identified REDZ zones, as per Figure 1 that follows, there are already several solar energy facilities within the immediate proximity of De Aar, which provide for a review of precedent and potential cumulative impact upon the visual quality of the Northern Cape Karoo Landscape.

Associated with the REDZones are the five **Strategic Transmission Corridors** and their Expansion Corridors, which are geographic areas identified through strategic environmental assessment for the planning and authorization of electricity transmission and distribution infrastructure.

As illustrated within Figure 2, the subject site falls directly within one of the Strategic Transmission Corridors. This implies that the development of electrical infrastructure within the site complies with the strategic plans established for the area.

In 2022 the site was assessed for its visual sensitivity within the cultural landscape context, resulting in the submission of VIA Baseline Report. The VIA baseline report incorporated the landscape character analysis as well as a series of visual indicators diagrams with recommendations derived for planning and design response, completed and updated in 2023.

During 2024, the alternative corridor alignment was explored and found to be acceptable from a visual perspective. In 2025, further revision and consideration of the sensitivities of the site and receptors along the route, resulted in the confirmation of the original (‘red’ or ‘eastern’) alignment as the preferred development option.

The landscape character analysis and visual sensitivity assessment, together with various other specialist studies, has informed the final layout proposals of the solar arrays, supporting infrastructure and transmission lines assessed within this VIA report.



Figure 1: National context: subject site (yellow) outside of any REDZones (Source: GEP)




Figure 2: National context: Strategic Transmission Corridors and their Expansions (Source: SES)

1.1.1 Terms of Reference

As a component of the environmental, heritage authorization and permitting processes associated with the proposal, the client has appointed **David Gibbs** PrLArch as consultant Visual Specialist to conduct the visual impact assessment of the proposed solar cluster facility upon a rural site within a cultural landscape context with visual / aesthetic significance.

David Gibbs (SACLAP-registered Professional Landscape Architect | Environmental Planner and APHP-endorsed Professional Heritage Practitioner) meets with the requirements for specialists as set out within *Regulation 13 of the EIA Regulations 2014*, and works in accordance with established cultural landscape heritage and visual assessment criteria, definitions and terminologies as set out in the following reference documents:

Oberholzer, B: ***Guideline for involving Visual & Aesthetic Specialists in EIA processes: Edition 1.*** CSIR Report No. ENV-S-C 2005 053 F, Republic of South Africa, Provincial Government Western Cape, Department of Environmental Affairs & Development Planning, Cape Town, 2005. and:

Bauman, N. & Winter, S: ***Guideline for involving Heritage Specialists in EIA Processes: Edition 1.*** CSIR Report No. ENS-S-C 2005 053 F, Republic of South Africa, Provincial Government Western Cape, Department of Environmental Affairs & Development Planning, Cape Town, 2005.

The author confirms his compliance with the general requirements for specialists as set out within Regulation 13 of the EIA Regulations 2014 and that the assessment of the development proposal has been conducted as per the criteria, definitions and terminology set out within the CSIR Guideline for involving Visual & Aesthetic Specialists in EIA processes. This report also complies with the relevant aspects of Appendix 6 of the EIA Regulations 2014 (as amended).

1.1.2 Independence of Visual Specialist

The author of this report document has no vested interest in the outcome of the approvals process associated with the development proposal assessed in this document; nor does he stand to gain financially from the design, construction, or future management thereof; and therefore, maintains complete independence and impartiality.

1.2 *Timing of Visual Specialist Input*

This Visual Impact Assessment forms part of the heritage and environmental authorizations processes associated with the proposed development, and endeavours to determine the character and visual absorption capacity of the cultural landscape which contextualizes the site, the visibility of the infrastructural components of the proposal, the potential visual impact on visual resources, and the nature, extent, duration, intensity, probability and significance of these impacts; and to advise with respect to measures for the mitigation of negative impacts and the enhancement of potential benefits.

An initial round of scoping was undertaken in 2022 with the VIA baseline report completed and updated in 2023, reviewed in 2024, and finalized in 2025. The preliminary layout proposals have been updated and refined in response to the visual indicators supplied. Within this context, this final report documents the visual impact assessment of the proposal for integration into the environmental authorizations processes.

1.2.1 *Type of Visual Impact Assessment*

The project site lies **within the rural domain** and is relatively large in extent, contributing to a good quality **cultural landscape** of **moderate** visual **significance** and aesthetic value, given the intactness, integrity, and legibility of the expansive open farmland as visual foreground with farmstead clusters as important settlement components and of distinctive vernacular character, valued for tangible as well as intangible attributes.

As this kind of rural landscape is potentially susceptible to changes of the types proposed; this assessment will consider the potential impact of the proposal from a **cultural landscape perspective**, with respect to the landscape character analysis of the site within its local and broader contexts.

Type 'A' Visual Impact Assessment therefore applies.

1.2.2 *Scope of Visual Impact Assessment*

The degree of visual impact anticipated is a function of the **development [type and intensity]** and the **environment [type and significance]**. In this case, the applicant proposes **category five** development of **medium intensity** (as per the CSIR definitions), within a **cultural landscape** environment of **moderate significance**. As **high visual impact** will result in **noticeable change**, clearly visible within the view frame and visual experience of the visual receptors, this will require **Level 4 Visual impact assessment**.

Consistent with NEMA requirements for visual impact assessment; the visual specialist must assess the potential visual impacts of the planning, design & construction phase, and the operational phase for each viable development alternative (or scenario) of the proposal, including the 'no-go' (or no development) option as part of the environmental authorization process.

(Note: whereas visual impacts may be positive, negative, or neutral, the assessment will determine the degree to which these impacts have an appropriate fit within the context).

During the **planning, design, and construction phase** of a project, the plans and designs developed in earlier stages are brought to life. This phase involves physical construction of the project, whether it's a building, infrastructure, or any other type of project.

Key activities during the construction phase include:

1. **Mobilization / site establishment:** Setting up the construction site, including temporary facilities, equipment, and resources required for construction.
2. **Site Preparation:** Clearing the site, excavating if necessary, and preparing the ground for construction.
3. **Foundation Construction:** Building the foundation or base structure that supports the project. This may involve pouring concrete, laying footings, or installing pilings.
4. **Structural Work:** Erecting the main structure of the project, whether it's a building, bridge, or other infrastructure. This includes framing, roofing, and other structural components.
5. **Installation of Utilities:** Installing essential utilities such as plumbing, electrical wiring, heating, ventilation, and air conditioning systems.
6. **Interior Finishes:** Adding finishing touches to the interior, including walls, flooring, ceilings, and other aesthetic elements.
7. **Exterior Finishes:** Applying finishing touches to the exterior, such as siding, roofing, painting, and landscaping.
8. **Quality Assurance and Inspections:** Conducting inspections and quality assurance checks to ensure that construction meets the specified standards and regulations.
9. **Coordination and Communication:** Managing the logistics of the construction process, coordinating different teams, and communicating progress to stakeholders.
10. **Health and Safety Measures:** Implementing safety protocols and measures to ensure the well-being of workers and compliance with safety regulations.
11. **Project Documentation:** Keeping accurate records of the construction process, including changes, issues, and solutions.
12. **Project Monitoring and Control:** Regularly monitoring progress, costs, and timelines to ensure that the construction stays on track and within budget.

These activities impact upon the construction site an effect noticeable changes to the status quo. Construction phase impacts associated with building activity tend to have short-term endurance, lasting as long as the construction activity continues.

The **operational phase** of an infrastructure project begins once construction is complete, and the facility is ready for its intended use. During this phase, the focus shifts from construction activities to the functional use and maintenance of the facility.

Key activities during the operational phase include:

1. **Occupancy:** The facility is officially opened and becomes operational for its intended purpose. Users, whether they are residents, employees, or visitors, start utilizing the facility.
2. **Facility Management:** Ongoing management of the facility, including day-to-day operations, maintenance, and support services. This involves tasks such as cleaning, security, and utilities management.
3. **Regular Maintenance:** Conducting routine maintenance to ensure that the facility and its systems are in good working condition. This includes addressing wear and tear, fixing minor issues, and performing preventive maintenance.
4. **Upgrades and Renovations:** Implementing any necessary upgrades or renovations to keep the facility in line with evolving standards, technologies, or user needs.
5. **Utilities Management:** Monitoring and managing utilities consumption, such as electricity, water, and heating, to optimize efficiency and reduce operational costs.
6. **User Support:** Providing support services to users, addressing any concerns or issues that may arise during the normal use of the facility.
7. **Health and Safety Compliance:** Ensuring ongoing compliance with health and safety regulations, conducting regular inspections, and making any necessary adjustments to maintain a safe environment.
8. **Technology Integration:** Managing and updating technological systems within the facility, such as security systems, communication networks, and smart building features.
9. **Waste Management:** Implementing effective waste management practices to handle the disposal of waste generated within the facility or because of the use of the facility.
10. **Lifecycle Planning:** Developing long-term plans for the facility's lifecycle, including considerations for potential renovations, expansions, or eventual decommissioning.

The operational phase is characterized by a focus on sustainability, efficiency, and user satisfaction. Effective facility management is crucial to ensure that the infrastructure continues to meet its intended purpose and remains a functional and safe environment for its users.

Operational phase impacts tend to have long-term to permanent endurance, because of completed construction work which has transformed the site into a new condition. These impacts tend to last until the landscape matures, and the new status is 'normalized'.

1.3 *Nature of Proposed Development*

The proposal is of **medium intensity** type projects with **transmission infrastructure** in support of a solar PV facility with associated buildings, private roads, and services. Apart from the presence of the existing powerlines, this does constitute a change in use from the prevailing land use (open farmland to solar PV array).

Whereas the proposed use is certainly compatible with the scale of the landscape, the infrastructure development will cause a change to the fabric, character, and spatial quality of the immediate area. This may intrude visually into the curtilage and werf space of the farm settlements at Riet Fountain and Haartbeesthoek and may cause obstruction of views from the homesteads. It sets a new precedent for development within the site, though not within the local area of De Aar, where similar installations already exist.

1.3.1 *Type of Proposed Development*

The proposed Solar Cluster project is a **Category 5 Development**, i.e., **transmission infrastructure** in support of **solar energy facility development** with associated with access roadways (subject to separate application process): large-scale infrastructure **including 132kV overhead powerlines**.

1.3.2 *Intensity of Proposed Development*

The proposed development is of **medium intensity** i.e., 1 to 2-storey structures and lattice pylons at 250m centres over 14,2km.

1.4 *Nature of Receiving Environment*

The site has certain scenic qualities as part of an arid, rural cultural landscape, with rocky outcrops, dolerite ridges and koppies, seasonal wetlands and expansive views towards the 'wilderness' areas on the horizon in all directions. The environment has a certain tranquillity in its vastness and remoteness.

1.4.1 *Type of Receiving Environment*

The site is a component of a continuous cultural landscape (i.e., an area or route of scenic, cultural, or historical significance, including scenic routes). Whereas the site has an agricultural history, it has been used for grazing, and there is little evidence of cultivation, as the natural vegetation persists. Although the site is traversed by overhead powerlines, the scale of the site, and the distance from publicly accessible viewpoints renders these elements insignificant.

1.4.2 *Significance of Receiving Environment*

The site includes aspects of a **continuing, vernacular cultural landscape of quality**, within an environment of moderately valued scenic, cultural, and historical significance, having components of character, but lacking in features of unique distinction.

Given this assessment of significance, the site is likely to be reasonable tolerant of changes of the type proposed.

1.4.3 Locality Diagrams

Indicating the location and extent of the subject site within its broader and local contexts




Figure 3: Regional setting: study area shaded red (Source: GEP)




Figure 4: Local Context: study area shaded red (Source: GEP)

After leaving the N1 at Hanover, the Hartebeest Hoek site can be accessed off the N10, travelling northwest towards De Aar. This is well within the **plateau** landscape type of the Northern Cape Karoo, which exists at an elevation of between 1100m and 1600m above mean sea level.

The Karoo is an arid to semi-arid geographic region characterized by the presence of flat-topped hills or “koppies,” capped with hard, erosion-resistant dolerite “sills” rising above the general ‘flatness’ of the arid plains between the koppies. There is a vast, expansive scale to the landscape, with a certain unyielding relentlessness, which is at first disorientating and overwhelming, until the subtleties and nuances of landform and vegetation are revealed, lending a degree of orientation to the sensing of place.

Within the Emthanjeni Local Municipality, the Hercules Solar Cluster study area lies largely between the N10 and the Cape Midland railway line, with one portion bordered by the R388 to the west of the N10, and a minor portion north of the railway line bordered by the Brakrivier. The study area equates to approximately 7.645Ha and constitutes three farm portions belonging to two separate landowners.

However, for the purposes of this analysis, the site has been considered holistically as a single entity. Sheep farming (including goats and game) predominates over crop farming in this arid climate. Within this landscape, farmstead settlements become points of punctuation, with homesteads and associated outbuildings framed with trees providing some relief from the harshness of the countryside. Further along the N10 at approximately 7000m to the northwest, the nearest urban centre to the site is De Aar.

The site is a very typical section of Northern Cape Karoo rural cultural landscape, which although it is fenced along its boundaries, is continuous with the local landscape context and broader landscape setting beyond its boundaries. Fence lines and overhead powerlines are perceived as patterns and textures within the landscape rather than space-defining edges.

Visual thresholds are provided, however, by the dolerite koppies and ridges which characterize this environment. Whereas the site is within a rural cultural landscape, the koppies lend a certain ‘wilderness’ character as elements within the middle distance and background.




Figure 5: study area outlined in red. (source: GEP)




Figure 6: Riet Fontain Portion 6 (Hartebeest Hoek Solar PV1 site) shaded green. Source: GEP

1.5 Approach

The visual specialist has approached this study from a **Cultural Landscape** perspective, noting that the site includes both natural and cultural (anthropogenic) features. This approach offers holistic vision for understanding and interpreting whole environments, considering human settlement needs within ecological carrying capacities. This concept endeavours to balance these dynamic systems through responsive conservation, development, and management, to augment each unique identity and spatial quality of these places and to ensure that interventions are located firmly within their contexts.

Cultural Landscapes provide a sense of place and identity, map human relationships with land over time. They are sites associated with significant events, activities, persons, or groups of people; they range in size from extensive tracts of bucolic land to historic homesteads and individual settlements. They can be grand estates, botanical gardens, parks, university campuses, cemeteries, agri-industrial sites, or scenic drives; they are works of art, narratives of cultures, and expressions of regional identity, constituting visual amenity heritage resources.

Recognizing and acknowledging the **dynamic quality** of cultural landscapes in that places do change over time (some features endure, certain patterns resonate; others fade, many vanish); and that development is at times necessary (and even desirable) for the continued vitality of place; it is important to *identify, protect, enhance, and integrate* visual qualities which contribute significant value to the character of landscape and lend meaning to the interpretation of place.

These can become visual indicators for appropriate design response. Ideally, from a cultural landscape perspective, visual impact assessment is approached **pro-actively** – to provide a mechanism for guiding the evolution of development proposals within appropriate visual parameters.

This may be achieved by identifying visual resources upfront and, through strategic engagement, by integrating visual considerations into the planning and design phases of projects – and by measuring design proposals against established visual indicators and criteria. To achieve this, the visual specialist has visited the site and investigated the surrounding areas to understand the site within its context, critical viewpoints, and view corridors.

With respect to the Appendix 6 EIA Regulations requirement, the **duration, date, and season** of the site inspection was approximately **8 hours**, on Friday **9th September 2022** during a sunny and pleasant day, in **early spring**, which has **relevance** to the outcome of the assessment as representative of the character and quality of the site during a time in which it is likely to be perceived by the public, especially when viewed from the N10.

The visual specialist has provided input into the basic assessment and preliminary planning discussions to advocate for visual issues, and these where applicable; these have been incorporated into the layout proposal subjected to visual impact assessment within this report

1.6 Methodology

Determined by the Type and Intensity of the **Category of Development** measured against the Type, and Significance of the **Receiving Environment** into which locates, the degree of visual impact expected indicates level of visual impact assessment required.

The introduction of new development associated with the solar facility is likely to be visible clearly within the view frame and visual experience of the receptors, given its proximity to public roads and residential neighbourhoods, and the relative visibility of the site. **High Visual Impact** may result from the development proposal in relation to construction, and operational activities.

This requires a **Level 4 Visual Impact Assessment**, which typically involves the following:

- *Site visit and recoding of visual indicators*
- *Identification of issues raised in scoping phase*
- *Description of the receiving environment and the proposed project*
- *Establishment of view catchment area, view corridors, viewpoints, and receptors*
- *Indication of potential visual impacts using established criteria, including potential lighting impacts at night*
- *Description of alternatives, mitigation measures and monitoring programmes (if applicable)*
- *Complete 3D modelling and simulations, with and without mitigation*
- *Review by independent, experienced visual specialist (if required)*

The actual **significance** of the expected visual impacts must be ascertained holistically, considering the proposal in context, and interpreting the visual suitability of the potential changes.

In addition to the descriptions of the project components, the project planners have provided digital layout models of the proposed infrastructure. This information has been interpreted within the context of landform information provided by Google Earth Professional, using shapefile modelling integral to software and processed on the author's desktop and laptop computers.

The visual specialist has considered existing solar energy facilities within the area as useful precedent in terms of representing the form, texture, and scale of the proposed development. The impact of the proposed infrastructure has been considered from strategic viewpoints at various distances from the site, using a series of photographs recorded by the author during fieldwork, using a hand-held digital camera, towards the articulation of a professional opinion with recommendations for decision-making.

1.7 Assumptions

Assumptions underpinning the visual impact assessment process are as follows:

- Awareness that 'visual' implies the full range of **visual, aesthetic, spatial, cultural, and spiritual aspects** of the environment, which together contribute to the local character and 'sense of place' of the area, and that 'visual' considerations are part of the cultural landscape.
- Understanding that 'impact' means a 'noticeable change' to the status quo when perceived under normal conditions; and that change is not necessarily negative, but may contain positive, neutral, and/or negative aspects in varying degrees.
- Identification of all significant visual heritage resources, including protected areas, scenic drives, sites of special interest and tourist destinations, together with their relative importance within the broader context of the region.
- Acknowledging the dynamic nature of landscape processes; including geological, biological, horticultural, and human settlement patterns, which contribute to landscape character, visual heritage attributes and scenic amenity value.
- The need to include quantitative criteria, such as 'visibility'; and qualitative criteria, such as 'aesthetic value' or 'sense of place' to achieve a balanced perception of visual impact (i.e., the rational and the intuitive; the measurable and the immeasurable)
- The need to include visual input as an integral part of the project planning and design process, so that the visual findings and recommended measures for mitigation can influence final designs pro-actively
- The need to determine the heritage value and significance of visual and aesthetic resources responsibly through a rigorous process, of which public engagement forms an essential component

1.8 Limitations

Limitations of the visual impact assessment process are as follows:

- The significance of cultural resources is dynamic and multifaceted, and the perception of visual impact may be interpreted subjectively, particularly as interest groups and societal values change over time. Thus, it is not always possible to provide a definitive visual statement of significance.
- Timing and Availability of Information: This report is based on information available at the time of writing and may be subject to review and revision, should additional or more detailed information become available at a later stage.
- Accuracy of Material: This report assumes that all material supplied by others (including specialist assessments, historical, planning and land-use background research) is an accurate and true reflection of the issues governing the property and its proposed development.
- The geographic aspects of this report rely on a combination of topo-cadastral maps at scales 1:500 000, 1:250 000 and 1:50 000, together with Google-Earth LIDAR data and GIS information at various scales as recent and as contemporary as possible. However, newer buildings and buildings still under construction may not be reflected.
- Detailed LiDAR information of the site context is not always available digitally; therefore, the visual simulations rely on landform as an indication of visibility. At grade, the screening effect of existing trees and buildings may reduce visibility significantly.
- With respect to the **quality** and **age** of the base data used, Google Earth Pro high-resolution 2021 aerial photography has served as reliable and accurate source data for three-dimensional mapping: in addition to the ESRI base plan information provided by the Department of Agriculture Enterprise, through the *gis.elsenburg.com* Cape Farm Mapper tool.

1.9 Visual Resources identified

Within the site boundaries there are some interesting landscape features which should be preserved intact, including the farmstead buildings and tree clusters, koppies, ridges and drainage zones, which contribute interest and visual amenity. These are identified as visual resources having greater visual sensitivity to disturbance.

Across the scales, the visual resources identified are summarized as follows:

Regional setting: (background)

Geographic landmarks – distant dolerite koppies
Continuity of agricultural landscape across the Northern Cape
Great Karoo rural cultural landscape character

Local context: (mid-ground)

Continuity of landscape and vegetation across cadastral boundaries
Views across rural agricultural landscape
Geographic landmarks – middle distance dolerite koppies

Site content: (foreground)

Farmsteads (Hartebeeshoek, Riet Fountain), werf and curtilage
Farm dams, drainage lines,
Foreground koppies and ridges.




Figure 7: visual resources and visual buffers mapped in 2022. Source: GEP

1.10 Potential Impacts on Visual Resources

The development may impact upon the open space and rural quality of the site by the insertion of increased built infrastructure into landscape. Whereas construction phase impacts tend to be short-term, operational phase impact tend to be more long term, if not permanent.

Impacts upon the **Regional Setting:**

- Gradual reduction in rural character because of cumulative impacts,
- Infrastructural infill development within agricultural environment

Impacts upon the **Local Context:**

- Visual intrusion of new infrastructural development within open vistas
- Increased aggregation of gridlines, electrical facilities, hostile edge conditions
- Change in character due to increased infrastructure.

Impacts upon the **Site Content:**

- Foreground insertion of new facilities overwhelming the openness of the site
- Potential intrusion upon the farmstead werf and curtilage areas (500m buffer required)
- Potential interruption of landscape continuity




Figure 8: Hartebeest Hoek Solar PV1 overlaid onto cultural landscape

1.11 Cumulative Impacts

Cumulative impacts are those which add to or magnify existing or reasonably foreseeable future impacts on the same receiving environment or specific resource. Whereas established solar energy facilities already exist within the vicinity of De Aar, the area is not within one of the designated REDZones, though it is within one of the strategic Transmission corridors.

This means that whereas similar infrastructure developments should not be unduly concentrated, (which could lead to further reducing the rural character of the local context, resulting in an altered sense of place, and potential loss of quality of visual resources), the proposal must be understood within the context of the national strategy for renewable energy provision.

Notwithstanding potential cumulative impacts (resulting from undue over concentration of similar facilities), this proposal is supportive of the national strategy.

*Noting that the **Hartebeest Hoek Solar PV1** forms part of the Hercules Solar Cluster, the diagram below gives an indication of the anticipated cumulative impact of the cluster.*




Figure 9: Hercules Solar Cluster – anticipated cumulative impact. Source: SES

2. The Proposed Development

2.1 Development Description:

Hartebeest Transmission Infrastructure: The proposed development will entail the following components:

- Transmission infrastructure
 - The Eskom Switching Station (SS) will be proposed adjacent to the proposed IPP Substation).
 - An 132kV Overhead Power Line leading from the proposed Eskom Switching Station to the future Kestral Main Transmission Station (MTS) (previously referred to as the Wag 'n Bietjie MTS approved through DFFE Ref: 14/12/16/3/3/1/2577/4).
 - A 132kV Feeder Bay will be constructed at the MTS and the 400kV Busbar at the MTS will be extended; and
 - The proposed development will also see to the installation of a new 400/132kV transformer and bay at the MTS.

(Please note that although the following components are discussed for reference below, the solar PV infrastructure will form part of a separate application for Environmental Authorisation):

- Fenced Area and total development area:
 - *The proposed project is located on a portion of the Remainder of the Farm Hartebeest Hoek No. 31 and will have an extent of 1 041 ha and will have a development footprint of 662 ha. The proposed development will be located on a property currently zoned as Agriculture and will be used for commercial purposes as the electricity will contribute to the National Electricity Grid.*
- Solar Array:
 - *The solar array will be fragmented into seven (7) different areas. The solar array has been split due to the sensitivities provided by the various specialists, as well as the existing infrastructure (Eskom/Transnet/SANRAL) transecting the site. The proposed development will have a maximum output capacity of up to 303 MW, with a solar array with an extent of up to 466.91 ha.*
 - *The solar array will be comprised of solar PV modules with single axis tracking technology with a maximum height of 5m. The Solar module mounting structures will be comprised of galvanised steel and aluminium, whereas the foundations will be drilled and concreted into the ground.*
 - *The solar array will be equipped with solar measurement instruments and weather stations,*
- IPP Substation and control room:
 - *The IPP Substation will have a capacity of up to 132 kV and will be equipped with the High Voltage (HV) transformer, a metering system, filters, capacitors, an inverter and a protection building. The IPP Substation will also be equipped with the substation control building and the MW collector switchgear building.*
 - *The Substation will have a total footprint of up to 1 ha (100 m x 100 m).*
- Laydown area:

The allocated laydown area of proposed development will have a total footprint of up to 10.8 ha and will be directly adjacent to the Operational & Maintenance Building and Diesel Storage Area.

- Operational & Maintenance Building and Control Buildings:

- *The O&M and control buildings of the project will be the area allocated toward the daily operations of the proposed development and will provide an area where adequate spare part supplies are required to be stored on-site. This includes fuses, mounting structure pieces, junction boxes, cabling components, communication equipment, modules, spare inverters, spare motors and sensors.*

- Medium Voltage (MV) Stations and internal reticulation (MV Cables):

The proposed development will include a total number of up to forty-one medium voltage station (22/33kV) and will be connected via an integrate network of MV underground cables (as per the updated layout). Each MV station will be equipped with an inverter and a transformer. Associated with the locations of the MV Stations will be the DC coupled BESS containers distributed throughout the PV field which will be located adjacent to the inverters.

- Internal Roads:

- *The internal roads will have an operational footprint of up to 6 m in width. According to the proposed development layout, the internal roads will intersect the sensitive areas in two locations:*
 - *Watercourse and the associated buffer: Towards the north of the proposed development, the internal road will cross a watercourse and its associated buffer for approximately 245 m (equating to a disturbance footprint of approximately 1 411 m²).*
 - *Koppie/Hill/Ridge area: Towards the southern extent of the proposed development site, the internal road will run over an area identified as a Koppie area (sensitive from a Terrestrial Biodiversity and Avifaunal Perspective).*
- *The internal roads will connect the various components of the solar array, the medium voltage stations and the main infrastructural components (Substations, the BESS, Laydown areas, etc).*

- External/Access Road:

Access will be obtained through a road leading from the N10-Highway to the proposed development area. The access road will be approximately 10 m in width during the construction phase of the proposed development and will be approximately 8 m in width during the operational phase of the project. The total length of the access road will be approximately 4 017 m (4.02 km). No watercourses will be intersected for the purpose of establishing the access road for the proposed development. The access road will be placed through two of Eskom's transmission corridors (which have been excluded from the development footprint of the Solar Array itself).

- Battery Energy Storage System:
 - *The Battery Energy Storage System (BESS) will be an AC couple facility located at the substation and laydown area. The facility will be equipped with Solid State Battery Technology (which will be either Lithium-ion or Sodium Sulphide (NaS)). The BESS will be further geared with Battery Cells, Modules, Roacks, containers, a Battery Management System, an Energy Management System and Fire protection systems.*
 - *The BESS will have an extent of up to 10 ha and will be approximately 200 m in width and 500 m in length. The nearest watercourse to the BESS site is approximately 1 089 m toward the North-West of the facility.*

- Diesel Storage area:
 - *The proposed layout includes an area allocated towards the storage of hazardous substances (diesel) on site. The area is approximately 2 500m² in size and will be 50 m in length and width, respectively. The nearest watercourse to the proposed diesel storage area is approximately 1 359 m North-West of the proposed storage area.*
 - *It is anticipated that no more than approximately 80 m³ diesel will be stored on site. However, the exact anticipated volumes are not currently known.*

- Guard house:

It is anticipated that three guardhouses will be constructed for the proposed development, the first located along the main access road leading from the N10-Highway to the Substations, laydown areas, and BESS. The second and third will be placed on either side of the N10-Highway where the additional minor access road (connecting two fragments of the solar array) intersects the national road.




Figure 10: Continuity of cultural landscape (current status): Source: GEP



Figure 11: Properties affected by the Hartebeest Hoek Solar PV1: Source SES




Figure 12: Proposed transmission infrastructure: **preferred (eastern) corridor** (Source: SES)




Figure 13: Proposed transmission infrastructure: **alternative (western) corridor** (Source: SES)

The proposal contemplates the proposed path of the overhead transmission lines from the solar PV facility to reach the proposed substation. This forms the subject of this application.

After the submission of the draft baseline study, the proposed alignment for the transmission corridor was adjusted, with the eastern corridor (shown in red in Figure 12) considered the preferred alignment at that stage. Following the receipt of the various specialist reports, it was determined that the alternative route *may* have been more suitable. Therefore, the western corridor (shown in yellow in Figure 13) was therefore considered to be the preferred gridline alignment, connecting to the Kestrel MTS; with the eastern gridline corridor (shown in red) then identified as the alternative, connecting to the Eskom Switching station which forms part of the approved Wagt Solar PV1 development on the Farm Wagt en Bittje 5. Finally, following a review upon further revision and consideration of the sensitivity of the site and receptors along the route, the client amended the gridlines, confirming the eastern ('red') corridor alignment as the preferred alternative, as per the original proposal.

The preceding figures indicate the preferred and alternative paths in context, noting that the assessment also covers a margin of 50m either side of the corridor, should the transmission lines need to be shifted within the corridor. (Along the northern section of the preferred proposed alignment, the corridor is approximately 200m in width, whereas along the southern section of the preferred proposed alignment, the corridor is approximately 290m in width).

Whereas the transmission lines are integral to the Solar PV proposal, they are considered independently within the assessment. Whereas the study area already includes existing transmission lines, the scale of the site is sufficient to absorb the proposed transmission lines, taking the most direct route to the proposed substation, without substantial loss of visual quality.

The visual impact of the western alignment is likely to be similar to the visual impact of the eastern alignment. In general, transmission lines are less visually impactful than the solar arrays, and therefore the change in alignment is of negligible concern.

2.1.1 *Proposed Layout(s) to be assessed*

The visual impact assessment considers both the preferred corridor and the alternative corridor, noting that the visual impacts for each are very similar. The preferred corridor follows a route perpendicular to both the N10 roadway and the Cape Midlands Railway, whereas the alternative route runs in parallel with both the N10 and Cape Midlands railway for approximately 5km (though at approximately 1,8km distance), before turning towards the railway and crossing towards Kestral MTS.

2.2 Implications of the Proposed Development

Within the field of view, both the Planning Design & Development phase and Operational phase of the project would cause noticeable changes - (i.e., visual impact) to the visual status quo. These may have either negative, neutral, or positive effects on the visual resources identified, and are summarized as follows:

2.2.1 Planning, Design and Development phase:

- Site clearance / removal of certain vegetation
- Earthworks / excavations/ trenching / platforming
- Construction operations – establishment, materials delivery, and storage
- Building activity, personnel and vehicles and tower cranes (machinery and site camp)
- Noise / dust / lighting / temporary services / hoarding

2.2.2 Operational phase:

- Transformation of the site from agricultural to infrastructural (change in 'sense of place')
- New solar energy infrastructure and associated buildings within rural landscape
- Monitoring/maintenance activities
- Increased traffic flows
- Signage, Lighting at night

Note: Whereas many construction impacts are significant and immediate, producing noticeable changes to the status quo, they tend to last only as long as construction activity continues. Operational phase impacts tend to be permanent and long-lasting, but may become neutralized over time, as the visual changes become alleviated through the implementation of appropriate mitigation measures, and the maturing of landscape.

3. The Receiving Environment

3.1 *Contextual landscape*

Visual impact assessment should consider the receiving environment of the development proposal not only at site scale, but also at the broader contextual landscape scale, to understand the role of the site and the impact of its development holistically, and as a contiguous component of a larger system beyond its own cadastral boundaries,

Whereas the site context can be described as a continuing **cultural landscape**, with existing rural vernacular and infrastructural components, layered, modified, and adapted over time. The site has a vast expansiveness to it, set within the continuum of a continuing rural cultural landscape.

Within this context, certain geographic features prevail as defining and structuring elements at the regional scale: notably the dolerite ridges and koppies which provide visual thresholds. At the local scale, the farmsteads with their outbuildings and introduced tree clusters around the werf spaces provides visual anchors as well as a sense of enclosure of landscape 'rooms'.

Other features may be more friable or transient, or even obscured; but their meaning reveals itself through the analysis and identification of relationships between elements which contribute to the significance of the whole. The contextual cultural landscape analysis diagrams that follow explore these themes.

3.1.1 Type of Landscape




Figure 14: Contours at 20m intervals (Source: Cape Farm Mapper)

The site is situated on underlying geology of the Abrahamskraal Formation, above which 'koppies' of the Karoo Dolerite Suite arise. In this dry environment, vegetation is typical of the Northern Cape Karoo, being a mix of approximately 60% grassland and 40% scrub, with seasonal variation contingent upon rainfall. This typology of landscape is characterised by extensive grazing (sheep, goat, game) with remote farmstead settlements at considerable distances (approximately 7km centres), separated by vast tracts of land. The contour diagram demonstrates how subtly undulated landform is, with koppies and ridges clustered in the western portions of the site. The landform contributes to visual screening, by alternately obscuring or revealing views, depending on viewpoint, yet the landscape remains expansive and 'sky-dominated'.

3.1.2 Topography and Landform




Figure 15: Slope curvature (Source: Cape Farm Mapper)

The site falls gently from approximately 1345m above mean sea level at its western boundary, to approximately 1280m above mean sea level at its eastern boundary. Ancient drainage lines have marked the landscape, with subtle changes in vegetation making the marginally wetter soils within these drainage zones. Areas shaded yellow on the diagram above correspond to the dolerite koppies and ridges, which are more steeply inclined than areas shaded blue, which are flatter or shallow. The darkest blue areas indicate the drainage lines.

3.1.3 Aspect and Orientation





Figure 16: Aspect (Source: Cape Farm Mapper)

The aspect diagram reveals the faceted and nuanced shape of the surface of the site, largely because of the dolerite koppies and ridges, which create a natural visual threshold. However, there is a greater percentage of northern aspect (including NE and NW) across the site, which is favourable for solar installation.



3.1.4 Hydrology and drainage




Figure 17: River and drainage systems (Source: Cape Farm Mapper)

Tributary branches of the Brakrivier drain the site northwards, in broad, dry, shallow, dendritic patterns. Weirs and small farm dams have been constructed in certain drainage lines, but for the most part, only a subtle change in vegetation marks the drainage course, and during the dry season, the drainage lines are barely perceptible, however, during the rainy season, surface water will accumulate within these areas, and because of their season hydrological functionality, they have a higher degree of visual sensitivity than the adjacent areas.

3.1.5 Landmarks and elevation




Figure 18: Landmarks and elevation (Source: Cape Farm Mapper)

Within an expansive and subtle landscape, any noticeable change in elevation will catch the eye. The dolerite koppies and ridges of the Northern Cape Karoo become beacons or landmarks within landscape, rising above the veld and offering visual markers for orientation and wayfinding. Because of their visual prominence, they have a higher degree of visual sensitivity than the surrounding areas. Using the language of Christian Norberg-Schultz (towards a Phenomenology of Place), this is a 'cosmic' or 'sky-dominated' landscape, exposed to the elements, and seemingly 'hostile' to settlement.

3.1.6 Settlement Patterns & Built Form




Figure 19: Cadastral patterns (Source: Cape Farm mapper)

It is notable that wherever farmsteads do exist, micro-climate mitigation has been achieved through the introduction of tree planting (often with exotic species) to provide shade and shelter to homesteads and associated outbuildings. Overlaid onto the natural topography are the more geometric cadastral patterns of farm boundaries (marked by the wire-fencing so typical of rural South African landscape) as well as the roadways, railways, and existing grid connection overhead powerlines. These provide a network of connections which link across vast distances and inhabit the landscape in their own way. At the intersection of major railway lines, De Aar is the closest town to the site, approximately 7km away.

3.1.7 Landscape patterns and vegetation cover




Figure 20: Landscape patterns (Source: Cape Farm Mapper)

Although the landscape is clearly rural, the impact of human activity appears light, and the naturally occurring vegetation types (low shrubland / Nama karoo and natural grassland) are still present in abundance. Small, sporadic patches of annual crops, associated with farmstead settlements, do not present dominant landscape patterns. Notwithstanding the fence lines, the continuity of the vegetation typology across properties serves to unify the landscape across cadastral divisions. Although this is a cultural landscape, the landform and vegetation together with the expansiveness of the environment lend a remote and almost deserted quality to the sense of place.

3.1.8 *Landscape Character*

Within a broader cultural landscape continuum, the site is an anthropic rural environment in transition, with contemporary infrastructural components overlaid upon a minimally transformed farm landscape. The farmsteads and associated werf features (including lawns and trees) have visual amenity. There is an open remoteness and tranquil quality to the site; and because of landform and viewing distance, portions of the site are more visually enclosed than others. This means that sections of the site are not clearly visible from publicly accessible areas, such as the N10. This contributes to the sense of remoteness.

3.1.9 *Landscape Character Sensitivity*

The Landscape Character of the **regional setting** is considered to have **low to moderately sensitivity** to visual impact as it is associated with areas of medium visual / scenic amenity.

The Landscape Character of the **local context** is considered to have **low sensitivity** given the scale of the environment.

The Landscape Character of the **site** is considered **moderately sensitive**, given the proximity of the proposal to the farmsteads.

3.2 *Drone aerial perspectives*



Figure 21: aerial perspective across mixed scrub and grassland (Source: SES)



Figure 22: aerial perspective across the site, towards dolerite ridges on the horizon (Source: SES)



Figure 23: aerial perspective at higher altitude – note overhead powerlines (Source: SES)



Figure 24: aerial perspective showing perceived 'natural' quality of landscape (Source: SES)

3.3 *Panoramic views*



Figure 25: Panoramic view looking southwards from the N10



Figure 26: panoramic view from ridgeline towards existing powerlines



Figure 27: panoramic view across site towards existing powerlines



Figure 28: panoramic view looking north towards Haartbeesthoek

3.4 Site orthophotos




Figure 29: The Study area (Source: GE Pro)



Figure 30: Detail: Hartebeesfontein farm werf (Source: GE Pro)

3.5 *Visual Scenic Resources*

3.5.1 *Type of Environment*

The site sits within the broader context of a rural **cultural landscape** which includes areas, views, and component resources of moderately valued scenic, cultural, and historical significance, including expansive rural views towards the horizon in all directions.

3.5.2 *Landscape Integrity & Quality*

The continuity and intactness of the landscape, and lack of visual intrusions enhances visual quality. Although farming and settlement have altered the site minimally from its natural state, its agricultural character and established landscape contribute to the rural quality of the cultural landscape. Although existing infrastructure is present, it does not overwhelm the site. This designates the site as a quality landscape.

3.5.3 *Views and View Corridors*

To a considerable extent, the combined effects of landform and topography obscure substantial portions the site from external views. However, as the site exists on both sides of the N10, which passes along the southern portion of the site, this route can be considered a visual corridor offering views into the site. Likewise, the Cape Midland Railway line could be considered a visual corridor passing along the norther portion of the site, assuming it is or will be operational.

3.5.4 *Visual resources across scale*

At the Regional scale, (back-ground) the dolerite koppies and ridges provide characteristic landmark features, lend a sense of orientation and identity to the agricultural landscape of the Northern Cape Karoo.

At the local scale, (mid-ground), the site is continuous with the surrounding farmland and its borders are indistinguishable. Local koppies and water bodies punctuate the landscape, as do farmstead settlements at discrete distances.

At the site scale, foreground ridges and koppies provide landmark features, as do farm dams, water bodies, and to a certain extent, the drainage courses. The Hartebeeshoek farmstead in the south and Riet Fountain farmstead in the north provide local 'places' of human habitation.

3.5.5 Summary Table of the Significance of the receiving environment

Considering the site in context:

Significance (UNESCO) operational Guidelines	Description					
Rural landscape:	Cultural Landscape Type					
rural landscape	Designed Landscape (Consciously ordered)	urban / landscape design	built environment			
		estates / campuses / gardens	constructed landscape			
Farmsteads, agricultural lands,	Vernacular Landscape (Organically evolved)	rural settlements /	relict vernacular			
		traditional farming practices	continuing vernacular			
Mountain 'wilderness' backdrop	Associative Landscapes (Intangible attributes)	events / persons / groups /	ethnographic landscape			
		natural places	historic rites			
SIGNIFICANCE CRITERIA	n/a	Low	low/med	Medium	med/high	High
Landscape as resource	Medium					
Design Quality	low/med					
Scenic Quality	Medium					
Unspoilt Character, Authenticity, Integrity	Medium					
Sense of Place	med/high					
Harmony with Nature	Medium					
Cultural Tradition	low/med					
Living Traditions	low/med					

The Cultural Landscape Foundation provides the following motivation for cultural landscapes:

- **Cultural Landscapes are important** because they are a legacy for everyone. They are special sites which reveal aspects of a country's origins and development as well as our evolving relationships with the natural world. They provide scenic, economic, ecological, social, recreational, and educational opportunities helping communities to better understand themselves.
- **Cultural landscapes are important to protect** as increasingly neglect, inappropriate and insensitive developments put our irreplaceable landscape legacy at risk. Too often today's short-sighted decisions threaten the survival and continuity of our shared heritage. It is everyone's responsibility to safeguard our nation's cultural landscapes. The ongoing care and interpretation of these sites improves our quality of life and deepens a sense of place and identity for future generations

(Ref: <https://tclf.org/places/about-cultural-landscapes>)

4. The Visual Setting

4.1 Visibility of proposed development

Visibility is dependent on factors such as: (a) the **nature** of the proposal; (b) its **placement** within the landscape; (c) the **scale** of the proposal relative to its context; (d) the detailed design (**form, massing, aggregation**), as well as (e) the **position** and viewing **distance**.

The net effect of these factors is that (at grade) the visual impact of an object will begin to fall away rapidly with increasing distance. Visibility will reduce from 1.5 km distance, and beyond 5 km, visibility is negligible.

4.1.1 View catchment and Viewshed

Theoretically, areas shaded green in the figure that follows have direct views towards the site.

The digital 'View Catchment' diagram calculates visibility with respect to topography (i.e., landform) only; whereas the screening effects of surface texture included within LIDAR data (if available) e.g., existing buildings and trees overlaid onto the contour information would give a more precise view and reduce the footprint of the view catchment.

4.1.2 Zones of Visual Influence

Visibility tends to decrease in direct proportion to increase in distance as individual elements occupy smaller and smaller percentages of the overall field-of-view and become less visually dominant. With respect to the visibility of the subject site; foreground views (inside the red ring, within 500m of the site) are most critical. At distances greater than 5km, visibility decreases significantly, as follows:

- **5km radius** = average clear visual distance to horizon for eye-level (1,7m above ground)
The site occupies only a small percentage of the field of view at this distance.
- **10km radius** = possible clear visual distance, given atmospheric dust, vapour, particles etc.
At this distance, the site is barely perceptible within the townscape context.
- **20km radius** = maximum clear visual distance, given atmospheric dust, vapour, particles, etc.
At this distance, the site, and any visual change upon it is negligible, given the scale.

foreground		middle distance		background		Context	
<i>on site</i>	<i>adjacent</i>	<i>near</i>	<i>medium</i>	<i>long</i>	<i>distant</i>	<i>far</i>	<i>remote</i>
Highly visible	Within 250m	250m – 500m	500m – 1km	1km – 2km	2km – 4km	4km – 5km	Not visible




Figure 31: Digital view catchment area from the N10 at site entrance (Source: GEP)




Figure 32: Digital view catchment area from Kampfontein (Source: GEP)




Figure 33: Digital view catchment area from Hartebeeshoek (Source: GEP)




Figure 34: Digital view catchment area from Riet Fountain (Source: GEP)




Figure 35: Zones of visual influence (Source: Cape Farm Mapper)

4.2 Visual Sensitivity

4.2.1 Visual Sensitivity of Area (Landscape Sensitivity)

The portion of the field-of-view dominated by the proposal decreases substantially at distances beyond 500m from the site, as the proposal become continuous with the existing fabric. The area is therefore considered to have medium or **moderate visual sensitivity**.

4.2.2 Visual Sensitivity of Receptors

The Receptors of the anticipated visual impact include existing residential areas which have **moderate visual sensitivity**. The site falls with the urban edge and locates in continuity with a rural cultural landscape with high visual / scenic amenity value.

4.2.3 Significance of Sensitivity to Visual Change

As a function of **landscape sensitivity** and anticipated **magnitude of change** resulting from the proposed development, the sensitivity to visual change is of **moderate significance**.

4.3 Visual Exposure

4.3.1 Visual Intrusion of Development (Magnitude of visual change)

The development proposes to occupy land already transformed by agriculture. The new development will fit partially into the surroundings but will be noticeable due to the transformation of the site. The proposal would have **moderate visual intrusion**.

4.3.2 Visual Absorption Capacity of Site

Considering the existing vegetation and subtle landform, the Visual Absorption Capacity (VAC) of the site is **Moderate**, with partial screening afforded, but noting that construction activity will entail removal of vegetation (thereby reducing the VAC).

4.3.3 Significance of Anticipated Visual Impacts

As a function of **receptor sensitivity** and **anticipated magnitude of change**, the sensitivity to visual change is of **moderate significance**. This will require mitigation through landscape measures.

5. Site Views

5.1 *Photographic record*

The site photographs show external viewpoints and internal views, giving an impression of the landscape typology, the scale of the landscape, and the effect of the existing infrastructure present on site.



Figure 36: View from the N10 looking southeast



Figure 37: Typical 'koppies' in the middle-distance



Figure 38: access road to Hartebeeshoek



Figure 39: N10 extending northwards from the site entrance



Figure 40: gravel access road travelling northwards



Figure 41: subtle undulations



Figure 42: approaching the farmstead



Figure 43: farm outbuildings



Figure 44: farm dam



Figure 45: waterbody reflecting sky



Figure 46: Existing gridlines crossing the N10



Figure 47: electricity pylons on site



Figure 48: remnant telephone infrastructure



Figure 49: dolerite ridge with existing gridline



Figure 50: distant gridlines almost indistinguishable



Figure 51 : view from ridge looking eastwards across site



Figure 52: existing powerlines



Figure 53: pylons lending a sense of scale



Figure 54: farm track extending northeast



Figure 55: farm track extending underneath the powerlines



Figure 56: pylons in foreground, koppies in middle distance



Figure 57: farm gate at northern boundary



Figure 58: typical farm fence with existing pylons



Figure 59: extent of existing powerlines on site



Figure 60: scale of infrastructure



Figure 61: typical Karoo scrub, with introduced tree



Figure 62: typical site view



Figure 63: farmstead in middle-distance, dolerite koppies beyond



Figure 64: landscape continues across fence lines



Figure 65: karoo scrub in foreground



Figure 66: sheep at farm dam



Figure 67: approaching the farmstead from the southeast



Figure 68: pastoral tranquility, simple farm buildings



Figure 69: horizontality of landscape

6. Landscape Character Analysis

6.1 *Interpretation*

Whereas the site is set within a continuous rural landscape which is seemingly intact, it has already absorbed electrical gridline infrastructure without substantial loss of character, due to its vast size. The landscape is of good quality and includes certain features of character and identity which have been interpreted as visual indicators for planning and design response.

However, it is not of such exceptional quality as to preclude development of the kind proposed. Thus, from a visual impact perspective, the development is permissible, at least in principle, and by responding to the visual indicators, the layout can be manoeuvred to minimize visual intrusion into the landscape and to maximize a comfortable 'fit'.

This would include avoiding development on ridgelines and koppies, locating rather on the flatter portions of the site, though avoiding drainage lines (as far as practically possible), providing sufficient visual buffers from the farmstead settlements to preserve their curtilage and sense of place; and setting back from the visual corridor of the N10 (and the railway line, assuming that the rail is or will be operational).

Setting back from all cadastral boundaries is also recommended, so that the site layout may take cues rather from organic site geometries rather than artificial rectilinear geometries.

The inclusion of these planning and design parameters should contribute to the mitigation of adverse visual impacts, towards retaining aspects of the cultural landscape that lend identity and character to the sense of place.

Should these visual indicators be onboarded as measures for mitigation, particularly with respect to the refinement of the site layout, the development proposal should meet with the requirements for approval

6.2 Visual Indicator diagrams (as per baseline report)




Figure 70: farmstead and werf curtilage areas




Figure 71: farmsteads with 500m buffer indicated




Figure 72: N10 view corridor with 300m buffer indicated either side of roadway




Figure 73: Cape Midland Railway line as visual corridor, with 250m buffer either side indicated




Figure 74: Visually prominent koppies and ridgelines indicated in purple




Figure 75: drainage lines indicated in blue




Figure 76: composite visual indicator diagrams




Figure 77: visually recessive areas indicated in violet (i.e., low visual sensitivity)

6.3 Visual Indicators recommendations

With the intention to locate the solar energy transmission infrastructure as seamlessly as possible into existing cultural landscape patterns, careful placement and design consideration are essential to minimize disruption to landscapes and environments. Visual indicators for the determination of transmission corridors are as follows:

Route Selection

- Avoid highly scenic areas: Powerlines should be routed away from iconic or scenic landscapes, parks, cultural heritage sites, and nature reserves whenever possible.
- Use existing infrastructure corridors: Where possible, place new powerlines parallel to existing infrastructure (e.g., roads, railways, or other utility lines) to reduce the cumulative visual impact.
- Minimize crossing skylines: Powerlines crossing high points or ridgelines are highly visible. Avoid placing them where they will be seen against the sky, particularly from popular vantage points.
- Follow natural contours: Where feasible, powerlines should follow the natural contours of the landscape rather than cutting across them. This helps to integrate the infrastructure into the terrain and reduce its visual prominence.

Design and Materials

- Use appropriate tower designs: In sensitive visual environments, consider using monopoles or lower profile designs instead of lattice towers, which are more visually prominent. Modern, slimline designs can reduce visual bulk.
- Colour and materials: Choose colours and materials that blend with the surrounding environment (e.g., dull, non-reflective finishes) to reduce visibility.
- Use vegetation screening: Where appropriate, retain or plant trees and vegetation to screen powerlines from key viewpoints. This works best when powerlines run through forests or wooded areas.

Key Viewpoints and Sightlines

- Identify key viewing areas: Conduct a visual impact assessment from critical viewpoints, including highways, recreational areas, towns, and residential locations. Prioritize minimizing visual impact in these areas.
- Minimize visual contrast: When viewed from key points, powerlines should appear as inconspicuous as possible. Where visual contrast with the background is unavoidable, mitigate the impact with design measures or alternative placements.
- Consider distance from the viewer: The visual impact decreases with distance, so where possible, locate powerlines farther away from frequently used areas or areas of high visual sensitivity.

Height and Spacing of Towers

- Vary tower height based on terrain: In hilly or mountainous areas, use varying tower heights to reduce the visibility of the lines. For example, lower towers in valleys can reduce their visual impact from above.
- Maximize span length: Where practical, increase the spacing between towers to reduce the overall number of structures, as long as the technical limitations and safety requirements are not compromised.

Stakeholder Engagement

- Engage local communities: Conduct early and meaningful consultation with local stakeholders to identify areas of visual sensitivity. Involving the public early in the process can help minimize conflict and improve the final design.
- Address concerns proactively: Provide information and visual simulations to help the public understand the visual impacts. Be open to route adjustments or mitigation measures based on community feedback.

Temporary and Construction-Phase Considerations

- Mitigate construction impacts: Temporary visual impacts from construction equipment and activities should be minimized, particularly in visually sensitive areas. Where possible, plan construction outside of peak tourist or recreational seasons.
- Restore construction areas: After construction, restore disturbed landscapes (e.g., access roads, construction pads) to their original or improved condition, including replanting vegetation where feasible.

Technology

- Consider undergrounding where necessary: In particularly sensitive areas (such as near historical landmarks or heavily populated scenic regions), evaluate the feasibility of undergrounding powerlines as an alternative to overhead structures, although this may be more costly.

By following these guidelines, the visual impact of overhead powerlines can be minimized while balancing the technical, environmental, and economic constraints of solar power transmission infrastructure development.

*The visual specialist recommended that the proposed **development draw reference from the set of visual indicators for planning and design response** and that the site-planning be refined with consideration to place-making, supported by the development of a detailed **landscape plan** during the detailed design phase (for implementation).*

6.4 Playful inspiration



Figure 78: Soorebane ('bog-fox') high-voltage-pylon, Risti, Estonia Source: ahvenas, Altas Obscura

This transmission line in western Estonia was commissioned by the electricity company Elering to raise awareness of the importance of electricity in contemporary society, while also showcasing how functional infrastructure, like an electric pylon, can have artistic value. Standing 45 meters high and weighing 33 tons, the pylon is constructed from steel tubes anchored by 25 piles driven 19 meters into the bog. Its slender form and rustic colour harmonize with the natural surroundings of Kuistlema Raba.

Designed by Sille Pihlak and Siim Tuksam, the project posed engineering challenges, requiring the structure to be both durable and securely grounded in the bog soil while functioning as a deviation point for electric lines. The final design, resembling a squatting fox, was an unexpected discovery, leading to its name, "Bog Fox." The pylon was completed and opened in 2020.

<https://www.atlasobscura.com/places/soorebane-bog-fox-high-voltage-pylon>



Figure 79: Soorebane in winter. Source: <https://www.reddit.com/>



Figure 80: 'Leuchtturm', Germany. Source: demilked.com

A team of three art students from Klasse Löbber in Germany transformed an ordinary, unattractive electrical tower into a striking piece of contemporary art by turning it into a stained-glass lighthouse, or "Leuchtturm" in German.

The urban artwork in Hattingen, Germany was conceived by Ail Hwan, Hae-Ryan Jeong and Chung-Ki Park, who used cut triangles of Acrylglas to mimic the function of traditional stained-glass pieces. The result is an eye-catching, site-specific artwork that shines and glows in the sunlight, adding vibrant colour and aesthetic value to its urban surroundings.

<https://www.demilked.com/leuchtturm-electrical-tower-stained-glass-lighthouse/>



Figure 81: Leuchtturm', Hattingen, Germany. Source: <https://www.thisiscolossal.com/2014/07/>

7. Planning and Design Response

7.1 Hartebeest Hoek Transmission Infrastructure




Figure 82: Hartebeest Hoek proposed transmission infrastructure: preferred corridor. Source: SES




Figure 83: Hartebeest Hoek proposed transmission infrastructure: alternative corridor Source: SES

8. Visual Impact Assessment

8.1 *Planning, Design and Development Phase Visual Impacts*

Potential impacts during construction include site establishment and clearance: i.e., removal of existing vegetation, earthworks, excavations, and installation of bulk infrastructure. **Risks** include change in character of sites and context, as well as the potential overwhelming of adjacent and on-site visual resources; and change in the sense of place of the site. The **consequence** of these impacts and risks is visual disturbance to the status quo; and the **probability** of occurrence is high, as is the level of **confidence** in the predication.

8.1.1 *Nature*

Negative Visual Impacts are likely to occur during construction for both the preferred and alternative corridors – resulting directly from site clearance, earthworks, and removal of existing vegetation; together with construction vehicles / building activity causing noise / dust.

8.1.2 *Types*

Impact types include those which are a **direct** result of the construction activity, at the same time and in the same space as the construction activity, as well as secondary **indirect** impacts, which occur later in time and elsewhere in space (impacts of views from the broader context into the site). Construction activity may also cause **induced** impacts (e.g., increased traffic in the vicinity because of construction vehicles turning into the site and out of it). Moreover, **cumulative** impacts may add to future impacts on the same receiving environment – for example, increased activity within the vicinity.

8.1.3 *Magnitude*

The degree to which these visual impacts would cause **irreplaceable loss of resources**, is low. The degree to which they can be **avoided** is low, as is the degree to which they can be **reversed**. They can, however, can be **managed** to a medium extent; similarly, they can be **mitigated** to a medium extent.

8.1.4 *Ratings*

The geographic ‘area of influence’ or spatial scale of the construction visual impacts is of a **local extent** – i.e., limited to the site and immediate surroundings; and the **duration** or predicted life-space of the construction visual impacts is limited to the **short-term**, – lasting only through the phased construction period of the project. These visual impacts of construction are of **medium intensity** – where visual and scenic resources are affected to a moderate extent only.

8.1.5 *Significance before mitigation*

Determined through a synthesis of the aspects of nature, duration, intensity, extent, and probability, as they are localized and short-term, **before mitigation** the Construction Phase Visual Impacts of the proposals are of **low adverse significance**. The implementation of an environmental management plan is required.

8.1.6 *Significance after mitigation*

Following mitigation (i.e., preservation of existing trees where possible, and environmental management during construction as required) the significance of the impacts will be of **neutral significance**, for the **preferred corridor alignment** as well as the **alternative corridor alignment**.
(See Summary tables that follow – Section 9 of this report).

8.2. Operational Phase Visual Impacts

Potential impacts during operational phases of proposed development include the insertion of a contemporary solar energy infrastructure into the cultural landscape. **Risks** include change in character of site and context and change in the sense of place of the site. The **consequence** of these impacts and risks is visual disturbance to the status quo; and the **probability** of occurrence is definite, as is the level of **confidence** in the predication.

8.2.1 Nature

Negative impacts include the reduction of the rural landscape, however, with the implementation of the proposed mitigation, **positive impacts** may be expected resulting from an appropriately located intervention, coherently integrated within the rural landscape, and preserving the integrity of existing landscape features. This has been achieved in the proposal in response to visual indicators and visual buffers.

8.2.2 Types

The types of impacts include those which are as a **direct** result of the insertion of new infrastructure and ancillary buildings into the site, as well as secondary **indirect** impacts, which may occur later in time and elsewhere in space (impacts of views from the broader context into the site). **Induced** impacts because of increased operational activity (e.g., increased traffic in the vicinity). Moreover, **cumulative** impacts may add to future impacts on the same receiving environment – for example activity within the vicinity.

8.2.3 Magnitude

The degree to which these visual impacts would cause **irreplaceable loss of resources**, is medium/low in the case of the development proposal, The degree to which these impacts can be **avoided** is medium and the degree to which they can be **reversed** is low. They can, however, can be **managed** to a medium to high extent; similarly, they can be **mitigated** to a medium to high extent.

8.2.4 Ratings

The geographic ‘area of influence’ or spatial scale of the construction visual impacts is of a **local extent** – i.e., limited to the site and immediate surroundings; and the **duration** or predicted life-space of the construction visual impacts will be limited to the **medium term**, – lasting only through the landscape has been re-established. These visual impacts of the development are deemed to be of **medium intensity** – where visual and scenic resources are affected to a limited extent only.

8.2.5 Significance before mitigation

Determined through a synthesis of the aspects of the nature, duration, intensity, extent, and probability, **before mitigation** the Operational Phase Visual Impacts of the proposals are of **medium adverse significance**, having some influence on the environment, and requiring some mitigation.

8.2.6 Significance after mitigation

Determined through a synthesis of the aspects of the nature, duration, intensity, extent and probability, **post mitigation** (including the retention of as many existing trees as possible in addition to landscape and architectural measures, the Visual Impact of the **proposed development** is of **neutral significance**, for the **preferred corridor alignment** as well as the **alternative corridor alignment**. (See Summary tables that follow – Section 9 of this report).

9. Visual Impact Assessment Summary Tables

9.1a Development Phase Visual Impacts

	Hartebeest Hoek Transmission Infrastructure – preferred corridor												
Planning, Design and Development Phase	Description												
Potential impact:	site clearance, removal of existing materials; earthworks, site establishment,												
Risks (to broader context / background)	Change in character of rural/agricultural context to solar energy facility												
Risks (to local context / middle-ground)	Reduction of continuity of the rural landscape												
Risks (to subject site / foreground)	Change in sense of place from farmland to construction site												
Consequence of impacts and risks	visual disturbance of status quo, foreground construction activity												
Probability of occurrence	definite												
Level of Confidence in prediction	high												
Nature of Impact:	Description												
Negative	Potential impact on views resulting from craneage/hoarding/construction works												
Neutral	n/a												
Positive	n/a												
Type of Impact:	Description												
Direct	clearance, demolition, construction activities, vehicles												
Indirect	increased activities associated with construction (later in time, elsewhere in space)												
Induced	increased traffic pressure on adjacent roadways (as a consequence of the project)												
Cumulative	Adds to existing development within the immediate context												
Magnitude: degree to which impact:	n/a	Low	low/med	Medium	med/high	High							
may cause irreplaceable loss of resources	Low												
can be avoided	Low												
can be reversed	Low												
can be managed						med/high							
can be mitigated						med/high							
Rating of impacts:	n/a	Low	low/med	Medium	med/high	High							
Extent of impact	local												
Duration of impact (term)	short												
Intensity of impact	low/med												
Thresholds of Significance:	v.high +ve	high +ve	med +ve	low +ve	v.low +ve	neutr 0	neglig 0	v.low -ve	low -ve	mod. -ve	high -ve	v.high -ve	
Significance BEFORE mitigation											mod -ve		
Proposed mitigation measures:	Description												
Impact avoidance/ prevention	Indicate ‘no-go areas’ – off-limits for site camp/storage												
Impact minimization	limiting construction to within low visual sensitivity areas												
Rehabilitation / restoration/ repair	post-construction rehabilitation / environmental improvement												
Compensation / offset	site rehabilitation and management, noise, and dust control												
Residual Impacts	controlled adverse visual impacts for a short duration												
Cumulative impacts post mitigation	Neutral due to implementation of Construction Phase EMP												
Thresholds of Significance	v.high +ve	high +ve	med +ve	low +ve	v.low +ve	neutr 0	neglig 0	v.low -ve	low -ve	mod. -ve	high -ve	v.high -ve	
Significance AFTER mitigation						neutr 0							

9.1b Operational Phase Visual Impacts

	Hartebeest Hoek Transmission Infrastructure – preferred corridor													
Operational Phase	Description													
Potential impact	contemporary solar infrastructure inserted into cultural landscape environment													
Risks (to broader context)	Impact upon scenic quality													
Risks (to local context)	Infrastructural intensification / potential overcrowding impact on visual resources													
Risks (to subject site)	change in sense of place, potential encroachment on landscape features													
Consequence of impacts and risks	insertion of new infrastructure and ancillary buildings													
Probability of occurrence	definite													
Level of Confidence in prediction	high													
Nature of Impact	Description													
Negative	Possible encroachment on visual resources													
Neutral	New solar energy infrastructure integrated into the cultural landscape													
Positive	Meaningful response to site features and visual indicators													
Type of Impact	Description													
Direct	New solar energy facility inserted into existing agricultural landscape													
Indirect	increased activities associated with solar energy facilities													
Induced	traffic along new roadways, potential glint, and glare													
Cumulative	Adds to existing infrastructural development within the broader context													
Magnitude: degree to which impact:	n/a	Low		low/med		Medium		med/high		High				
may cause irreplaceable loss of resources	Low/med													
can be avoided						Medium								
can be reversed	Low													
can be managed											med/high			
can be mitigated											med/high			
Rating of Impacts	n/a	Low		low/med		Medium		med/high		High				
Extent of impact	local													
Duration of impact (term)						Medium								
Intensity of impact						Medium								
Thresholds of Significance:	v.high +ve	high +ve	med +ve	low +ve	v.low +ve	neutr 0	neglig 0	v.low -ve	low -ve	mod. -ve	high -ve	v.high -ve		
Significance rating BEFORE mitigation											mod. -ve			
Proposed mitigation measures	Description													
Impact avoidance/ prevention	identify ‘no-go areas for any further development (refer to visual indicators)													
Impact minimization	planning for development to respond positively to visual resource considerations													
Rehabilitation/ restoration/ repair	Engineering/architectural measures (form / scale / massing / materials / textures)													
Compensation/ offset	landscape measures (screen planting / internal open space / view corridors)													
Residual impact	development which partially fits in with the local landscape													
Cumulative impact post mitigation	Neutral due to congruence with context and retention of notable site features													
Thresholds of Significance	v.high +ve	high +ve	med +ve	low +ve	v.low +ve	neutr 0	neglig 0	v.low -ve	low -ve	mod. -ve	high -ve	v.high -ve		
Significance rating AFTER mitigation							neutr 0							

10. Conclusion

10.1 Review

The site is part of an established Cultural Landscape with visual scenic resources. Visual indicators have been identified and communicated to the planning and design team, together with mapping of visual buffers and areas of low visual sensitivity. The proposed development has been planned with respect to these visual indicators, to preserve natural features and to minimise disruption to the established cultural landscape, with particular attention to the placement of the proposed solar arrays and associated ancillary buildings and services, as well as the proposed overhead transmission lines. The proposals for the **Hartebeest Hoek Transmission Infrastructure – preferred corridor and alternative** are **both** aligned to the design indicators.

The planning, design and development visual impacts and operational phase visual impacts are of medium intensity prior to mitigation, as although natural, cultural, and social functions and processes would continue, a proportion of visual resources will be affected given the scale and cumulative effect of the installations. However, given the location of the proposed development within one of the national Strategic Transmission Corridors and Expansions, and the relative distance of the installations from sensitive receptors, the receiving environment is only moderately vulnerable. The visual impacts of the development proposal can and should be mitigated to within acceptable levels.

Apart from the mitigation measures described in Section 10 to follow, care should be taken not to encroach upon the farm werf settlements or prominent ridgelines or koppies. The solar array installation should be located with careful consideration of the local micro-site conditions.

With respect to cumulative impacts of the ancillary buildings, tonal and textural variation should be considered as an option, noting that darker tones are more visually recessive than lighter tones, and that rougher tones (e.g., portions of stonework) also contribute to this effect. Shadows (cast by screening vegetation and articulation of structures) assist in this. Variation increases the visual absorption effect, and therefore from a visual impact assessment perspective, the proposed buildings need not be identical or uniform in colour.

The layout has responded well to visual indicators and maximises the visual absorption capacity of the site by locating the various components of the proposal within areas of low visual sensitivity, outside of the visual buffers, for the proposed solar installation to become as visually recessive as possible. Landscape implementation can further augment the visual absorption capacity of the site.

The positive effect of vegetation in the mitigation of visual impacts is significant. New shrubs and screen trees need to be of meaningful size when planted, with well-developed forms, or alternatively grouped or clustered to augment mitigation. The implementation of the landscape rehabilitation plan is an essential measure for the mitigation of visual impacts.

Overall, the proposal is assessed to have a visual impact of medium significance, reducing to low significance with mitigation in the form of the landscaping and architectural controls as proposed. It should be noted that whereas underground transmission lines would have less of a visual impact than overhead lines, and therefore minimal impact upon landscape character, excavations and trenching for underground lines would cause a short-term visual impact, lasting until the site rehabilitation and re-establishment of groundcover vegetation along the route.

10.2 Mitigation

The application of a *hierarchical sequence of mitigation considerations* (which correspond to the visual indicator recommendations listed in section 6 of this report) is central to avoiding or minimizing, and/or remedying residual visual impacts of development as follows:

- a) measures to **avoid or prevent** potentially significant impacts, then,
- b) measures to **minimize or reduce** potentially significant impacts, then,
- c) measures to **rehabilitate or restore** disturbed or degraded areas; and finally,
- d) measures to **compensate or offset** any remaining impacts not addressed fully through the above.

a) Measures to Avoid or Prevent Potentially Significant Impacts

- Route selection to avoid sensitive areas: Identify and avoid routing powerlines through highly scenic landscapes, heritage sites, national parks, and protected ecosystems.
- Avoid ridgelines and prominent features: Ensure that powerlines are not placed along ridgelines or other visually prominent landscape features to reduce visibility against the skyline.
- Utilize existing infrastructure corridors: Place new powerlines alongside existing roads, railways, or utility corridors to prevent additional landscape fragmentation and visual disruption.
- Select undergrounding options in critical areas: In visually sensitive areas, such as near historical landmarks or community viewsheds, consider burying the powerlines underground.

b) Measures to Minimize or Reduce Potentially Significant Impacts

- Follow the natural land contours: Align powerlines with natural topography to minimize visual intrusion, integrating them more smoothly into the landscape.
- Strategic placement of towers: Position towers in less visible locations, such as valleys, rather than on high points, to reduce their prominence from key viewpoints.
- Colour and material choices: Use non-reflective materials and colours that blend with the surrounding environment (e.g., earth tones or colours that match the landscape).
- Vegetation screening: Retain or introduce vegetation to function as a visual screen, softening the appearance of powerlines and towers from key public viewpoints.

c) Measures to Rehabilitate or Restore Disturbed or Degraded Areas

- Restoration of construction areas: Rehabilitate areas disturbed during construction, such as access roads, staging areas, and clearings. Restore natural vegetation and re-grade disturbed land to its original contours.
- Screening vegetation: In areas where vegetation was cleared for powerline installation, undertake revegetation efforts to restore the original character of the landscape and enhance visual integration.
- Landform restoration: Restore any modified landforms caused by construction to blend naturally with the surrounding terrain.
- Soil stabilization and erosion control: Implement measures to prevent erosion and ensure that rehabilitated areas do not degrade further, particularly in areas with steep slopes or fragile ecosystems.

d) Measures to Compensate or Offset Any Remaining Impacts

- Visual enhancement projects: Undertake projects that enhance the surrounding visual landscape, such as landscape rehabilitation programs, planting of screening vegetation, or habitat restoration in areas adjacent to the powerline.
- Environmental offsets: Contribute to conservation or preservation efforts in other parts of the rural landscape to offset the visual and ecological impacts of the powerline.

10.2.1 *Planning, Design and Development phase mitigation:*

With respect to the construction activity, the following mitigation measures are recommended for inclusion within the Environmental Management of the construction programme.

- a) Designate visual resources (e.g., koppies and drainage corridors) as 'no-go areas' for site camp establishment, materials storage, stockpiling, dumping, to avoid and prevent damage or intrusion to these areas.
- b) Limit construction activity to within the low visual sensitivity areas, constructing on disturbed areas only to minimize impact to visual amenity resources identified (e.g., farmstead werf).
- c) Ensure post-construction repair and rehabilitation of the site, towards improvement of disturbed areas and areas degraded by the construction activity.
- d) Implement a construction phase environmental management plan (CEMP) to ensure on-going management of environmental matters, including noise, dust, and erosion control.

Sound **environmental management** of the site and construction operations - including dust prevention and erosion control – should suffice as mitigation of construction phase visual impacts. The preparation and implementation of a Construction Phase Environmental Management Plan (CEMP) should be provided to ensure that this is achieved.

10.2.2 *Operational phase mitigation:*

With respect to the operational phase, the following mitigation measures are recommended:

- a) Maintain the visual resources as 'no-go areas' for any further development, and ensure that any activities within these areas 'tread-lightly',
- b) planning and management to respond positively to visual/heritage considerations and design indicators, towards an appropriate fit and seamless integration into the landscape context.
- c) architectural measures (form / scale / massing / materials / textures) to ensure visually recessive structures and to combat the cumulative effect of the aggregation of buildings and services
- d) landscape measures (screen planting where appropriate) to anchor and settle the new ancillary buildings into the site and to 'dissolve' and 'diffuse' hard edges.

The preparation and implementation of an Operational Phase Environmental Management Plan (OEMP) should be provided with reference to the overall site development plan to ensure that environmental integrity is maintained.

Whereas this should suffice as mitigation of operational phase visual impacts, the thorough implementation, maintenance, and management of **landscape rehabilitation plans** prepared by qualified landscape architects (with cultural landscape experience) should ensure that the integration of the development proposal into the site is achieved successfully.

With respect to landscape planning, the local authority may require the following:

“A detailed landscape plan, compiled by a registered Landscape Architect, for the property concerned must be submitted by the developer to the approval of the Environmental Management Division.

Such a plan is to indicate, inter alia, the extent, location, and design of the following:

- *existing vegetation to be retained or removed, indicating the types of all vegetation and trees.*
- *all proposed newly planted vegetation, including types (species) and planting specifications.*
- *tree staking details (if applicable)*
- *the size of all trees to be planted (roots to be established in min 80 – 100 L size container, with a clear stem height of 1.8 m minimum, and a minimum girth of approximately 60 mm).*
- *density of plant species/plant mixes, size of plants to be planted.*
- *existing and finished ground levels at the base of the trees to be retained/planted.*
- *all landscaping features, including fences, walls, retaining walls, paving, street furniture, and lighting.*
- *All Sustainable Urban Drainage Systems (SUDS), including cross-sections of storm-water ponds and/or swales.*
- *Irrigation plan (alternative water sources to be indicated); and*
- *phasing and timing of implementation, including a twelve-month establishment period.”*

This would correspond with the detailed design of the proposed infrastructure, responding to the nuances of the site, and incorporating the site-specific mitigation measures. The implementation of the recommended mitigation measures as described should ensure that the visual impact of the proposed development remains within acceptable levels, and for the proposed development to become as compatible with the visual setting as possible.

As a result, the proposed development will fit comfortably within its immediate context, contributing positively a new green energy infrastructural layer to the established cultural landscape character of the area.

10.3 Appraisal

Whereas the development proposal is congruent with development strategies for the area and no fatal flaws are implicit within the proposed site development plan, localized visual impacts perceived by the receptors can be reduced through the application of the mitigation measures as described.

The planning and design of the development layout has responded to contextual cultural landscape informants, including visual indicators and view considerations extremely well. Further mitigation can reduce the significance of the residual visual impacts to 'neutral', meaning that the proposed development would not cause discernible deterioration to existing views or visual resources.

Considered holistically, therefore, the Visual Impact of the proposed **preferred** and **alternative development option** (post mitigation) will cause little detrimental effect upon visual resources, environment or on human well-being; and with the implementation of the mitigation measures as described, should remain within visual, heritage and environmental quality standards, targets, and legal requirements; to the approval of the local authority (Environment and Heritage Resources Management Section).

10.4 Recommendation

Subject to the implementation of mitigation measures as described within this report, the proposed development of '**Hartebeest Hoek Transmission Infrastructure – preferred corridor**' is **recommended for approval**.

11. Source Material

11.1 National Legislation & Legal Framework

- **Constitution** of the Republic of South Africa, 10 December 1996
- **CARA** Conservation of Agricultural Resources Act (43 of 1983)
- **NEMA** The National Environmental Management Act (107 of 1998)
- **NEM:BA** The National Environmental Management: Biodiversity Act (10 of 2004)
- **NHRA** The National Heritage Resources Act (25 of 1999)
- **NWA** The Water Act (38 of 1997)
- **WSA** Water Services Act (108 of 1997)
- **SPLUMA** Spatial Planning and Land Use Management Act (16 of 2013)

11.2 Provincial Documents and Reports

- **LUPA** Land Use Planning Act (3 of 2014)
- **Winter, S & Bauman, N, 2005:**
Guideline for involving Heritage Specialists in the EIA process:
Edition 1 CSIR Report No ENV-S-C 2005 053 F. Republic of South Africa,
Provincial Government of the Western Cape, DEA&DP, Cape Town
- **Oberholzer, B 2005:**
Guideline for involving Visual and Aesthetic Specialists in the EIA process:
Edition 1 CSIR Report No ENV-S-C 2005 053 F. Republic of South Africa,
Provincial Government of the Western Cape, DEA&DP, Cape Town
- **Winter, S & Oberholzer, B (in Association with Setplan), 2013:**
Heritage and Scenic Resources: Inventory and Policy Framework for the Western Cape
A Study prepared for the Western Cape Provincial Spatial Development Framework (Version 5)
Western Cape Government, Environmental Affairs & Development Planning, Cape Town

11.3 *Geographic data*

Aerial photography & geospatial data:

- GeoEye / TerraMetrics, SOP, NOAA, U.S. Navy, NGA, GEBCO
- Google-Earth Pro / Google Maps / Google Street View
- David Hellig & Abrahamse

GIS base information:

- Strategic Development Information
- Geographic Information Systems
- Cape Farm Mapper (GIS Elsenburg)

Topocadastral information:

- Various (topography, land use) maps
- Department of Land Affairs: Mapping and Surveys
- South African National Government

Vegetation data:

- Mucina, L & Rutherford, M C, 2006:
- The vegetation map of South Africa, Lesotho, and Swaziland
- SANBI (South African National Biodiversity Institute)

Historic Farm information

- Leonard Guelke
- The Southern Western Cape Colony 1657 – 1759 (Freehold Land Grants)

Cape Town historic mapping surveys:

- Snow: (circa 1860)
- Wilson: (1878)
- Thom: (circa 1890)

11.4 Online data

Cape Agricultural Mobile Information System:

- <https://gis.elsenburg.com/mobile/camis/main/>

Cape Farm Mapper:

- <https://gis.elsenburg.com/apps/cfm/>

Cape Town topographic map, elevation, relief (topographic-map.com)

- <https://en-za.topographic-map.com/maps/77at/Cape-Town/>

Cape Town / Environs: Historic topocadastral map series (compiled by Adrian Frith)

- <http://htonl.dev.openstreetmap.org/50k-ct/#10/-34.0000/18.5000/c1940>
- <http://htonl.dev.openstreetmap.org/50k-ct/#10/-34.0000/18.5000/c1960>
- <http://htonl.dev.openstreetmap.org/50k-ct/#10/-34.0231/18.5250/c1980>
- <http://htonl.dev.openstreetmap.org/50k-ct/#10/-34.0231/18.5250/c1990>
- <http://htonl.dev.openstreetmap.org/50k-ct/#10/-34.0231/18.5250/c2000>
- <http://htonl.dev.openstreetmap.org/50k-ct/#10/-33.9980/18.4715/c2010>

Chief Surveyor General - Cadastral Spatial Data Viewer

- <https://csg.esri-southafrica.com>
- <https://csg.esri-southafrica.com/spatialdataviewer/>

City Map Viewer (via City of Cape Town website):

- <https://citymaps.capetown.gov.za/EGISViewer/>

City Zoning Viewer (via City of Cape Town website):

- <http://emap.capetown.gov.za/EGISPbdm/>

City Maps Lab

- <https://web1.capetown.gov.za/web1/opendataportal/AllDatasets>

Coastal viewer

- <https://mapservice.environment.gov.za/Coastal%20Viewer/>

Open Topo Map

- <https://opentopomap.org/>

Peakery

- <https://peakery.com/>

Stellenbosch Municipality Heritage Survey

<https://www.stellenboschheritage.co.za/smhs/map/#11/-33.9360/18.9548>

Windy (real-time climatic information)

- <https://www.windy.com/?-33.926,18.423,5>

11.5 *Project Information*

Client

- Mulilo Renewable Energy (Pty) Ltd

Environmental Consultant

- Sharples Environmental Services (SES)

Heritage Practitioner

- John Gribble

Visual Specialist

- David Gibbs

12. Annexures & Appendices

Consultant Data

The cultural landscape character analysis and Visual Impact Assessment report has been prepared by David Gibbs Landscape Architect | Environmental Planner + Heritage Practitioner, who as visual specialist and author of this document, and having no vested interest in the outcome of the approvals processes associated with the proposed development assessed within this document; nor standing to gain financially from the design, construction or future management thereof; maintains complete impartiality and independence.

Summary of Experience:

David Gibbs is a professional landscape architect, environmental planner, heritage practitioner and visual specialist. David serves the University of Cape Town professionally as University Landscape Architect and Heritage Practitioner also teaches occasionally within the post-graduate planning, urban design, landscape architecture, transport engineering and heritage Programmes.

He has served as President of the Institute for Landscape Architecture in South Africa, as Education Portfolio Councillor on the South African Council for the Landscape Architectural Professions, as Young Professionals' Advocate for the International Federation of Landscape Architects, as specialist consultant to Spatial Planning and Urban Design at the City of Cape Town, and as member of the Built Environment and Landscape Committee and chair of the Impact Assessment Committee of Heritage Western Cape.

He continues to serve as contributing member to the International Council on Monuments and Sites - Intentional Scientific Committee on Cultural Landscapes. Understanding and Interpreting Cultural Landscape has become the principal narrative of David's professional and academic work and while he continues to explore this theme, he advocates the curatorship of our built heritage together with the stewardship of our shared environment.

David lives in Pax Cottage, Timour Hall, with his wife Mary, their children Theo, Ellie, and Joe; Tiggy the Irish Terrier, some mid-century modern furniture, several 'in-progress' art projects and a variety of garden birds, geckos, and chameleons.



Curriculum Vitae - David Gibbs

Biography

Full Names & ZAR ID #:	DAVID PETER GIBBS	7712265042088
Date & Place of Birth:	26th December 1977	Cape Town, South Africa

Qualifications

PrLArch (Professional Landscape Architect | Environmental Planner)
SACLAP # 20128, (5th August 2004)

PHP (Professional Heritage Practitioner)
APHP, (9th March 2015)

MLArch (Master of Landscape Architecture)
UCT, Faculty of Engineering & the Built Environment, (10th December 2001)

BAS (Bachelor of Architectural Studies)
UCT, Faculty of Fine Art & Architecture, (11th December 1998)

Professional Registration and Accreditation

South African Council for the Landscape Architectural Professions
SACLAP registered Professional Landscape Architect & Environmental Planner

Association of Professional Heritage Practitioners
APHP accredited Professional Heritage Practitioner

Green Buildings Council South Africa
Green Star Accredited Professional (AP New Buildings)

Professional Membership

International Council for Monuments and Sites (ICOMOS)
ICOMOS SA; ICOMOS ISCCL (International Scientific Committee on Cultural Landscapes)
do.co.mo.mo_sa: International committee for the documentation and conservation of buildings, sites and neighbourhoods of the Modern Movement

Institute for Landscape Architecture in South Africa
ILASA-National and ILASA-Cape Regional Branch Professional Member # P463

Society of Architects, Planners, Engineers, and Surveyors
APES Professional Member (Architecture)

Vernacular Architecture Society of South Africa
VASSA Member

Young Urbanists Community
YU Professional Member (Future Cape Town)

Professional Career History

UCT Properties & Services, Campus Planning & Design, Cape Town, South Africa
University Landscape Architect (Feb. 2018 –) Staff number: 01404611

City of Cape Town, Energy, Spatial & Environmental Planning, Spatial Planning & Urban Design
Specialist Consultant (contract appointment May 2015 – Oct. 2015)

Gibbs Saintpôl Landscape Architects cc. Cape Town, South Africa
Co-Founder/ Director (Oct. 2010 – Aug. 2014); *Specialist Consultant* (Sept. 2014 – 2016)

OvP Associates cc. Landscape Architects, Architects, Planners, Cape Town, South Africa
Consultant Landscape Architect (Jul. 2006 - Sept. 2010)

LA Web cc. t/a Urbanscapes, Cape Town, South Africa
Professional Landscape Architect (Feb. 2004 - Jun. 2006)

Ian Ford Deon Bronkhorst Landscape Architects cc. Cape Town, South Africa
Graduate Landscape Architect (Dec. 2001 - Jan. 2004)

Ian Ford & Associates Landscape Architects cc, Cape Town, South Africa

Student Landscape Architect (Nov. 2000 - Feb. 2001)

JB Burmeister & Associates Architects cc, Cape Town, South Africa

Student Architect (Jan. 1999 - Sept. 1999)

Academic Career History

University of Cape Town: School of Architecture, Planning and Geomatics: (Staff #: 01404611)

MCRP, MCPUD, MLA programmes: *Studio Master | Lecturer | Consultant* (2005 - 2016)

MCRP, MUD, MLA programmes: *Studio Master | Lecturer | Supervisor* (2017 - ongoing)

MCRP and MLA Programme Governance Committee: *Member:* (2007 - ongoing)

MLA programme: *Acting Programme Convener* (Jun. – Dec. 2008)

MPhil: Conservation of the Built Environment: Supervisor (2024)

University of Cape Town: The Humanities Information Technology Committee (HUMANITEC)

Principal Researcher: Ian Ford Archive; Ann Sutton Archive (2013 – 2015)

University of Pretoria: Department of Architecture: Master of Landscape Architecture:

Professional programme: Accreditation Evaluator (2008); External Examiner (2009)

Cape Peninsula University of Technology: Department of Applied Sciences: (Staff #: 30083331)

Landscape Technology: *Advisory Board* (2008 – 2017) *Lecturer* (2008 – 2010); (2016 - 2017)

Association of African Planning Schools: <http://www.africanplanningschools.org.za>

Co-Author: with Liana Müller Jansen: Mapping Cultural Landscapes Toolkit (2011)

Council for Higher Education (CHE) Higher Education Quality Committee (HEQC)

Programme Accreditation: Evaluator Preparation workshop: *SACLAP delegate* (2006)

Service, Leadership & Advocacy

South African Council for the Landscape Architectural Professionals (SACLAP)

SACLAP Education Committee member (co-opted 2010 – 2013)

SACLAP Councillor: Education Portfolio (2005 – 2009)

Institute for Landscape Architecture in South Africa (ILASA)

ILASA President Emeritus: continuity and governance (2009 – 2010)

ILASA National President (elected 2007 - 2008; re-elected 2008 – 2009)

ILASA National Executive Committee (NEC) member (2005 – 2010)

ILASA-Cape Chair (elected 2005 - 2006; re-elected 2006 – 2007)

ILASA-Cape Councillor: regional projects and exhibitions (2003 – 2005)

International Federation of Landscape Architects (IFLA)

IFLA Young Professionals' Advocate (2009 – 2012)

IFLA Africa Forum Committee (2008 – 2012)

IFLA World Council Delegate (2008 – 2011)

World Design Capital Cape Town (WDCCT)

Curatorial Panelist | Adjudicator (2013 – 2014)

Heritage Western Cape (HWC)

Impact Assessment Committee (IACOM) Chair (2019-2022); (2023 -2025)

Built Environment and Landscape Committee (BELCOM) member (2017 – 2019)

UCT Rhodes Must Fall Scholarship Committee

Member (2020 - 2022)

Association of Professional Heritage Practitioners (APHP)

APHP Executive Committee (ExCo) 2022 –

Society of Architects, Planners, Engineers, and Surveyors

APES Executive Committee (ExCo) 2025 –

General Declaration

I, **David Gibbs** hereby declare

- that I have acted as independent specialist in this application and have performed the work relating to the application in an objective and fair manner, notwithstanding the fact that resultant views and findings may be un-favourable to the applicant.
- that there are no circumstances that have compromised my objectivity in performing such work; and I have no conflicting interests in the undertaking of this work, and neither will I engage in any such interests.
- that I have expertise in conducting the specialist report relevant to this application, including knowledge of the Act, regulations and any guidelines that have relevance to the activities proposed within this application.
- that I have undertaken to disclose to the applicant and the competent authority all information within my possession that reasonably may have the potential to influence any decision to be taken by the competent authority with respect to the application.
- that I have undertaken to disclose to the applicant and the competent authority the objectivity of any report, plan or document prepared by myself for submission to the competent authority to inform any decision to be taken by the competent authority with respect to the application.
- that I have complied with the Act, regulations, and all other applicable legislation; that within this form I have furnished particulars that are true and correct; and that I am aware that a false declaration is an offence in terms of regulation 48 of the NEMA EIA Regulations and is punishable in terms of section 24F of the Act.



Signatures of the specialist:

DAVID GIBBS

Names of Specialist:

16th July 2025

Date:

The Independent Specialist who compiled a specialist report and/or undertook a specialist process

I, David Gibbs as the appointed independent specialist hereby declare that I

- act/have acted as the independent specialist in this application.
- regard the information contained in this report as it relates to my specialist input/study to be true and correct, and
- do not have and will not have any financial interest in the undertaking of the activity, other than remuneration for work performed in terms of the NEMA, the Environmental Impact Assessment Regulations, 2010 and any specific environmental management Act.
- have no and will not have any vested interest in the proposed activity proceeding.
- have disclosed, to the applicant, EAP and competent authority, any material information that has or may have the potential to influence the decision of the competent authority or the objectivity of any report, plan or document required in terms of the NEMA, the Environmental Impact Assessment Regulations, 2010 and any specific environmental management Act.
- am fully aware of and meet the responsibilities in terms of NEMA, the Environmental Impact Assessment Regulations, 2010 (specifically in terms of regulation 17 of GN No. R. 543) and any specific environmental management Act, and that failure to comply with these requirements may constitute and result in disqualification.
- have ensured that information containing all relevant facts in respect of the specialist input/study was distributed or made available to interested and affected parties and the public and that participation by interested and affected parties was facilitated in such a manner that all interested and affected parties were provided with a reasonable opportunity to participate and to provide comments on the specialist input/study.
- have ensured that the comments of all interested and affected parties on the specialist report/study were considered, recorded, and submitted to the competent authority in respect of the application
- have ensured that the names of all interested and affected parties that participated in terms of the specialist input/study were recorded in the register of interested and affected parties who participated in the public participation process.
- have provided the competent authority with access to all information at my disposal regarding the application, whether such information is favourable to the applicant or not; and am aware that a false declaration is an offence in terms of regulation 71 of GN No. R. 543.



Signatures of the specialist:

DAVID GIBBS

Names of Specialist:

16th July 2025

Date:

DECLARATION OF THE SPECIALIST

Note: Duplicate this section where there is more than one specialist.

I **David Gibbs** PrLArch + PHP, as the appointed Specialist hereby declare/affirm the correctness of the information provided or to be provided as part of the application, and that:

- In terms of the general requirement to be independent:
 - other than fair remuneration for work performed in terms of this application, have no business, financial, personal, or other interest in the development proposal or application and that there are no circumstances that may compromise my objectivity; or
 - ~~◦ am not independent, but another specialist (the "Review Specialist") that meets the general requirements set out in Regulation 13 of the NEMA EIA Regulations has been appointed to review my work (Note: a declaration by the review specialist must be submitted).~~
- In terms of the remainder of the general requirements for a specialist, have throughout this EIA process met all the requirements.
- I have disclosed to the applicant, the EAP, the Review EAP (if applicable), the Department and I&APs all material information that has or may have the potential to influence the decision of the Department or the objectivity of any Report, plan or document prepared or to be prepared as part of the application; and
- I am aware that a false declaration is an offence in terms of Regulation 48 of the EIA Regulations.



2025 | 07 | 16

Signature of the Specialist:

Date:

DAVID GIBBS Landscape Architect | Heritage Practitioner + Environmental Planner

Name of company (if applicable):